*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

Content Cont	Route 1, Morroe (Manus of applicant) State of Oregon , do hereby make application for a permit to appropriate of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Oliver Cruek, tributary of Muddy, (thame of stream) 2. The amount of water which the applicant intends to apply to beneficial use is O.57 cubic feet per second. (If water is to be used from more which one source, give quantity from each) 1. The use to which the water is to be applied is 1rrigation 1. The point of diversion is located 1279.4 ft. N and 30.4C ft. The point of diversion is located 1279.4 ft. N and 30.4C ft. The corner of DLC of H. C. Buckingham and wife, Claim #53 (dection or subdivisation) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if becausary) being within the NEL SEL ((ive musibest legal mubdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if becausary) (If there is more than one point of diversion, each must be described. Use separate sheet if becausary) (If there is more than one point of diversion, each must be described. Use separate sheet if becausary) (If there is more than one point of diversion, each must be described. Use separate sheet if becausary) (If there is more than one point of diversion, each must be described. Use separate sheet if becausary) (If there is more than one point of diversion, each must be described. Use separate sheet if becausary) (If there is more than one point of diversion of Sec. 13 , Tp. 14 (It is must be applied in the country of Sec. 13 , Tp. 14 (It is expected by the country of Sec. 13 , Tp. 14 (It is expected by the country of Sec. 13 , Tp. 14 (It is expected by the country of Sec. 13 , Tp. 14 (It is expected by the country of Sec. 13 , Tp. 14 (It is expected by the country of Sec. 13 , Tp. 14 (It	
the of Oregon	tate of Oregon	
As hereby make application for a permit to appropriate the state of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Oliver Crock, tributary of Muddy, tributary of Mary's River 2. The amount of togter which the applicant intends to apply to beneficial use is O.57 bits feet per second. (If water is to be used from more thin one source, ever quantity from each) **3. The use to which the water is to be applied is intigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1279.4 ft. N. and 30.0 ft. N. from the SE (town) from the SE (town	Action of Oregon , do hereby make application for a permit to appropriationing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Oliver Crock, tributary of Muddy, (Manne of treem) 2. The amount of water which the applicant intends to apply to beneficial use is O.57. whice feet per second. (If water is to be used from more which owners, give quantity from each) **3. The use to which the water is to be applied is 171 (321100) **4. The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion is located 1279.4 ft. N. (The point of diversion) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) which is the point of the country of the point of the country of Sec. 13 Tp. 14 (The point of the N. (The point of Sec. 13 Tp. 14 (The point of Sec. 14 (The point of treem)	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Oliver Croek, tributary of Muddy, trib. (Hame of areas) 1. The source of the proposed appropriation is Oliver Croek, tributary of Muddy, trib. (Hame of areas) 2. The amount of urger which the applicant intends to apply to beneficial use is O.57 bic feet per second. (If were is to be applied is irrigation was source, and quantity from each) **3. The use to which the water is to be applied is irrigation (irrigation, power, mining, manufacturing, describe each) **4. The point of diversion is located 1279.4 ft. Notes and 30°C ft. Notes are incorporated applies etc.) **5. The point of diversion is located 1279.4 ft. Notes are incorporated applies and incorporated applies are incorporated applies. (If there is much than one point of diversion, such must be depended. The superior sheet if secondary) **6. Notes are incorporated applies and diversion, such must be depended. The superior sheet if secondary) **6. Notes are incorporated applies and such must be depended. The superior sheet if secondary) **6. Notes are incorporated applies and such must be depended. The superior sheet if secondary) **6. Notes are incorporated applies and such must be depended. The superior sheet if secondary) **6. Notes are incorporated applies and such must be depended. The superior sheet if secondary) **14 S. (If we are incorporated applies are incorporated applies are incorporated applies. (If a secondary) **15 The such is must be such and such must be depended. The superior sheet if secondary) **16 Notes are incorporated applies are incorporated applies. (If we are incorporated applies are incorporated applies. (If we are incorporated applies are incorporated applies. (If we are	If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Oliver Crock, tributary of Muddy, (Name of stream) 1. The source of the proposed appropriation is Oliver Crock, tributary of Muddy, (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial size is O.57 ubic feet per second. (If water is to be used from more than one source, give quantity from each) 1. The use to which the water is to be applied is 1. Trigation 1. The point of diversion is located 1279.4 ft. N and 30.0 ft. N from the orner of DLC of H. C. Buckingham and wife, Claim #53 (Bection or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet it necessary) Desiry within the NEL SEL (Give smallest legal subdivision) 7. The pipe line (Give smallest legal subdivision) 8. 6 N , W. M., in the county of Benton (Mules or feet) (Main stick, canal or pipe line) to be 1500* (Main stick, canal or pipe line) (Mules or feet) DESCRIPTION OF WORKS	oriate th
1. The source of the proposed appropriation is 011ver Creek, tributary of Muddy, trib, (them of freeze) 1. The amount of water which the applicant intends to apply to beneficial use is 0.57 2. The amount of water which the applicant intends to apply to beneficial use is 0.57 bic feet per second. (It water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is 1rrigation (trication, power, manual, manufecturing, domestic sources, etc.) 4. The point of diversion is located 1279.4 ft. (trication, power, manual, manufecturing, domestic sources, etc.) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one pent of diversion, such must be described. The sparsets then if necessary) (the corner) (If there is more than one pent of diversion, such must be described. The sparsets then if necessary) (If there is more than one pent of diversion, such must be described. The sparsets then if necessary) (If there is more than one pent of diversion, such must be described. The sparsets then if necessary) (If there is more than one pent of diversion, such must be described. The sparsets then if necessary) (If preferable, give distance and bearing to section corner) (If there is more than one pent of diversion, such must be described. The sparsets then if necessary) (If there is more than one pent of diversion, such must be described. The sparsets then if necessary) (If there is more than one pent of diversion, such must be described. The sparset then if necessary) (If there is more than one pent of diversion, such must be described. The sparset then if necessary) (If there is more than one pent of diversion, such must be described. The sparset then if necessary) (If there is more than one pent of diversion, such must be described. The sparset then if necessary) (If there is more than one pent of diversion, such must be described. The sparset then if necess	1. The source of the proposed appropriation is Oliver Creek, tributary of Muddy, (Name of streem) of Mary's River , a tributary of Willamette River 2. The amount of water which the applicant intends to apply to beneficial use is O.57 ubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is irrigation (trigation, power, mining, manufacturing, domentic sup (trigation, power, mining, manufacturing, domentic s	
of Mary's River	2. The amount of water which the applicant intends to apply to beneficial use is	
of Mary's River	2. The amount of water which the applicant intends to apply to beneficial use is	
2. The amount of water which the applicant intends to apply to beneficial use is 0,57 bic feet per second. (If water is to be used from more thin one source, give quantity from each) 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	2. The amount of water which the applicant intends to apply to beneficial use is	, trib,
with the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is	(If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (Itrigation, power, mining, manufacturing, domestic supplied is (It or **) (It or **) (It or **) (It or **) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion or subdivision) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) (It or W.) (It there is more than one point of diversion point of diversion point of diversion) (It there is not diversion point of diversion point of diversion) (It or W.) (It there is not diversion point of diversion point of diversion) (It there is not diversion point of diversion point of diversion point of diversi	
(If water is to be used from more than one curve, free quality from each) 1x7 1gation (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation) (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation, power, mining, manufacturing, domestic supplies, etc.) 1x7 1gation (trigation) (tr	(If water is to be used from more than one source, give quantity from each) 1 Trigation (Irrigation, power, mining, manufacturing, domestic sup 4. The point of diversion is located 1279.4 ft. N and 30.0 ft. W from the orner of DLC of H. C. Buckingham and wife, Claim #53 (Section or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NF4 SF4 (Give smallest legal subdivision) 6. M , W. M., in the county of Benton (Gov mallest legal subdivision) 5. The pipe line (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Silles or feet) (Recently) DESCRIPTION OF WORKS Diversion Works—	
**3. The use to which the water is to be applied is irrigation. power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1279.4 ft. N and 30.6 ft. N from the SE or or s.) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, such must be described. Use separate thest if becausers) eing within the NE\$ SE\$ (Cive mullion legal subdivision) 5. The pipe 11ne to be 1500° (Miles or town) 5. The pipe 11ne (Miles of town) finalist legal subdivision) 15. The pipe 11ne (Miles or town) (If w. or s.) (If w. or s.) (If w. or s.) (If w. or s.) (If there is more than one point of diversion, such must be described. Use separate thest if becausers) (If preferable, give distance and bearing to section corner) (I	**3. The use to which the water is to be applied is	······································
4. The point of diversion is located 1279.4 ft. N and 30.C ft. To from the SE (N or s.)	4. The point of diversion is located 1279.4 ft. N and 30.C ft. W from the orner of DLC of H. C. Buckingham and wife, C) aim #53 (Section or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) reing within the NF4 SF4 (Give smallest legal subdivision) 3. S. W., W. M., in the county of Benton (Le or W.) 5. The pipe line (Miles or feet) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Give smallest legal subdivision) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Is there is more than one point of diversion, each must be described. Use separate sheet if necessary)	
(If there is more than one point of diversion, such must be described. Use separate sinest it necessary) (If there is more than one point of diversion, such must be described. Use separate sinest it necessary) eting within the NF4 SF4 (Give smallest legal subdivision) (If there is more than one point of diversion, such must be described. Use separate sinest if necessary) eting within the NF4 SF4 (Give smallest legal subdivision) (If of Sec. 13 , Tp. 14 S. (N. or S.) (If or S.	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) seing within the NEL SEL (Give smallest legal subdivision) (Give smallest legal subdivision) 5. The pipe line (Main ditch, canal or pipe line) to be 1500° (Main ditch, canal or pipe line) (Miles or feet) of Sec. 13 , Tp. 14 (Smallest legal subdivision) R. 6 W , W. M., the proposed location being shown throughout on the accompanying (R. er W.) DESCRIPTION OF WORKS	plies, etc.)
(If there is more than one point of diversion, such must be described. Use separate sinest it necessary) (If there is more than one point of diversion, such must be described. Use separate sinest it necessary) eting within the NF4 SF4 (Give smallest legal subdivision) (If there is more than one point of diversion, such must be described. Use separate sinest if necessary) eting within the NF4 SF4 (Give smallest legal subdivision) (If of Sec. 13 , Tp. 14 S. (N. or S.) (If or S.	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) seing within the NEL SEL (Give smallest legal subdivision) (I. or W.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (R. of W. M., in the proposed location being shown throughout on the accompanying (R. or W.) (E. or W.) DESCRIPTION OF WORKS	• •••••
(If there is more than one point of diversion, such must be described. Use separate sinest it necessary) (If there is more than one point of diversion, such must be described. Use separate sinest it necessary) eting within the NF4 SF4 (Give smallest legal subdivision) (If there is more than one point of diversion, such must be described. Use separate sinest if necessary) eting within the NF4 SF4 (Give smallest legal subdivision) (If of Sec. 13 , Tp. 14 S. (N. or S.) (If or S.	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) seing within the NEL SEL (Give smallest legal subdivision) (I. or W.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (R. of W. M., in the proposed location being shown throughout on the accompanying (R. or W.) (E. or W.) DESCRIPTION OF WORKS	e SE
(Section or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEA SEA (Give smallest legal subdivision) of Sec. 13 , Tp. 14 S. (N. or S.) S. W. M., in the county of Benton (a. or W.) 5. The pipe line to be 1500t (Main dich, canal or pipe line) of Sec. 13 , Tp. 14 S. (Maine or feet) n length, terminating in the NEA (Smallest legal subdivision) of Sec. 13 , Tp. 14 S. (More S.) (Smallest legal subdivision) DESCRIPTION OF WORKS (N. or S.) DESCRIPTION OF WORKS (A) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Goose rock, concrete, man ock and brush, tumber crib, etc., wasteway over or around dam) (b) Description of headgate (Tumber, concrete, stc., number and size of openings) matching close coupled centrifugal pumps. Lift to field level - 10 fts.	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEA SEA (Give smallest legal subdivision) (Give smallest legal subdivision) (E. or W.) 5. The pipe line (Main dich., canal or pipe line) (Miles or feet) (In length, terminating in the NWA SEA (Smallest legal subdivision) (E. or W.) (E. or W.) (E. or W.) (E. or W.) DESCRIPTION OF WORKS Diversion Works—	
eing within the NEL SEL (Give smallest legal subdivision) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line to be 1500° (Miles or feet) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or feet) 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed locat	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEA SEA (Give smallest legal subdivision) c. 6 M , W. M., in the county of Benton (R. or W.) 5. The pipe line (Main ditch, canal or pipe line) (Real of Sec. 13 , Tp. 14 (Smallest legal subdivision) R. 6 M , W. M., the proposed location being shown throughout on the accompanying (R. or W.) DESCRIPTION OF WORKS	
eing within the NEL SEL (Give smallest legal subdivision) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line to be 1500° (Miles or feet) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or feet) 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed locat	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEA SEA (Give smallest legal subdivision) 6 M , W. M., in the county of Benton (R. or W.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or seet) n length, terminating in the NWA SEA of Sec. 13 , Tp. 14 (Smallest legal subdivision) 6 M , W. M., the proposed location being shown throughout on the accompanying (R. or W.) DESCRIPTION OF WORKS	
eing within the NEL SEL (Give smallest legal subdivision) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line to be 1500° (Miles or feet) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or feet) 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed locat	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEA SEA (Give smallest legal subdivision) 6 M , W. M., in the county of Benton (R. or W.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or seet) n length, terminating in the NWA SEA of Sec. 13 , Tp. 14 (Smallest legal subdivision) 6 M , W. M., the proposed location being shown throughout on the accompanying (R. or W.) DESCRIPTION OF WORKS	
eing within the NEL SEL (Give smallest legal subdivision) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line to be 1500° (Miles or feet) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or feet) 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed locat	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEL SEL (Give smallest legal subdivision) 6. W. W. M., in the county of Benton (R. or W.) 5. The pipe line (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (R. of Sec. 13 , Tp. 14 (Smallest legal subdivision) R. 6 W. W. M., the proposed location being shown throughout on the accompanying (R. or W.) DESCRIPTION OF WORKS Diversion Works—	
eing within the NEL SEL (Give smallest legal subdivision) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line to be 1500° (Miles or feet) 6 M , W. M., in the county of Benton (R. or 2.) 5. The pipe line (Main ditch, canal or pipe line) (Miles or feet) 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M., the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed location being shown throughout on the accompanying map. 6 M , W. M. the proposed locat	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) seing within the NE\$ SE\$ of Sec. 13 , Tp. 14 R. 6 M , W. M., in the county of Benton (R. or W.) 5. The pipe line to be 1500° (Milles or feet) In length, terminating in the NW\$\frac{1}{4} SE\$ SE\$ (Smallest legal subdivision) R. 6 M , W. M., the proposed location being shown throughout on the accompanying (R. or W.) DESCRIPTION OF WORKS	
cling within the NET SET (Give smallest legal subdivision) of Sec. 13 , Tp. 14 Sec. (Cive smallest legal subdivision) (Cive st.) 6 N , W. M., in the county of Benton (Rice of W.) 5. The pipe line to be 1500* 6. (Main ditch, canal or pipe line) (Milles or feet) 7. (Main ditch, canal or pipe line) (Milles or feet) 8. (Milles or feet) 8. (Milles or feet) 9. (Milles or feet) 13 , Tp. 14 Sec. (Milles or feet) 14 Sec. (Milles or feet) 15 OF Sec. 13 , Tp. 14 Sec. (Milles or feet) 16 W , W. M., the proposed location being shown throughout on the accompanying map. 17 OESCRIPTION OF WORKS 18 OF Sec. 13 , Tp. 14 Sec. (Milles or feet) 19 OESCRIPTION OF WORKS 19 OESCRIPTION OF WORKS 10 OESCRIPTION OF WORKS 11 OESCRIPTION OF WORKS 12 OESCRIPTION OF WORKS 13 OESCRIPTION OF MILL OESCRIPTION OF WORKS 14 OESCRIPTION OF WORKS 15 OESCRIPTION OF WORKS 16 OESCRIPTION OF WORKS 17 OESCRIPTION OF WORKS 18 OESCRIPTION OF WORKS 19 OESCRIPTION OF WORKS 19 OESCRIPTION OF WORKS 10 OESCRIPTION OF WORKS 11 OESCRIPTION OF WORKS 12 OESCRIPTION OF WORKS 13 OESCRIPTION OF WORKS 14 OESCRIPTION OF WORKS 15 OESCRIPTION OF WORKS 16 OESCRIPTION OF WORKS 16 OESCRIPTION OF WORKS 17 OESCRIPTION OF WORKS 18 OESCRIPTION OF WORKS 19 OESCRIPTION OF WORKS 19 OESCRIPTION OF WORKS 10 OES	clive smallest legal subdivision) C	
(Give smallest legal subdivision) (R. or N.) (Main ditch, canal or pipe line) (Males or feet) (M. or S.) (N. or S.) (N. or S.) (N. or S.) (R. or N.) (R. or N.) (Males or feet) (Males or feet) (Males or feet) (Males or feet) (N. or S.) (N.	(Give smallest legal subdivision) C. 6 M , W. M., in the county of Benton (St. or W.) 5. The pipe line to be 1500° (Main ditch, canal or pipe line) (Miles or feet) (Main ditch, canal or pipe line) of Sec. 13 , Tp. 14 (Smallest legal subdivision) C. 6 M , W. M., the proposed location being shown throughout on the accompanying (R or W.) DESCRIPTION OF WORKS	
5. The pipe line to be 1500. (Main ditch, canal or pipe line) to be 1500. (Males or seet) In length, terminating in the NW1 SE1 (Smallest legal subdivision) (Smallest legal subdivision) (Committee of Sec. 13 (Nors.) (Smallest legal subdivision) (Committee of Sec. 13 (Nors.)	5. The pipe line (Main dich, canal or pipe line) to be 1500° (Miles or feet) n length, terminating in the NW4 SE4 of Sec. 13 , Tp. 14 (Smallest legal subdivision) R. 6 M , W. M., the proposed location being shown throughout on the accompanying (R or W.) DESCRIPTION OF WORKS) S. (N. or S.)
n length, terminating in the NW2 SE4 (Smallest legal subdivision) of Sec. 13 , Tp. 14 S (Smallest legal subdivision) (Nor 8.) 1. 6 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, many lock and brush, timber crib, etc., wastaway over or around dam) (b) Description of headgate (Tumber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump) matching close coupled centrifugal pumps. Lift to field level - 10 fts.	n length, terminating in the NW1 SE1 of Sec. 13 , Tp. 14 (Smallest legal subdivision) R. 6 W , W. M., the proposed location being shown throughout on the accompanying (R. ee W.) DESCRIPTION OF WORKS	
n length, terminating in the NW2 SE4 (Smallest legal subdivision) of Sec. 13 , Tp. 14 S (Smallest legal subdivision) (Nor 8.) 1. 6 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, many lock and brush, timber crib, etc., wastaway over or around dam) (b) Description of headgate (Tumber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump) matching close coupled centrifugal pumps. Lift to field level - 10 fts.	n length, terminating in the NW1 SE1 of Sec. 13 , Tp. 14 (Smallest legal subdivision) R. 6 W , W. M., the proposed location being shown throughout on the accompanying (Rew.) DESCRIPTION OF WORKS	······
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction Cloose rock, concrete, many ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description matching close coupled centrifugal pumps. Lift to field level - 10 fts.	DESCRIPTION OF WORKS Diversion Works—	i e
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, max ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description hep. 3 phase electric and (Size and type of pump) matching close coupled centrifugal pumps. Lift to field level - 10 ft.	DESCRIPTION OF WORKS Diversion Works—	(N. or S.)
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction	Diversion Works—	map.
6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, many ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Tumber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description hep. 3 phase electric and (Size and type of pump) matching close coupled centrifugal pumps. Lift to field level - 10 ft.		
(b) Description of headgate		at bott
(b) Description of headgate	feet; material to be used and character of construction	ocrete mass
(b) Description of headgate		-
(c) If water is to be pumped give general description (disce and type of pump) matching close coupled centrifugal pump. Lift to field level - 10 ft.		
(c) If water is to be pumped give general description (Size and type of pump) matching close coupled centrifugal pump. Lift to field level - 10 ft.	(Timber, concrete, etc., number and size of openings)	
matching close coupled centrifugal pump. Lift to field level - 10 ft.		·····
matching close coupled centrifugal pump. Lift to field level - 10 ft. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Limb and Ope or Panis)	nd
	matching close coupled centrifugal pump. Lift to field level - 10 ft.	nd _

^{*}A different form of application is provided where storage works are contemplated.

exapplication for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oreson.

lgate. At head	dgate: width on t	op (at water li	ne)	feet; width on botton
	feet: depth of we	ater	feet; grade	feet full per on
sand feet. (b) At	,		dgate: width on top (at wate	• • • • • • • • • • • • • • • • • • • •
(117 ****			feet; depth of t	• • •
	•			
le	feet fall	per one thouse	s as needed - 6" & 4" i	main and 3" laterals
(c) Lengti	h of pipol	ft.; s	nize at intake.	in., size ui
n intake	in.:	size at place of	use in.; di	ifference in elevation between
ike and place	of use. 10	ft. Is	grade uniform?	Estimated capacit
.8. 9	sec.ft.		_	
8. Locatio	on of area to be in	rigated, or pla	ce of use	
Township North or South	Range 2. or W. of Will-mette Meridian	Section #	Forty-acre Tract	Number Acres To Be Irrigated
1 9 S	6#	13	NW1 SE4	31.0
		13	NE‡ SEŽI	1.4
		13	SW1 NE1	3.0
	_	13	seł nwł	.6
-, ,	-	·	nes swa	2.0
	•	13	IIES SMS	
•	-		-	-
	: .			
		(Ifmore me-	required, attach senarate cheet)	
(a) C	haracter of soil	silty	clay loam	
' (b) K	Kind of crops raise	ed	forage & field	
ower or Mini	ng Purposes-	•	.	•
9. (a) T	otal amount of p	ower to be d ev	elo ped	theoretical horsepor
(b) (Quantity of water	to he used for	power	sec. ft.
(c) I	otal fall to be ut	ilized	(Head)	
(d) 7	The nature of the	works by mean	ns of which the power is to	be developed
		·····		· · · · · · · · · · · · · · · · · · ·
(e) S	Such works to be	located in		of Sec.
	, R			
			(Yes or No)	
(g)	ij so, name strea i	n ana locate p	oint of return	
				, R, W

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use 0.48 cubic feet per second measured at the point of diversion from the Oliver Creek stream, or its equivalent in case of rotation with other water users, from irrigation The use to which this water is to be applied is 1/80th of one cubic foot per If for irrigation, this appropriation shall be limited to second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is January 21, 1963 Actual construction work shall begin on or before April 30, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 65 Complete application of the water to the proposed use shall be made on or before October 1, 19 66 STATE ENGINEER This instrument was first received in the office of the State Engineer at Salem, Oregon APPROPRIATE THE PUBLIC WATERS OF THE STATE on the 2 4 day by Ja Tuary page No. 28598 H OF OREGON PERMIT Sich o'clock Application No. Recorded in book No. Returned to applicant: Drainage Basin No. Permits on page Permit

1963, at

5

Fees