10 Appropriate the Pul	blic Waters of the State of Ore
	Y, an Gragon corporation,
of Route 3, Box 582	
(Mading address)	Hood River Oregon
Software deserted with	, do hereby make application for a permit to appr
To the State of th	tte of Oregon, SUBJECT TO EXISTING RIGHTS:
Hood warms	date and place of incorporation1929
Hood River, Oregon - an Oregon c	orporation
1. The source of the proposed appropri	iction is Unnamed Spring No. 2
	, a tributary of Ditch Creek and Hood River
2. The amount of water which the ann	Hermit intende to annual and a second
cubic feet per second. 35 G.	P.M.
(it with the water is to be	is to be used from more than one source, give quantity from each) applied is
	(Brigation, power, mining, manufacturing, demonite ou
4. The point of diameter is 1	N 54° 49' 21" E, 1745,76 ft.
See 10 m c	Off. or B.)
Range 10	(Best Willamette Meridian, in Hood River (Bestion or subdivision)
State of Oregon.	
**************************************	distance and hearing to section owner)
being within the SE 1 NW 1	The state of the s
(Give smallest least make	of Sec. 19 , Tp. 2 N
R. 10 East W. M., in the county of	ood River
Of the Man and a second	to be 350 feet
in length, terminating in the SW 1 of NW	of Sec. 19 , Tp. 21
R. 10 East W. M. the proposed least	ion being shown throughout on the accompanying n
(R. er W.)	
DECOR	
Diversion Works— DESCR	IPTION OF WORKS
DESCR Diversion Works— 6. (a) Height of dam	IPTION OF WORKS feet, length on top feet, length a
DESCR Diversion Works— 6. (a) Height of dam feet; material to be used and a	feet, length on top feet, length a
DESCR Diversion Works— 6. (a) Height of dam feet; material to be used and a	feet, length on top feet, length a
DESCR Diversion Works— 6. (a) Height of dam feet; material to be used and of a pring water into the headworks conside and brush, timber cits, etc., waterway over or around dam) (E) EXECUTE TO THE CONTROL OF T	feet, length on topfeet, length a character of constructionTwo 4" tile pipes of sting of a concrete box fully protecting contamination, which box is connected.
DESCR Diversion Works— 6. (a) Height of dam feet; material to be used and of a pring water into the headworks conside and brush, timber cits, etc., waterway over or around dam) (E) EXECUTE TO THE CONTROL OF T	feet, length on topfeet, length a character of constructionTwo 4" tile pipes of sting of a concrete box fully protecting contamination, which box is connected.
DESCR Diversion Works— 6. (a) Height of dam	feet, length on topfeet, length a character of constructionTwo 4" tile pipes ofsting of a concrete box fully protecting a contamination, which box is connected
DESCR Diversion Works— 6. (a) Height of dam	feet, length on topfeet, length a character of constructionTwo 4" tile pipes of sting of a concrete box fully protecting contamination, which box is connected.

				feet; width on botto
Salaring and Salaring	feet; depth of w		feet; grade	feet fall per o
sand feet. (b) At		miles from he	adgate: width on top (at wa	ter line)
			•	water fee
	feet fall		and the second second	•
	and the second	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		
•				in.; size at
	- 1			lifference in elevation betwe
ke and place	of use,	ft. l	grade uniform?	Estimated capaci
	sec. ft.			· .
8. Locatio		rigated, or pl	ace of use	
Township North or South	Stange S. or W. of Willemotte Meridian	Oction	Forty-core Treat	Number Acres To Be Irrigated
2 North	10 Bast	4	All	Domestic
		8	B ½	Domestic
		9	All	Domestic
		16	All	Domestic
-		17	All	Domestic
		18	SE ? VE ?	Domestic
		20	n i n i	Domestic
1			N 2 N 2	Damestic
·				
,	***			
	1	(If more speci	required, attach separate sheet)	<u> </u>
• (a) C	haracter of soil			
(b) K	ind of crops raise	d		
wer or Minin	g Purposes-	*.		
9. (a) To	otal amount of po	ower to be des	veloped	theoretical horsepou
(b) Q	ruantity of water	to be used for	power	sec. ft.
(c) T	otal fall to be uti	lized	feet.	,
•				be developed
	ļ	4		
(e) S	uch works to he l	ocated in		of Sec.
_				
	, R. (No.)			
			(Yes er No)	
(g) I;	j so, name stream	n and locate p	otal of return	*
		_		, R, W

.

ź

					49
M. (a) To supply t	he day 44				······
	Cruffy, Listing	e greens populi	tion of	100400 - 40 100 00000 00 100 00 0000 000	
	Visi E. Goradi				-
		***	-		
(b) If for dom	mile the salts sta	inher of families	to be supplied		
				. 55	
		£ 3336.00			
			annual	4	
12 Construction to	ork will begin on	or beforeW	rk completed	*****	••
12. Construction to	ork will be compl	sted on or before	***************************************		
14 The material will		Had to the more	ed use on or before.	6 months from	Aete
The second secon		mes as not brobe.	en use on or payore.		vave
of this file	ng.			·	·
		/n	ale FRI	ul,	
		Secre	tary-Treasurer a	'application nd Registered A	gent.
e je spesa z <u>ak iz</u> m	- also - i	75.			-
Remarks: FEIRLE	No. 9423 Dear	ing priority o	ate November 8,	1929, indicated	point
diversion of orig	inal spring wh	ich is entitle	d spring No. 1 a	s N 44° 26' E	1744.
et from the Wi cor	mer of 8 19 72	R 10 B of th	e Willamette Mer	idian. Hood Riv	rer
er transport of the second	A. W		. !		***********
unty, Oregon. The	new survey or	June 1961 mad	e for the purpos	e of locating a	pring
. 2 which is the s	ubject of this	application,	brought to atten	tion a discrepe	ncy i
e prior listed poi	nt of diversion	n for spring ?	o. 1. and spring	No. 1 which is	the
			. ,		
bject of certifica	te No. 9151, 1	s more proper	y described as b	eing located N	.59° 5.
B of the W com	er of S 19 T 2	NR 10 E of th	e Willamette Mer	idian, Hood Riv	er Co
tate of Oregon. Sp	ring Wo. 1 is i	hy either des	betend nother	within the Cit	7
	. ,	ż	7		
of s 19 7 2N R 1	O E OF the WIL	lamette Merid	.en.		

			-		
······		***************************************			

STATE OF OREGON,	7.		•		
STATE OF OREGON, County of Marion,			•		
County of Marion,	ss.		•	•	
County of Marion, This is to certify		ined the foregoin	eg application, togeth	ner with the accom	panyinį
County of Marion, This is to certify		ined the foregoin	eg application, togeth	ner with the accom	panyinį
County of Marion, This is to certify	irn the same for	ined the foregoin	eg application, togeth	ner with the accom	panyini
County of Marion, This is to certify naps and data, and retu	irn the same for	ined the foregoin	g application, togeth	ner with the accom	panyinį
County of Marion, This is to certify naps and data, and retu	irn the same for	ined the foregoin	g application, togeth	ner with the accom	panyinį
County of Marion, This is to certify naps and data, and retu	irn the same for its priority, this	ined the foregoin	g application, togeth	ner with the accom	panyinį
County of Marion, This is to certify naps and data, and retu	irn the same for its priority, this	ined the foregoin	g application, togeth	ner with the accom	panyinį
County of Marion, This is to certify naps and data, and retu In order to retain ions on or before	irn the same for its priority, this	ined the foregoin application must	be returned to the S	ner with the accom	panyinį
County of Marion, This is to certify naps and data, and retu In order to retain ions on or before	irn the same for its priority, this	ined the foregoin application must	be returned to the S	ner with the accom	panyinį
County of Marion, This is to certify naps and data, and retu In order to retain ions on or before	irn the same for its priority, this	ined the foregoin application must	be returned to the S	ner with the accom	panyinį
County of Marion, This is to certify naps and data, and retu In order to retain ions on or before	irn the same for its priority, this	ined the foregoin application must	be returned to the S	ner with the accom	panyinį
This is to certify maps and data, and retu In order to retain tions on or before	irn the same for its priority, this	ined the foregoin application must	be returned to the S	ner with the accom	panyinį

hall not exceed 0.08 cubic feet per se	cond meas	ured at th	e point of div	ersion from
n, or its equivalent in case of rotation with other	water use	rs, from	Spring Wo	. 2 ,
• .		, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		
The use to which this water is to be applied is	Storff or	MAAIC GI	e 01. 90 1aa	IIIIee.

If for irrigation, this appropriation shall be limit	od to		of o	ne cubic foot
		i		
d or its equivalent for each acre irrigated				

	,*			
<u> </u>				••••
	··	*****************	·····	
	•			
	•			
shall be subject to such reasonable rotation system		e ordered l	y the proper	state officer.
The priority date of this permit is		March 6, 1963		
Actual construction work shall begin on or bef				and
eafter be prosecuted with reasonable diligence an				
Complete application of the water to the propos	ied use sha	ll be made	on or before (October 1, 19
WITNESS my hand this day of		May	, 19 63	
		/ /		

CHRIS L. WHEELER

Pees 20 %

Application No. 38474 Permit No. 28649

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the head day of March 19.63, at ... B. 200 o'clock A M.

Returned to applicant:

Approved:

May 24, 1963

Permits on page 28649

Orsinage Basin No. - ft page 20 A