

RECEIVED
MAR 14 1963
STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lloyd M Spiker
(Name of applicant)

of 1834 EAST FRONT AVE ALBANY OREGON
(Mailing address)

State of OREGON do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring
(Name of stream)
a tributary of Alsea River

2. The amount of water which the applicant intends to apply to beneficial use is 2 cfs
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic use
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 30 ft. N and 70 ft. W from the MC
(N. or S.) (E. or W.)
corner of betw. sec. sections 31, T.13S, R.9W. and section 36, T.13S, R.10W.
(Section or subdivision)
BRONZ CAP MC S.36, R.10W. S.31, R.9W.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the (N.E. 1/4 or S.E. 1/4) Lot 2 of Sec. 36 Tp. 13 S.
(Give smallest legal subdivision) (N. or S.)
R. 10 W. W. M., in the county of LINCOLN
(E. or W.)

5. The NONE to be
(Ditch, ditch, canal or pipe line) (Ditch or foot)
in length, terminating in the _____ of Sec. _____ Tp. _____
(Smallest legal subdivision) (N. or S.)
R. _____ W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description WATER SEEPS INTO V TROUGH
(Name and type of pump)
AND IS THEN CUGHT IN WATER PAIL
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____

County, having a present population of _____

and an estimated population of _____ to 19 _____

(b) If for domestic use state number of families to be supplied ^{ONE} ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ NONE

12. Construction work will begin on or before USING SINCE NOV. 30. 1952

13. Construction work will be completed on or before USING SINCE NOV. 30. 1952

14. The water will be completely applied to the proposed use on or before WE HAVE BEEN USING SINCE WE BOUGHT PLACE IN NOV. 30 1952

Lloyd Spiker

Remarks:

The water from this spring has been used for 35 years as domestic use for Hootensawmy cabin. It is carried by water pail to cabin. It runs out of open wood trough pushed into ground. Trough about 7' long

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.001 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic use of one family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 14, 1963

Actual construction work shall begin on or before May 24, 1964 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 24th day of May, 1963

Chris L. Whaller STATE ENGINEER

Application No. 28505

Permit No. 28664

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of March, 1963, at 8:00 o'clock P.M.

Returned to applicant:

Approved:

May 24, 1963 79 of

Recorded in book No. 28664

Permits on page

CHRIS L. WHALLER STATE ENGINEER

Drainage Basin No. 18 page 12-C

Fees