

## To Appropriate the Public Waters of the State of Oregon

	aton J. Shaw (Name of applicant)
P.Q. Bo	x 33 Alicel
ste of Oregon	, do hereby make application for a permit to appropriate th
llowing described po	ublic waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant	is a corporation, give date and place of incorporation
1. The source of	f the proposed appropriation is State Ditch —Grands Ronds River.
	, a tributary of
2. The amount	of water which the applicant intends to apply to beneficial use is2.68
bic feet per second	(If water is to be used from more than one source, give quantity from each)
	(If water is to be used from more than one source, give quantity from each)
**3. The use to w	phich the water is to be applied is Irrigation (Brigation, power, mining, manufacturing, domestic supplies, etc.)
<u></u>	
	diversion is located
rner ofSect	tion 15 Township 2 S Range 39E
	(Management on America)
•••••••••••••••••••••••••••••••••••••••	•
	(If preferable, give distance and bearing to section corner)
	(if presentable, give essence and bearing to section occurs)
•	
(If the	ure is more thun one point of diversion, each must be described. Use separate sheet if necessary)
(If the	
(N the	SW SW Core smallest legal subdivision)  Of Sec. 15. , Tp. 2.S. (N. or S.)
eing within the	SW S
eing within the	SW
eing within the	SW SW Core smallest legal subdivision)  Of Sec. 15. , Tp. 2.S. (N. or S.)
oing within the	SW SW Of Sec. 15. Tp. 2 S. (N. or S.)  Switch and the second subdivision of Sec. 15. Tp. 2 S. (N. or S.)  The country of Union to be 1830 feet (Miles or feet)  Gian the SET SW To of Sec. 15. Tp. 2 S. (N. or S.)
oing within the	SW SW SW Of Sec. 15. Tp. 2 S. (N. or S.)  I., in the county of Union to be 1830 feet.  (Bline ditch, canal or pipe line) of Sec. 15. (Miles or feet)  g in the SE SW (Great authorization)  (Bline ditch, canal or pipe line) of Sec. 15. (Miles or feet)  W. M., the proposed location being shown throughout on the accompanying map.
eing within the	SW SW Of Sec. 15. Tp. 2 S. (N. or S.)  Switch and the second subdivision of Sec. 15. Tp. 2 S. (N. or S.)  The country of Union to be 1830 feet (Miles or feet)  Gian the SET SW To of Sec. 15. Tp. 2 S. (N. or S.)
oing within the	SW SW Of Sec. 15. Tp. 2 S. (N. or S.)  L, in the county of Union to be 1830 feet.  (Milles or feet)  g in the SE SW (Minutest legal subdivision)  (Minutest legal subdivision)  W. M., the proposed location being shown throughout on the accompanying map.
oing within the	SW SW Of Sec. 15. Tp. 2 S. (N. or S.)  L, in the county of Union  Chain ditch, canal or pipe line)  g in the SE SW (Greatlest legal subdivision)  (Greatlest legal subdivision)  W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  of dam feet, length on top feet, length at botto
ing within the	SW SW Of Sec. 15. Tp. 2 S. (N. or S.)  L, in the county of Union to be 1830 feet.  (Milles or feet)  g in the SE SW (Minutest legal subdivision)  (Minutest legal subdivision)  W. M., the proposed location being shown throughout on the accompanying map.
oing within the	SW S
ock and brush, timber crib, etc.	SW S
ock and brush, timber crib, etc.	SW S
(E the eing within the	SW SW SW SW Of Sec. 15. Tp. 2 S. (N. or S.)  Ly in the country of Union to be 1830 feet (Miles or feet)  g in the SE SW Of Sec. 15. Tp. 2 S. (N. or S.)  W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  of dam feet, length on top feet, length at botto; material to be used and character of construction (Loose rock, concrete, mason of headgate (Timber, concrete, etc., number and size of openings)
(E the eing within the	SW S
(E the eing within the	SW SW SW SW Of Sec. 15. Tp. 2 S. (N. or S.)  Ly in the country of Union to be 1830 feet (Miles or feet)  g in the SE SW Of Sec. 15. Tp. 2 S. (N. or S.)  W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  of dam feet, length on top feet, length at botto; material to be used and character of construction (Loose rock, concrete, mason of headgate (Timber, concrete, etc., number and size of openings)

lgate. At heads	rate: width on t	op (at water	line)	feet; width on bottom
	eet; depth of w	ater	feet; grade	feet fall per one
eand foot	*	•	- adgate: width on top (at wat	
•		<b>(</b>	•	'
•	eet; width on bo		•	water feet,
le :	feet fall	per one thous	sand feet.	
(c) Length	of pipe, 183	30 ft.;	size at intake, 8	in.; size at
n intake		size at place o	of use	ifference in elevation between
A contract of the contract of			2	Estimated capacity
			- *	- ·
2,68 8. Location	sec. ft. of area to be i	rrigated, or pl	ace of use	······································
" Township	Range E. or W. of	<b>Section</b>	Forty-acre Tract	Number Acres To Be Irrigated
North or Smith	Will-morte Meridian	geroon		
28	· 39	15.	SE½ SW½	40
2S	39	15	SW 1 SW 1	18.8
		<b>.</b> ,		
			-	
\$				-
			<del> </del>	
				•
		,		
•		•		•
			•	
	•			
	-	1		
	<u> </u>	(If more spec	e required, ettach separate sheet)	
(a) Ch	aracter of soil.		* ·.	<u>.</u>
*.	,	. 1	irass seed, and Wi	nen t
ower or Minin			,	
		oower to be de	veloped	theoretical horsepow
(ந்) வ	uantitu of water	r to be used for	power	sec. ft.
	•	•	•	•
•		•	(Head)	
	· •	-	·	be developed
	••••••••••••••••••	•		
(e) S	uch works to be	located in	(Legal subdivision)	of Sec.
	, R			
			stream?(Yes er No)	•
(g) I	so, name strea	m and locate	point of return	[
• • • •		Sec	<b></b>	, R, W.
	,		(Me. W. er	\$,) (No. 3. er W.)

ı

going application and do hereby grant the same,

		IGHTS and the follou				aficial supp
		ted is limited to the a				
		cubic feet p				
stream, or	its equivalent in (	case of rotation with o	ther wate	r users, from	rande Ronde Riv	er
(State D	itch)	·	••••••••••••••••••••••••••••••••••••••			
***************************************						
The	use to which this	water is to be applied	is	irrigati	on	······
<b>-</b>	,		<u></u>		·	
If for	r irrigation, this a	ppropriation shall be	limited to	1/40 <u>m</u>	of one cub	ic foot per
second or i	ts equivalent for e	each acre irrigated	nd shall	be further 1	imited to a div	version
		re feet per acre f				
	•	provided further t	•			
		low of the Grande				
	•	d more than 420 c				*******
		•				
			••••••••••••••••••••••••••••••••••••••			
••••			······································			
***************************************			······		••••	
•				<u> </u>		······································
•		reasonable rotation sy				
			•		ž.	
				March 29, 1963  May 24, 1964  and shall		
	-	ith reasonable diligend	•			
		of the water to the pr		e shall be <b>mad</b> e o	n or before Octobe	r 1, 19.66.
WI	INESS my hand t	his 24th day	of	May	, 19.63	
				chil	STATI	E ENGINEER
			. "		• '	
	1	: شوا	ı	: :		<b>1</b> :
	7)	in th regor			2	7
بو م	BLIC	n, O	1		98	77
200	PU TAT	Saler			72 8686	page
883	THE ON	Barre		83	<b>Q</b>	
W &	TTE THE	as fi rinee f //	l .	15	Vo.	00
n No	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	nt w Eng ay of	cant	, <del>1</del> 2	ded in book No. 79. 286 on page CHRIS'1	٥
atio t No	PROF	State of State	igda	. a.v.	in bo	į
Application No. 38556 Permit No. 28686	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22th day of NUCLA.	Returned to applicant:	Approved:	Recorded in book No	Drainage Basin No. 8 page 12 A
, <b>4</b> A	2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Ĕ	Approved:	Recom	Drainage Basin No.
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 \$	App	- 5	