

RECEIVED
JAN 30 1935
STATE ENGINEER

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Buckner Brothers (Name of applicant)

of Tarabosna (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Lone Pine Creek & Buckner Reservoir (Name of stream)

, a tributary of Crooked River

2. The amount of water which the applicant intends to apply to beneficial use is 2.0 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. N and 20 ft. W from the SE corner of Section 33, T. 13 S., R. 14 E., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE1/4 SE1/4 of Sec. 33, Tp. 13 S. (Give smallest legal subdivision) (N. or S.)

R. 14 E., W. M., in the county of Jefferson (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet)

in length, terminating in the of Sec. (Smallest legal subdivision), Tp. (N. or S.)

R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 13 feet, length on top 630 feet, length at bottom 70 feet; material to be used and character of construction compacted earth fill, (Loose rock, concrete, masonry, open spillway around end of dam, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Araco Model 101 C Slide Gate, cast iron, 12" diameter (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 6" diameter centrifugal 6 H.P. (Size and type of pump) electric (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Pipe dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6 feet; width on bottom 1 feet; depth of water 1 feet; grade 1.0 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ¹¹⁹⁰ 1190 ft.; size at intake, 6" in.; size at 1190 ft. from intake 6" in.; size at place of use 6" in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? Yes Estimated capacity, 2 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willmarck Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
				XX	XX
14 S	14 E	3	Lot 4 (NW ¹ / ₄ NW ¹ / ₄)	9.7	8.5
			SW ¹ / ₄ NW ¹ / ₄	9.7	8.6
		4	Lot 1 (NE ¹ / ₄ NE ¹ / ₄)	9.7	3.9
			Lot 2 (NW ¹ / ₄ NE ¹ / ₄)	9.7	18.5
			SW ¹ / ₄ NE ¹ / ₄		39.2
			SE ¹ / ₄ NE ¹ / ₄	9.7	7.7
			Lot 2 (NE ¹ / ₄ NW ¹ / ₄)		1.5
			SE ¹ / ₄ NW ¹ / ₄		6.3
	NE ¹ / ₄ SW ¹ / ₄		8.0		
13 S	14 E	33	NW ¹ / ₄ SE ¹ / ₄		6.2
			NE ¹ / ₄ SE ¹ / ₄		20.0
			NW ¹ / ₄ SE ¹ / ₄		39.0
			SW ¹ / ₄ SE ¹ / ₄		23.6
			SE ¹ / ₄ SE ¹ / ₄		9.0
(If more space required, attach separate sheet)				TOTAL	216.1 ac.

(a) Character of soil sandy loam

(b) Kind of crops raised alfalfa, grain, potatoes

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

County, having a present population of _____

(Name of)

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3,000

12. Construction work will begin on or before September 1, 1961

13. Construction work will be completed on or before December 1, 1963

14. The water will be completely applied to the proposed use on or before December 1, 1963

Buckner Bros.
By Harold Buckner
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lone Pine Creek and Backner Reservoir to be constructed under application No. R-38344, permit No. R-3248.

The use to which this water is to be applied is irrigation (supplemental)

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R-3248; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 7, 1963

Actual construction work shall begin on or before June 24, 1964 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 24th day of June, 1963

State Engineer signature

Application No. 38345
Permit No. 28702

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of January 1963, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 24, 1963

Recorded in book No. 79 of 28702

Permits on page

STATE ENGINEER

Drainage Basin No. 5 page 14E

Fees