

RECEIVED  
 JAN 21 1963  
 STATE ENGINEER  
 SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

WE, R. A. BROGOITTI and MARION BROGOITTI, of R. F. D., La Grande  
(Name of applicant)

of (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Grande Ronde River (Name of stream), a tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 27 cu. ft cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1,610 ft. west and 290 ft. north from the southeast corner of Section 32, Township 2 South, Range 38 E. W. M. Water will be diverted by means of portable pumps and sprinkler systems at any point along Gekeler Slough as it traverses the property to be irrigated. The upstream extremity of diversion is located 2,112 feet north of the southwest corner of the southwest quarter of Section 25, Township 3 South Range 38 East (If preferable, give distance and bearing to section corner)

W. M., and the downstream extremity is located 60 feet south of the northeast corner of the northwest quarter of Section 30, Township 3, South, Range 38 E. W. M. The point of diversion from the Grand Ronde River is within the SW 1/4 of Sec. 32, Tp. 2 South, R. 38 E., W. M., in the county of Union (Give smallest legal subdivision)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), Tp. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam (feet, length on top) (feet, length at bottom) feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description centrifugal pumps powered by diesel engine (Size and type of pump) of appropriate size and capacity. Present equipment includes 1200 gal. per min. (Size and type of engine or motor to be used, total head water is to be lifted, etc.) centrifugal pump, powered by Alis-Chalmers diesel engine. It is possible that electrical power may be used in the future.

\*A different form of application is provided where storage works are contemplated.  
 \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35	38 EWM	25	NE <sup>1</sup> / <sub>4</sub> SW <sup>4</sup>	36.5
"	"	"	NW <sup>4</sup> SW <sup>4</sup>	39.25
"	"	"	SE <sup>4</sup> SW <sup>4</sup>	39.3
"	"	"	SW <sup>4</sup> SW <sup>4</sup>	39.30
"	"	"	SW <sup>4</sup> SE <sup>4</sup>	38.7
"	"	"	NE <sup>4</sup> SE <sup>4</sup>	40.0
"	"	"	SE <sup>4</sup> SE <sup>4</sup>	27.9
"	"	"	NW <sup>4</sup> SE <sup>4</sup>	30.8
"	"	"	SE <sup>4</sup> NW <sup>4</sup>	33.1
"	"	"	NW <sup>4</sup> NW <sup>4</sup>	34.8
"	"	"	NE <sup>4</sup> NW <sup>4</sup>	40.0
"	"	"	SW <sup>4</sup> NW <sup>4</sup>	35.4
"	"	"	SE <sup>4</sup> NE <sup>4</sup>	40.0
"	"	"	NW <sup>4</sup> NE <sup>4</sup>	39.
"	"	"	NE <sup>4</sup> NE <sup>4</sup>	39.25
"	"	"	SW <sup>4</sup> NE <sup>4</sup>	38.4
"	"	36	SE <sup>4</sup> NE <sup>4</sup>	39.3
"	"	"	SW <sup>4</sup> NE <sup>4</sup>	40.0
"	"	"	NE <sup>4</sup> NE <sup>4</sup>	38.73
"	"	"	NW <sup>4</sup> NE <sup>4</sup>	40.0
"	39 EWM	30	SE <sup>4</sup> NW <sup>4</sup>	40.0
"	"	"	SW <sup>4</sup> NW <sup>4</sup>	40.0
"	"	"	NE <sup>4</sup> NW <sup>4</sup>	39.25
"	"	"	NW <sup>4</sup> NW <sup>4</sup>	39.25
"	"	"	SE <sup>4</sup> SW <sup>4</sup>	40.0
"	"	"	SW <sup>4</sup> SW <sup>4</sup>	40.0
"	"	"	SW <sup>4</sup> SE <sup>4</sup>	40

(a) Character of soil clay loam

(b) Kind of crops raised peas and small grains

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

Tp. ...., R. ...., W. M. ....

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return .....

Sec. ...., Tp. ...., R. ...., W. M. ....

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of \_\_\_\_\_

(Name of)

County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ \_\_\_\_\_

12. Construction work will begin on or before May 15, 1964

13. Construction work will be completed on or before June 3, 1964

14. The water will be completely applied to the proposed use on or before July 1, 1964

*R. B. Braggett*  
(Signature of applicant)

*Marion Braggett*

Remarks: This application is intended to be for an appropriation supplemental to existing rights and applications.

Applicant proposes to install a weir or other measuring device for the purpose of measuring the amount of water entering Gekeler Slough (Mill Creek) at the present headgate used to divert water from the canal of Grande Ronde Valley Irrigation Company into said Slough, being the point where said canal intercepts said slough. Water will be diverted from the Slough by means of portable pumps and applied by sprinkler system, the pumps to be located along Gekeler Slough as it traverses the property to be irrigated.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 17, 19 63

WITNESS my hand this 16 day of April, 19 63

**RECEIVED**

JUN 17 1963 *CHRIS L. WHEELER*

STATE ENGINEER  
SALEM, OREGON

*Walter A. Perry*

STATE ENGINEER

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right hereta granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 25.7 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Grande Ronde River

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein; provided further that the right to use of water is limited to the period when the flow of the Grande Ronde River is more than 300 c.f.s. at USGS Gage No. 3325 and more than 420 c.f.s. at Ore-Wash border.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 21, 1963

Actual construction work shall begin on or before June 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 65.

Complete application of the water to the proposed use shall be made on or before October 1, 19 66.

WITNESS my hand this 24th day of June, 19 63

Chris L. Wheeler STATE ENGINEER

Application No. 38375  
Permit No. 28703

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of January 1963, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

June 24, 1963  
Recorded in book No. 79 of 28703  
Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 8 page 12 A  
Fees