*APPLICATION FOR PERMIT

To App	ropriate	the	Public	Waters	of	the	State	of	Uregon
--------	----------	-----	---------------	--------	----	-----	-------	----	--------

Nowing described, public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a diviporation, give date and place of incorporation 1. The source of the proposed appropriation is AN UNROMED SPING COMMON of the proposed appropriation is AN UNROMED SPING Common of themas) A tributary of Berry Creek 2. The amount of water which the applicant intends to apply to beneficial use is I gale Ref. Min white feet per second from Spring and 18 gale pen min, from Creek (a) with is to be used from myn ylon one refere, give quantity from used) **3. The use to which the water is to be applied is (a) with the water is to be applied is (b) Children of diversion is located 322.5 ft. S. and 325.3 ft. M. from the N.N. convert of the Isaac No. Mostus Diversion of the Isaac No. S. S. S. S. W. (Continue or materials) (Continue or for the Source of the second of the country of the country of the second of the country of the second of the country of the second of the country of the coun	do hereby make application for a permit to appropriate the covering described, public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incofporation 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is I. gale per Min. Sering and I. B. gale per Min. Sering	, Andrew Takerson
do hereby make application for a permit to appropriate the store of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is AII WINGOMED, SPITING (Blue at deam) AIC CECK 2. The amount of water which the applicant intends to apply to beneficial use is 7. Sale P.S. AIII ability for persecond I COM. SPITING AID A BOLL PEN MIN I NOM CICK (Commission of the control of the source is to be applied to the source of the source of the control of the control of the source of the control of the co	do hereby make application for a permit to appropriate the covering described, public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incofporation 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is I. gale per Min. Sering and I. B. gale per Min. Sering	1117 N. Coxls. St. M. Minnville, Ore.
1. The source of the proposed appropriation is AN MAN A COLOR LEWIS Consultation of the proposed appropriation is AN MAN A COLOR SPINAL	1. The source of the proposed appropriation is 2.11 UN 190 M.C. SPYING 2. The amount of voter which the applicant intends to apply to beneficial use is 7. 92/1.05 Million for personal from SPYING 1975 Million for personal	teste of DIEGOIL do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is AN UNNAMED SPING AND CIRCLES a tributary of Sering and drawn of Sering and drawn of Sering and drawn of Sering and drawn of Sering and	1. The source of the proposed appropriation is ON UNIQ MCJ SPING ONE of SPING ONE OF SCA 2. The amount of water which the applicant intends to apply to beneficial use is 7. 92/1. PCF Million for the proposed of the propos	ollowing described, public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
2. The amount of water which the applicant intends to apply to beneficial use is I gale per Min white feet per second Fram spring and 18 gale per Min, from Creek ""3. The use to which the water is to be applied is ""5. The use to which the water is to be applied is "The point of diversion is located 322.5. ft. S. and 325.3 ft. M. from the M. W. Orner of the Isaac le Mostus (Section or individual) ""A S. R. S. W. WM. Lamber 1 C. D. C. The spring is 5.35 8 W. 66844 ""The point of diversion is located 322.5. ft. S. and 325.3 ft. M. from the M. W. Orner of the Isaac le Mostus 1 L. S.	2. The amount of water which the applicant intends to apply to beneficial use is 7.991, p.C. 1971, the feet per second from Spring and 18 gal, p. min, from the CICC. 2. The use to which the voter is to be applied is 2. The use to which the voter is to be applied is 2. The point of diversion is located 322.5. ft. S. and 325.3 ft. M. from the M. N. and S.	If the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is I gale PCI MIN white feet per second FIOM SPLING and I gale PCI MIN, IVOM CICCK with the water is to be applied in the I.M. A.	2. The amount of water which the applicant intends to apply to beneficial use is \$\begin{align*} 9 & \begin{align*} \begin{align*} 9 & alig	1. The source of the proposed appropriation is an unnamed spring
which fact per second. I am Spling and 18 al. pen min, from acceptance of a which the water is to be applied is a first of the manager plan was subscription, per quantity from each) **3. The use to which the water is to be applied is a compared to the point of diversion is located 322.5.5 ft. Sp. Cullulululululululululululululululululu	the feet per second. From Spring and 18 gal. pen min, from Creek (a uple to be med from gaps flow as source, five quantity from each) **3. The use to which the water is to be applied is I Sh Cull Wre In two Pands.	and creek a tributary of Berry Creek
3. The use to which the water is to be applied is **ISH CHIMPE IN TWO **One of the Children is located \$22.5 ft. S. and \$25.3 ft. W. from the M.W. **Orner of the Lisage Le Mastus. 1.55 Tp. 45. R. 5 W. **Orner of the Lisage Le Mastus. 1.55 Tp. 45. R. 5 W. **Orner of the Lisage Le Mastus. 1.55 Tp. 45. R. 5 W. **MM. Yamhi!! Co. Drc. The spring is 5.35°48'W 6684'f. **MM. Yamhi!! Co. Drc. The spring is 5.35°48'W 6684'f. **MM. Yamhi!! Co. Drc. The spring is 5.35°48'W 6684'f. **MM. Yamhi!! Co. Drc. The spring is 5.35°48'W 6684'f. **MM. Yamhi!! Co. Drc. The spring is 5.35°48'W 6684'f. **MM. Yamhi!! As a second than man points of diversion, such must be described. Use appeared these if assessment?) **Gas and boundary of the S. M. H. S. M. S.	**3. The use to which the water is to be applied is **ISh Culfille In TWO PONGS 4. The point of diversion is located 322.5.5. ft. S. and 325.3. ft. N. from the M. N. **The point of diversion is located 322.5.5. ft. S. and 325.3. ft. N. from the M. N. **The point of diversion is located 322.5.5. ft. S. and 325.3. ft. N. from the M. N. **The point of diversion is located 322.5.5. ft. S. and 325.3. ft. N. from the M. N. **The point of diversion is located 322.5.5. ft. S. and 325.3. ft. N. from the M. N. **The point of diversion is located 322.5.5. ft. S. and 325.3. ft. N. from the M. N. **The point of diversion is located 322.5.5. ft. S. S. N. **M. **M. A material is a located 322.5. ft. S. and 325.3. ft. N. from the M. N. **M. A material is a located in the M. N. **M. A material is a located in the M. N. **A material is a located in the M. N. **A material is a located in the M. N. **M. M. in the county of 1. **Committee is an interval. **A material is a located and character of construction in the accompanying map. **DESCRIPTION OF WORKS** **DESCRIPTION OF WORKS** **DESCRIPTION of heading the M. N. **A material is a located and character of construction in the M. Control. **DESCRIPTION of heading the M. N. **A material is a located and character of construction in the material is a location in manner. **Character is to be pumped give general description (Sine and type of pump)	
1. The point of diversion is located 322.5. ft. S. and 325.3 ft. W. from the N. W. orner of the Isaac he Mostus It. S. and 325.3 ft. W. from the N. W. orner of the Isaac he Mostus It. S. and 325.3 ft. W. from the N. W. orner of the Isaac he Mostus It. S. and 325.3 ft. W. from the N. W. orner of the Isaac he Mostus It. S. S. and 325.3 ft. W. from the N. W. orner of the Isaac he Mostus It. S. S. T. A. S. R. S. W. (S. S. W. M. M.) and the Isaac he Mostus It. S. S. A. S. W. (S. S. W. M. M.) and the Isaac he Mostus It. S. S. A. S. W. (S. S. W. M. M. C. S. T. A. S. M. W. M. S. T. M. M. M. S. M. M. M. S. M. M. M. S. M. M. M. S. M. M. M. M. S. M. M. M. M. S. M.	(Constitute of the point of diversion is located 328.5. ft. S. and 325.3 ft. M. from the M. M. (co. et al.) 4. The point of diversion is located 328.5. ft. S. and 325.3 ft. M. from the M. M. (co. et al.) The control of the Isaac he Mostus DLL. 55 Tp. 45. R. 5 W. (Control of the Isaac he Mostus DLL. 55 Tp. 45. R. 5 W. (Control of the Isaac he Mostus DLL. 55 Tp. 45. R. 5 W. (M. Sample 1 Co., D. C. The Spring 1 S. 35.48 W. 6684) (Control of the Isaac he man point of diversion and busing to section neare) (Control of the Isaac he man point of diversion and busing to section neare) (Control of the Isaac he man point of diversion and busing to section neare) (Control of the Isaac he man point of diversion and busing to section neare) (Control of the Isaac he man point of diversion and busing to section neare) (Control of the Isaac he man point of diversion and busing to section neare) (Control of the Isaac he man point of diversion and busing to section neare) (Control of the Isaac he man point of diversion and busing to diversion when the country) (Control of the Isaac he man point of diversion and busing shown throughout on the accompanying map. (Co. et al.) (Co	while feet per second from spring and 18 gal. pen min, from cree (it upper to to used from gays then an motive, give quantity from each)
4. The point of diversion is located \$22.5 ft. S. and \$25.3 ft. W. from the N.W. orner of the Isaac he Mostus Isaac and the state of the Isaac he moderated he is a state of the Isaac he moderated he is a state of the Isaac he moderated he is a state of the Isaac he moderated he is a state of the Isaac he moderated he is a state of the Isaac he moderated he is a state of the Isaac he moderated he is a state of the Isaac he	4. The point of diversion is located 322.5 jt. S. and 325.5 jt. W. from the M. W. from of the Isaac Le Masters of the Isaac Le	(Irrigation, power, mining, menufacturing, domestic supplies, etc.)
Constitute or enhabituation) (Constitute or enhabituation) (Constitute or enhabituation) (Constitution) (C	The Isaac be Mostus Committee or account of the Isaac bear the Committee of the Isaac bear the I	
The spring is 5.35 48 W 6684 f. Can be seen that one point of direction, and must be described. The experience of the seen that the production, give diffusion and bearing to section corner? (If there is more than one point of direction, and must be described. The experience three if secondary) (If there is more than one point of direction, and must be described. The experience three if secondary) (If there is more than one point of direction, and bearing to section corner) (If there is no experience is a secondary of the secondary) (If there is no be secondary) (If there is no be secondary in the secondary of the seconda	(a) Constitution of the same o	
(If there is more than one point of direction, give distance and boaring to section corner) (If there is more than one point of direction, each must be described. Use sequence direct if accessary) (If there is more than one point of direction, each must be described. Use sequence direct if accessary) (If our anishes length of Sec. 2 , Tp. 4 5. (If or a.) (If our	(If there is more than one point of diversion, such must be described. Use supervise short If accountry) (If there is more than one point of diversion, such must be described. Use supervise short If accountry) (If there is more than one point of diversion, such must be described. Use supervise short If accountry) (If our is) (If our is to be pumped give general description (If our is) (If our is is to be pumped give general description (If our is) (If our is is to be pumped give general description (If our is) (If our is is to be pumped give general description (If our is) (If our is is is on the pumped give general description (If our is is is on the pumped give general description (If our is) (If our is is is on the pumped give general description (If our is is is on the pumped give general description (If our is is is on the pumped give general description (If our is is is on the pumped give general description	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, such must be described. Use separate short if secondary) (If there is more than one point of diversion, such must be described. Use separate short if secondary) (If there is more than one point of diversion, such must be described. Use separate short if secondary) (If there is more than one point of diversion, such must be described. Use separate short if secondary) (If there is more than one point of diversion, such must be described. Use separate short if secondary) (If there is must be seen one point of diversion, such must be described. Use separate short if secondary) (If there is must be seen one point of diversion, such is secondary) (If there is no more than one point of diversion, such is secondary) (If there is must be seen one point of diversion, such is secondary) (If there is no more than one point of diversion is secondary) (If the must be must be seen one point of diversion is secondary) (If the must be seen than the secondary of the secondary o	(If there is more than one point of diversion, such must be described. Use superrise shoot if secondary) (If there is more than one point of diversion, such must be described. Use superrise shoot if secondary) ing within the \$\subseteq	
(If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. (If the content is secondary) (If the content is more than one point of diversion, each must be described. (If the content is more than one point of diversion is more than the content is secondary) (If the content is more than one point of diversion is more than the content is more than the cont	(If there is more than one point of diversion, each must be described. Use expenses there if necessary) (Come smallest legal subdivision) (Come within the \$\sum_{\text{i}} M. M. M. in the country of M. M. M. in the proposed location being shown throughout on the accompanying map. (Come W.) DESCRIPTION OF WORKS iversion Works 6. (a) Height of dam M. M. M. feet, length on top feet, length at bottom 3 feet; material to be used and character of construction M.	
(a) SW, W. M., in the country of Case W.) 5. The Country of Case W.) 6. The Country of Case W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2. 5 jeet, length on top Jeet; material to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description (a) to be 2. 0 feet; be be constructed to be constructed to the accompanying map. (a) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— (c) Leave rock, concrete, masoner, concrete, other, number and size of openings) (c) If water is to be pumped give general description (a) Sec. 2 (A) Jeet (N) J	(c) If water is to be pumped give general description (c) East with the country of the country	Said Claims 55 (If preferable, give divisors and bearing to section corner)
(a) SW, W. M., in the country of Case W.) 5. The Country of Case W.) 6. The Country of Case W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2. 5 jeet, length on top Jeet; material to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description (a) to be 2. 0 feet; be be constructed to be constructed to the accompanying map. (a) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— (c) Leave rock, concrete, masoner, concrete, other, number and size of openings) (c) If water is to be pumped give general description (a) Sec. 2 (A) Jeet (N) J	(c) If water is to be pumped give general description (c) East with the country of the country	(El there is more than one point of diversion, such must be described. Use separate sheet if necessary)
5. The	5. The	
n length, terminating in the S. W. J. O. N. S. (W. or S.) R. S. N. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works 6. (a) Height of dam S. S. feet, length on top feet, length at bottom J. feet; material to be used and character of construction (Cases rock, concrete, masonry, Cases rock and brush, timber crib, etc., wasteway ever or around dam) (b) Description of headgate T. C. W. M. N. O. J. M. J.	length, terminating in the S. M. J. O. M. C. J.	S. S.W., W. M., in the county of Hambill
DESCRIPTION OF WORKS Diversion Works 6. (a) Height of dam	DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam 2.5 feet, length on top feet, length at bottom Jest; material to be used and character of construction Concrete, masonry, (Leonard to the westerney over or around dam) (b) Description of headgate 2.5 (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	5. The - PIPE //PC 10 be 200 ff (Miles or Seet)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam	DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam	n length, terminating in the S. W. 14.01. N. E. 14.01 Sec. 2, Tp. 4.5
Oiversion Works 6. (a) Height of dam	6. (a) Height of dam	R. 5. W. M., the proposed location being shown throughout on the accompanying map.
6. (a) Height of dam 2.5 feet, length on top feet, length at bottom Jeet; material to be used and character of construction Construction (Loose rock, concrete, masonry, Character of headgate Fig. (Loose rock, concrete, masonry, Character of headgate Fig. (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	6. (a) Height of dam 2.5 feet, length on top feet, length at bottom 3 feet; material to be used and character of construction Construction (Loose rock, concrete, masonsy, ch and brush, timber crib, etc., wasterway over or around dam) (b) Description of headgate Construction Construction (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Bine and type of pump)	DESCRIPTION OF WORKS
feet; material to be used and character of construction (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway ever or around dam) (b) Description of headgate (Timber, concrete, number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	feet; material to be used and character of construction Construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate PPC With MOODEN T/49, (c) If water is to be pumped give general description (Bine and type of pump)	
(b) Description of headgate	(b) Description of headgate	
(c) If water is to be pumped give general description (Size and type of pump)	(c) If water is to be pumped give general description (Bine and type of pump)	(Loose rock, concrete, masonry,
(c) If water is to be pumped give general description (Size and type of pump)	(c) If water is to be pumped give general description (Bine and type of pump)	oock and brush, timber crib, etc., wasteway ever or around dam)
		(b) Description of headgate
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Gize and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pumped give general description (Bine and type of pump)
		(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.
*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the given extended and appropriate water for the generation of electricity with the exception of municipalities, must be made to the given extended and the grant of the given extended and given ex

adgate. At head	pate: width on t	op (at wate	r line)	feet; width on botton
•	eet denth of an	ntor	feet; grade	feet fall per on
ousand feet.	-	•	readgate: width on top (at water	
f	eet; width on bo	ttom	feet; depth of w	ater feet
ade	feet fall	per one tho	usand feet.	•
(c) Length	of pipe, 200)ft	.; size at intake,	in.; size at 200 f
			of usein.; dif	
			Is grade uniform? Yes	
		ft.	Is grade uniform?	Estimatea capacii
5 G. P. M	e see: ft:		place of use	
o. Locuiton	oj ureu to be ti	rigated, or	puice of use	
Township North or South	Range S. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
45.	5W	2	3. W 1/4 of N. E1/4	Ponds 30' x 100'
			-	
				-
•				
,				
		<u> </u>		
				· ·
	-			1
•			,	
		(If more sp	ace required, attach separate sheet)	
• •				
		d		
Power or Mining	•		·	•
9. (a) To	tal amount of p	ower to be d	leveloped	theoretical horsepow
(b) Qu	antity of water	to be used fo	or power se	ec. ft.
(c) To	tal fall to be uti	lized	(Head)	
		*	eans of which the power is to be	developed
. ,				-
			(Legal subdivision)	of Sec
Tp(No. N. or S	, R. (No.	, W	У. М.	
(f) Is	water to be reti	irned to any	stream?(Yes or No)	
			point of return	
			÷ •	
		Sec	, Tp	R W

28712

	ght herein grante							
	exceedQaQ							
	s equivalent in ca							er mou
	reservoim to			~				
lo. R -325	4 ; being 0 two reservoir	.02 c.f.s. fr	om unn	amed spr	ing and U.G	C.I.B. 11		TRECT
The w	two reservoir se to which this u	eater is to be app	lied is	mainten	ance of two	ponds for	fish cu	lture
			· • • • • • • • • • • • • • • • • • • •	······································	* ,			1
			••••	·				
, If for	irrigation, this ap	propriation shall	l be limi	ited to		of on	e cubic fo	ot per
	equivalent for ea							٠.
				1				
	•	•						
	ş				·			
	e subject to such							
and shall b	e subject to such	is sessit is			March 8,	1963	•••	
The	priority date of th ial construction w	is permit is	\$	-f	June 24.	1964	aı	nd shall
	be prosecuted wi							
	plete application					, 19 63		19
WIT	NESS my hand th	his24=	da y o	f		-, 19	:.	
		*5			han !		STATE EN	GINEER
*			,					
1		the				9	5	2
	ZI Zi	d in Oreg 1				ଝ	II Itate engineer	60'
8 6	PUBI	ceive alem,	٦			75 28712	TATE	page
2 /2	HE SEST	at So	H		ું ફુ	88	7.	
82 ck	PERMIT PPRIATE THE RS OF THE OF OREGON	us fir ineer	32		۲ . ع	Vo.	भारत भे । द्राप्तर	N
n No.	ER PRIA S OF F OF	nt w Eng	20,00	cant:	7, 9.	00k 1	2	No.
Application No. No. No. Per Permit No. 28712	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the eta^{CL}	ا <u>ئ</u>	appli	Jun	Recorded in book No rmits on page	5	ann
Lppli ermi	API WA	in and and and and and and and and and an	7	ed to	Çe	order s on		ige B
- H	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the <u>Races</u> day of <u>MACC</u> h	19.63, at Eico o'clock H. M.	Returned to applicant:	Approved: June 24, 1955	Recorded in book No. Permits on page		Drainage Bann No. 2 page 90A5
	•	₹ 5	8	28	₹ .	. 4	. ! 1	0

Application No. 38 484

State Printing 16137