STATE ENGINEERAPPLECATION FOR PERMIT SALEM OFTGON To Appropriate the Public Waters of the State of Oregon

	by Roy Wells, I	Lessee (Nume	the Bouvee Estate	,
	· (memny anarom)) 	maka amaliastian fan a n	it to annuanciate the
RE 07	U:e6 48	, do nereo	by make application for a po	·
lowing d	escribed public waters	s of the State of Oreg	on, SUBJECT TO EXISTII	NG RIGHTS:
76 cha	emplicant is a common	ation, sine date and n	lace of incorporation	•
2,7 0000				
i. Ti	he source of the propos	sed appropriation is	State Ditch eut of the	a Grande Ronde Rive
£.*			•	
		, a tributa	ry ofthe Snake River.	
2. T	he amount of water wi	hich the applicant inte	ends to apply to beneficial u	use is7.3
hia faat a	er second	•	•	
-		(If water is to be used :		
**3. T	he use to which the wo	ater is to be applied is	Irrigation (Brigation, power, mining, manuf	acturing, domestic supplies, etc.)

			tftft	B. or W.)
rrier of .		:		
	See attached s			-
······································			•	
•	•	•		
		(If professible, give distance as	d bearing to section corner)	-
	(If there is more than	one point of diversion, each me	et be described. Use separate sheet if n	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
eing with	in the SV SV Sec. 10	D & WE NV and NV S	of Sec. 15	, Tp. 2 S
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			(R. or S.)
(B. er V		unty of	······································	•
5. 1	The .State Ditch	d.	to bat is app	roximately 7,120 ft.
	from bearing flick terminating in the	a succession math.	of Sec. 10	To 2 S.
	,			
239	East , W. M., the	proposed location bei	ng shown throughout on the	accompanying map.
—				
	Works-	DESCRIPTION	N OF WORKS	
Name of the last		. feet l	ength on top	feet length at hottom
	(a) neight of dam		•	
		• - •	ter of construction	(Loose rock, concrete, masonry
6. (- · · · · · · · · · · · · · · · · · · ·			
6. (h, timber crib, etc., wasteway eve	er or around dam)		
6. (h, timber crib, etc., wasteway eve	er or around dam)		
6. (h, timber crib, etc., washing or Description of headge	er or around dam)	(Timber, concrete, etc., number and size	of openings)
rock and brush	b, timber crib, etc., wasteway over Description of headge	er er eround dam)	(Timber, concrete, etc., number and size	of openings)
6. (ook and brust — (b)	Description of headge	er or around dam) ate	(Timber, concrete, etc., number and size	of epenings) table Pump - Forkley

dgate. At hea	dgate: width on	top (at water	line)	feet; width on botto
			feet; grade	
usand feet.	***		4	
•			eadgate: width on top (at wa	• 1
	feet; width on b	ottom	feet; depth of	water fe
de	feet fall	per one thou	sand feet.	1
(c) Lengt	h of pipe;	ft.;	size at intake,	in.; size at
m intake	in.;	size at place	of use in.; d	lifference in elevation betwe
ike and place	of use,	ft. 1	s grade uniform?	Estimated capaci
	sec. ft.	٠٠٠, .		
8. Locatio	n of area to be i	rrigated, or p	lace of use	
Township North er South	Range R. er W. of Willermette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
· 2 S•	39 East	10	SW4 SW4	38•7
		10	SEL SWL	40.0
		15	NW1 NW1	38.7
		15	NE NW	40.0
	٤.,	15	SW1 NW1	28.5
		15	SE ¹ NW ¹	40.0
		15	NW1 SW1	27.0
		15	NE1 SW1	, <u>h</u> 0.0
· .	•			292.9
	,			` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `
		,		
		(If more spec	e required, attach separate short)	· ·
(a) C	haracter of soil	Deep mediu	a textured sand ridge s	oils.
(b) K	ind of crops raise	d .Peas,Wh	est, Alialfa, Barley an	d Pasture
wer or Minin				*
9. (a) To	otal amount of p	ower to be de	veloped	theoretical horsepou
(b) Q	uantity of water	to be used for	power	sec. ft.
(c) T	otal fall to be uti	lized	feet.	•
				be developed
(e) S			•	r
			(Legal subdivision)	UJ Sec
	", R. "(Me.			
			tream?(Yes er No)	
(g) I	i so name strean	n and locate p	point of return	
,		_	•	, R, W

NECEIVED

Point of Diversion - Joan Suckett, Administratrix of the Bouvee Estate Roy Wells, Lessee

TATE ENGINEER

Pertuble Pump all along both the East and West sides of the State Ditch out of the Grande Roude River between the bearings \$2 - M. 60° 5' W. located in the SW\$ SW\$, Section 10 2,600° and \$5 - 5. 56° 30'W. located in the SW\$ HW\$, Section 15, and 2,750° along the East side of the State Ditch between said bearing \$8 and bearing \$4 - S. 27° 30'W.

all in Township 2 S., Range 39 E.W.M, County of Union, State of Oregon.

All bearings and distances taken from the quarter corner common to Section 10 and 15, Township 2 S., Range 39 E.W.M., County of Union, State of Oregon.

Chame et County, having a presen	nt population of
and an estimated population of	in 19
(b) If for domestic use state number of	families to be supplied
	LI, SII, and SI in all cases)
11. Estimated cost of proposed works, \$	500 cost of present equipment 000 to be purchased
12. Construction work will begin on or before	April 15, 1963
13. Construction work will be completed on a	or beforeMay 1, 1964
14. The water will be completely applied to the	te proposed use on or beforeSaptember30,1965
	Joen Duckett, Administratrix of Bouvee I by Roy Wells, Lessee
	To Felle.
Remarks: Enclosed, map, legal de	scription and points of diversion along
and the second s	t of \$10,00 Exam Pee
TAVA VIOCA IN CIR SECURI	25-15 Acreage - 292-9
	\$35.15 This application
	is ground and has approval to obtain
this water right feer th	he Lessor. (Enclosed check covers
this application and ap	plication from Roy Well's on his own
property)	
Applicant has present	quipment as shown to be used on both.
places with additional	quipment as shown to be used on both equipment to be purchased within approximately
places with additional	
places with additional	
places with additional	
places with additional of the control of the contro	
one year. STATE OF OREGON, County of Marion,	
places with additional of the state of the s	equipment to be purchased within approximately
STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for	foregoing application, together with the accompanying
This is to certify that I have examined the maps and data, and return the same for	foregoing application, together with the accompanying
This is to certify that I have examined the maps and data, and return the same for	foregoing application, together with the accompanying
This is to certify that I have examined the maps and data, and return the same for	foregoing application, together with the accompanying ion must be returned to the State Engineer, with correc-
places with additional of the places. One year. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for	foregoing application, together with the accompanying ion must be returned to the State Engineer, with correc-
places with additional of the places. One year. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for	foregoing application, together with the accompanying ion must be returned to the State Engineer, with correct, 19
places with additional of the places with additional of the places. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for In order to retain its priority, this applications on or before	foregoing application, together with the accompanying ion must be returned to the State Engineer, with correct, 19
places with additional of the places with additional of the places. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for In order to retain its priority, this applications on or before	foregoing application, together with the accompanying ion must be returned to the State Engineer, with correct, 19
places with additional of the places with additional of the places. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for In order to retain its priority, this applications on or before	foregoing application, together with the accompanying ion must be returned to the State Engineer, with correct, 19

Municipal or Don

	ater which can be applied to beneficion	il Use
nd shall not exceed	easured at the point of diversion from	n the
fream, or its equivalent in case of rotation with other water	users, from State Ditch (Channel	of
	•	·
The use to which this water is to be applied is		4
If for irrigation, this appropriation shall be limited to	1/40 of one cubic fo	
econd or its equivalent for each acre irrigated and shall be	further limited to a diversion	n of
not to exceed 3 acre feet per acre for each acre	irrigated during the irrigation	on.
season of each year; provided further that the z	wight to use of water is limited	d to
•		тк
the period when the flew of the Lower Grande Ron	de River is more than 300 c.f.	8,
at USGS Gage No. 3325 and more than 420 c.f.s. a		
at USGS Gage No. 3325 and more than 420 c.f.s. s	t Ore-Wash border,	• • • • • • • • • • • • • • • • • • • •
at USGS Gage No. 3325 and more than 420 c.f.s. s	at Ore-Wash border,	
at USGS Gage No. 3325 and more than 420 c.f.s. a	at Ore-Wash border,	
at USGS Gage No. 3325 and more than 420 c.f.s. s	at Ore-Wash border,	
at USGS Gage No. 3325 and more than 420 c.f.s. a	at Ore-Wash border,	
at USGS Gage No. 3325 and more than 420 c.f.s. s	t Ore-Wash border,	
at USGS Gage No. 3325 and more than 420 c.f.s. s	y be ordered by the proper state officer	
at USGS Gage No. 3325 and more than 420 c.f.s. s	y be ordered by the proper state officer	r.
at USGS Gage No. 3325 and more than 420 c.f.s. s and shall be subject to such reasonable rotation system as ma The priority date of this permit is Actual construction work shall begin on or before	y be ordered by the proper state officer April 1, 1963 June 24, 1964	r.
at USGS Gage No. 3325 and more than 420 c.f.s. s and shall be subject to such reasonable rotation system as may The priority date of this permit is	y be ordered by the proper state officer April 1, 1963 June 24, 1964 and mpleted on or before October 1, 19 65	r.
and shall be subject to such reasonable rotation system as may The priority date of this permit is Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be co	y be ordered by the proper state officer April 1, 1963 June 24, 1964 mpleted on or before October 1, 19 shall be made on or before October 1, 19 June 63	r. d sha

TO APPROPRIATE THE PUBLIC	WATERS OF THE STATE	OF OREGON	
6:	5.00	1011	

This instrument was first received in the	office of the State Engineer at Salem. Oregon.
first 1	por at
was	noin
instrument	the State E
This	office of
Kinter vinter	

2	ည့	
1	6	
_	2	
ı.		
	W.	
į.	世	
Ķ	U.	
5	1	
É	. 🗟	





Drainage Basin No.

State Printing 96137