

* Permit No. 2880

ABSTRACT MADE

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, S M Mears
(Name of Applicant)

of Oregon, County of Hood River
(Postoffice)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a small stream without any name
(Name of stream)
Hood River, tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 15
miners inches cubic feet per second.

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1/2 mile South of NE corner Sec. 1, Northeast 1/4
(Give distance and bearing to section corner)
Southeast 1/4 Sec. 1 (Diversion at NE corner of NE 1/4 SE 1/4 Sec. 1)

being within the NE 1/4 SE 1/4 of Sec. one (1), Tp. two (2) N
(Give smallest legal subdivision) (No. N. or S.)

R. 10 E, W. M., in the county of
(No. E. or W.)

5. The pipe line extends 40 rods South to be miles in
Main ditch, canal or pipe line
length, terminating in the NE 1/4 SE 1/4 of Sec. one (1), Tp. two (2) N, R. 10 E
(Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is
For Maxwellton Orchard for private use.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam one feet, length on top four feet, length at bottom four feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate a box 2' X 4' X 2' for pipe to supply pump.
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured, without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) 8" X 8" flume feet; width on bottom 8" flume feet; depth of water 8" feet; grade 2" to 16 ft. feet fall per one thousand feet.

(b) At _____ miles from headgate. Width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of 30 acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

6 acres North of water course and balance of 24 acres South of water course.

The 30 acres to be irrigated lie within the NE SE Section 1 T 2 North R 10 East.

(If more space is required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Total fall to be utilized _____ feet.

(Head)

(c) The nature of the works by means of which the power is to be developed _____

(d) Such works to be located in _____ of Sec. _____

(Legal subdivision)

Tp. _____, R. _____, W. M. _____

(No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? _____

(Yes or No)

(f) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____

(No. N. or S.)

(No. E. or W.)

(g) The use to which power is to be applied is _____

(h) The nature of the mines to be served _____

MUNICIPAL SUPPLY—

11. To supply the city of.....
.....County, having a present population of....., and an
(Name of) estimated population of..... in 191....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 500.00
13. Construction work will begin on or before April 1st, 1916
14. Construction work will be completed on or before June 1st, 1916
15. The water will be completely applied to the proposed use on or before June 1st, 1916

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

S M Mears
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Donald Zamort 245 North 21st. Street.
(Name) (Address of witness)
(2) D R Tomey 214 E 45th St.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:.....

Ans to Questions 4 - 5 - 6 - 9 - 12 - 13 & 15
& \$4.50 fees, & maps.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before April 15,, 1916

WITNESS my hand this 16th day of March, 1916

John H Lewis
RJS State Engineer.

Application No. 4792

Permit No. 2880

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. 2 District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15 day of March, 1916 at 8:30 o'clock a.m.

Returned to applicant for correction March 16, 1916

Corrected application received March 21 1916

Approved: Apr. 24 1916

Recorded in Book No. 11 of Permits, on Page 2880

John H Lewis State Engineer.

1 map RS \$7.50

STATE OF OREGON, County of Marion ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The use of the water under this permit shall be limited to water for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.38 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is March 15, 1916

Actual construction work shall begin on or before April 24, 1917 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1918

Complete application of the water to the proposed use shall be made on or before October 1, 1919

WITNESS my hand this 24th day of April, 1916

John H Lewis State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Sec. 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Laws of 1915.