

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, SAM M. SNYDER

of GALICE RD, MERLIN

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is HOG CREEK, a tributary of ROGUE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is .06 cubic feet per second.

**3. The use to which the water is to be applied is CAFE, APPROXIMATELY 75% & DOMESTIC SUPPLIES APPROXIMATELY 25%.

4. The point of diversion is located 875 ft. S and 990 ft. E from the NW 1/4 corner of SEC 11 TWP 35S R7WWM

being within the SE 1/4 NW 1/4 SW 1/4 of Sec. 11, Tp. T. 35S, R. 7W, W. M., in the county of JOSEPHINE

5. The PIPE LINE to be 525 FT. in length, terminating in the NE 1/4 NW 1/4 SW 1/4 of Sec. 11, Tp. 35S, R. 7W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1 1/2 X 2 CENTRIFUGAL 1 H.P. EL. MOTOR 75' HEAD.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 525 ft.; size at intake, 2" in.; size at 10 ft. from intake 1 1/2 in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, 70 ft. Is grade uniform? YES. Estimated capacity, .08 sec. ft.

8. Location of area to be irrigated, or place of use NO IRRIGATION.

Township, North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>35S</u>	<u>7W</u>	<u>11</u>	<u>NE 1/4 NW 1/4 SW 1/4</u>	63
<u>35S</u>	<u>7W</u>	<u>11</u>	<u>NW 1/4 NW 1/4 SW 1/4</u>	<u>63</u>
<u>35S</u>	<u>7W</u>	<u>11</u>	<u>NE 1/4 NW 1/4 SW 1/4</u>	<u>Dom & Commercial</u>

(If more space required, attach separate sheet)

(a) Character of soil Rocky & Clay

(b) Kind of crops raised GRASS, TREES, GRASS, STRAWS

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hog Creek

The use to which this water is to be applied is domestic use of two families and commercial use in cafe; being 0.01 c.f.s. for domestic and 0.02 c.f.s. for commercial use in cafe; provided further that the right to use of water for commercial use in the cafe is limited to the period when the flow of the Rogue River is more than 735 c.f.s. at its mouth.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 1, 1963

Actual construction work shall begin on or before July 18, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 18th day of July, 1963

Chris L. Wheeler STATE ENGINEER

Application No. 28464
Permit No. 28806

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of March, 1963, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

July 18, 1963

Recorded in book No. 80 of 28806 Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 15 page 75 W Fees