

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, J. G. Kavanagh
(Name of applicant)of P.O. Box 342 SILVERTON
(Mailing address)State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:If the applicant is a corporation, give date and place of incorporation NONE1. The source of the proposed appropriation is UNAMED & RESERVOIR
(Name of stream), a tributary of BUTE CREEK2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second. 1.5 AC. FT. STORED WATER
(If water is to be used from more than one source, give quantity from each)3. The use to which the water is to be applied is RECREATION &
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)FISH CULTUREN59°E - 1065'4. The point of diversion is located ft. ft. from the SW
(ft. or s.) (ft. or w.)corner of SEC. 15 T6S R15W
(Section or subdivision)(If preferable, give distance and bearing to section corner)(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 1/4 SW 1/4 of Sec. 15, Tp. 6 S,
(Give smallest legal subdivision)R. L E, W. M., in the county of MARION
(W. or S.)5. The NONE
(Main ditch, canal or pipe line) to be ft.
(Miles or feet)in length, terminating in the ft. of Sec. 15, Tp. 6 S,
(Smallest legal subdivision)R. L E, W. M., the proposed location being shown throughout on the accompanying map.
(W. or S.)

DESCRIPTION OF WORKS

Diversion Works— EARTH FILL DAM6. (a) Height of dam 9.9 feet, length on top 150 feet, length at bottom
100 feet; material to be used and character of construction EARTH FILL
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wastewater over or around dam)(b) Description of headgate SPILLWAY RIGHT-ABUTMENT
(Timber, concrete, etc., number and size of openings)(c) If water is to be pumped give general description NONE
(Size and type of pump)(Size and type of engine or motor to be used, total head water to be lifted, etc.)^{*}A different form of application is provided where storage works are contemplated.^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be used, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

四

Canal System or Pipe Line— None

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)
feet; width on bottom feet; depth of water feet;
grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft.
 from intake in.; size at place of use in.; difference in elevation between
 intake and place of use, ft. Is grade uniform? Estimated capacity,

8. Location of area to be irrigated, or place of use :

(If more space required, attach separate sheet)

(a) Character of soil St. Cather.

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

, Sec. _____, Tp. _____, R. _____, W. M. _____.

(h) The use to which power is to be applied is

30. (a) To supply the city of

County, having a present population of

(Name of)

and an estimated population of _____ in 19____.

(b) If for domestic use state number of families to be supplied

(Answer choices 11, 25, 50, and 100 in all cases)

11. Estimated cost of proposed works, \$ 1200.0012. Construction work will begin on or before 6 - 1 - 6113. Construction work will be completed on or before 6 - 1 - 6214. The water will be completely applied to the proposed use on or before 10 - 1 - 61

Joseph G. Riesnaugh,
(Signature of applicant)

Remarks:

Lots - 26-27-28-29-30-31-32-33-34-35
 in Cottle & Cook's addition to Scotsmeadow
 Marion County, Oregon -

Six and except a parcel of land 10⁷⁷ feet
 including a spring of water in approximately
 in the center of lot - 26 - as described in deed
 recorded in Volume 117 - Page 302. Deed records
 for Marion County, Oregon.

Percation is intended as boating and swimming in 1961

Fish Culture is included as semi-private use by back & line take.

STATE OF OREGON, {
 County of Marion, { ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By

ASSISTANT

STATE OF OREGON,

County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from an unnamed stream and
reservoir to be constructed under application No. R-38795, permit No. R-3267.

The use to which this water is to be applied is recreation and fish culture within the
reservoir.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per
second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 31, 1963

Actual construction work shall begin on or before July 18, 1964 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.

Complete application of the water to the proposed use shall be made on or before October 1, 1966.

WITNESS my hand this 18th day of July, 1963,

Chris L. Wheeler
STATE ENGINEER

Application No. 38795,

Permit No. 28856

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 31 day of May,

1963 at 11:50 o'clock A.M.

Returned to applicant:

Approved:

July 18, 1963

Recorded in book No. 80 of
Permits on page 28856

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 3825

Fees \$2.00