

*APPLICATION FOR PERMIT

10 Appropriate the Public Waters of the State of Oregon

	Joseph, Oregon
	Oregon, do hereby make application for a permit to appropriate the
e of •	make apparent for a permit to appropriate the
roing descr	ibed public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the ap	plicant is a corporation, give date and place of incorporation
	nurce of the proposed appropriation is flood waters of Wallowa River,
1. The se	medium McCurller Charles and Dundards Charles (Remote streets)
•	, a tributary of Wallowa River
2. The a	mount of water which the applicant intends to apply to beneficial use is $\frac{1-2225}{60}$
r fact ner's	being 0.40 cfs from the Wallows River and 0.40 cfs from McCully
	scondCreek with any deficiency in either source to be made up from Prair (If water is to be used from more than one source, give quantity from each)
*3. The u	se to which the water is to be applied is 1rr1gation (Arigntien, power, mining, manufacturing, domestic supplies, etc.)
	N 70° E21 F from SW corner
4. The p	oint of diversity 1976 andftfrom the
Se	ection 15, Township 2 S R 45, EWM in Wallowa County, Oregon (Section or subdivision)
	
wa Riv:	S 68 58' E, 1968.7 ft. from the NW Cor, of Sec. 5, T 3 S, R 45 E 4.43
lly Cr.:	
-	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, H 45 L 5W4 5E'4
-	
-	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, H 45 L 5W4 5E'4
rie Cr.:	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E SWA 56 A. N 63 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E, SWA 56 A. (If preferable, give distance and bearing to section corner)
rie Cr.:	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E 564 564 N 65 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E 564 564 Cff preferable, sive distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate sheet if necessary) Northwest quarter Southeast 1 of Sec. 15 , Tp. 2 S. (Give smallest legal subdivision)
rie Cr.:	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E 564 564 N 65 39! N. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E 564 564 N 65 39! N. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E 564 564 N 65 39! No control of preferable, give distance and bearing to rection corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Northwest quarter Southeast 1 of Sec. 15 7p. 2 S. (N or S.) W. M. in the country of Wallowa
rie Cr.:	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E 564 564 N 65 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E 564 564 Cff preferable, sive distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate sheet if necessary) Northwest quarter Southeast 1 of Sec. 15 , Tp. 2 S. (Give smallest legal subdivision)
gwithin th	N 76 W. 1462 Pt. from the SE Cor. of Sec. 2, T 2 S, R 45 E N 63 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. SW4 SE'A (If there is more then one point of diversion, each must be described. Use separate sheet if necessary) Northwest quarter Southeast! of Sec. 15 , Tp. 2 S. (Give smallest legal mubdivision) Wallowa Ditch Co. as now established ditch of Farmers Water to be one and three quarters (Main afted, canal or plays line)
g within the S. The night, term	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, H 45 E N 63 39' W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. Su'Assu' (If preferable, give distance and bearing to notion corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion and bearing to necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if nec
rie Cr.: g within th E C. = W.) 5. The ngth, term	N 76 W. 1462 Pt. from the SE Cor. of Sec. 2, T 2 S, R 45 E N 63 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. SW4 SE'A (If there is more then one point of diversion, each must be described. Use separate sheet if necessary) Northwest quarter Southeast! of Sec. 15 , Tp. 2 S. (Give smallest legal mubdivision) Wallowa Ditch Co. as now established ditch of Farmers Water to be one and three quarters (Main afted, canal or plays line)
rie Cr.: gwilin th E	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E N 63 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. 54 45 E (If preferable, sive distance and bearing to rection corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Northwest quarter Southeast 1 of Sec. 15 (Olive smallest legal subdivision) W. M., in the county of Wallowa Ditch Co. as now established ditch of Farmers Water to be one and three quarters (Islan ditch, canal or play line) (Island of Farmers Water) (Island of the NW Cor. of NW1SE1 of Sec. 15 (Island of the NW Cor. of NW1SE2 of Sec. 15 (Island of the NW Cor. of NW1SE2 of Sec. 15 (Island of the NW1SE2 of Sec. 15 (Island of t
sie Cr.: gwithin th 5 E (Lew) 5. The ngth, term 45 (Lew)	N 76 W, 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E N 63 39! W, 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E, SW4, SE4. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If predomition, each must be described. The separate sheet if accessary) (If predomition, give distance and bearing to section described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion, each must be described. The separate sheet if accessary) (If there is more than one point of diversion is accessary) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than o
sie Cr.: gwithin th 5 E (Lew) 5. The ngth, term 45 (Lew)	N 76 W. 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E N 63 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. 54 45 E (If preferable, sive distance and bearing to rection corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Northwest quarter Southeast 1 of Sec. 15 (Olive smallest legal subdivision) W. M., in the county of Wallowa Ditch Co. as now established ditch of Farmers Water to be one and three quarters (Islan ditch, canal or play line) (Island of Farmers Water) (Island of the NW Cor. of NW1SE1 of Sec. 15 (Island of the NW Cor. of NW1SE2 of Sec. 15 (Island of the NW Cor. of NW1SE2 of Sec. 15 (Island of the NW1SE2 of Sec. 15 (Island of t
rie Cr.: g within th 5 E G. w.) 5. The ngth, term 45 C. w.) ersion Wor 6. (a) F	N 76 W, 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E N 63 39! Ny 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. 54 45 E (If preferable, give distance and bearing to rection corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Northwest quarter Southeast 1 of Sec. 15 , Tp. 2 S. (Give smallest legal subdivision) N. M., in the county of Wallowa Ditch Co. as now established ditch of Farmers Water to be one and three quarters (Main ditch, canal or play line) inating in the NW cor. of NW1SE1 of Sec. 15 , Tp. 2 S. (Bundlest legal subdivision) N. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Leight of dam feet, length on top feet, length at bottom feet: material to be used and character of construction
rie Cr.: gwithin th 5 E (Lew) 5. The ngth, term 45 (Lew) ersion Wor 6. (a) F	N 76 W, 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E N 63 39! W, 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. SU'ASU (If preferable, sive distance and bearing to rection corner) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion, each must be described. Use separate sheet if necessary) (If there to more than one point of diversion) (If there to more than one point of diversion) (If there to more than one point of diversion) (If there to more than one of the point of the described. The separate sheet if necessary) (If there to more than one of the point of the secondary) (If the to the point of the poin
g within the S. The mgth, term 45 CL ew.) ersion Wor 6. (a) F.	N 76 W. 1462 Pt. from the SE Cor. of Sec. 2, T 2 S, R 45 E. SW4 SE'A N 63 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. SW4SW (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Northwest quarter Southeastl of Sec. 15. Tp. 2 S. (Give smallest legal subdivision) NW. M., in the county of Wallowa Ditch Co. as now established ditch of Farmers Water to be one and three quarters (Mine of the NW Cor. of NW SEL of Sec. 15. Tp. 2 S. (Smallest legal subdivision) NW. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Leight of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massony, erects, etc., wasteway over or around dam)
g within the S E (Lew) 5. The ngth, term 45 (Lew) ersion Wor 6. (a) F	N 76 W, 1462 Ft. from the SE Cor. of Sec. 2, T 2 S, R 45 E N 63 39! W, 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. SWASW (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion, each must be described. Use separate sheet if secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion is secondary) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If ther
g within the S. The mgth, term 45 CL ew.) ersion Wor 6. (a) F.	N 76 W. 1462 Pt. from the SE Cor. of Sec. 2, T 2 S, R 45 E. SW4 SE'A N 63 39! W. 2337 ft. from the St Corner of Sec. 26, T 2 S, R 45 E. SW4SW (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Northwest quarter Southeastl of Sec. 15. Tp. 2 S. (Give smallest legal subdivision) NW. M., in the county of Wallowa Ditch Co. as now established ditch of Farmers Water to be one and three quarters (Mine of the NW Cor. of NW SEL of Sec. 15. Tp. 2 S. (Smallest legal subdivision) NW. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Leight of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massony, erects, etc., wasteway over or around dam)
g within the S. The agth, term 45 (E. er W.) ersion Wor 6. (a) He and brush, timb (b) Des	N. 63 39! N. 2337 It. From the St. Correct of Sec. 26, T. 2 S, R. 45 E. Sw'4 Sw'4 N. 63 39! N. 2337 It. From the St. Correct of Sec. 26, T. 2 S, R. 45 E. Sw'4 Sw (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point is necessary) (If the proposed of the proposed of the point is necessary) (If the proposed of the proposed of the point is necessary) (If the proposed of
rie Cr.: gwisin the gwisin the S R (Lew.) 5. The agth, term (Lew.) ersion Wor 6. (a) H	N. 76 W. 1462 Ft. From the SE Cor. of Sec. 2, T. 2 S. B. 45 E. SWASE'A. N. 63° 39! No. 2337 ft. From the St. Correct of Sec. 26, T. 2 S. R. 45 E. SWASE'A. (If there is more than one point of diversion, each most be described. For superson short if accountry) (If there is more than one point of diversion, each most be described. For superson short if accountry) (If there is more than one point of diversion, each most be described. For superson short if accountry) (If there is more than one point of diversion, each most be described. For superson short if accountry) (If there is more than one point of diversion, each most be described. For superson short if accountry) (If there is more than one point of diversion, each most be described. For superson short if accountry) (If there is more than one point of diversion, each most be described. For superson short if accountry) (If there is more than one point of diversion, each most be described. For superson short if accountry) (If there is more than one point of diversion, each most be described. For superson short if accountry) (R. 63° 39! No. 2 S. R. 45 E. SWASE'A. (If there is more than one point of sec. 15
g within the S. The agth, term 45 (E. er W.) ersion Wor 6. (a) He and brush, timb (b) Des	N. 63 39! N. 2337 It. From the St. Correct of Sec. 26, T. 2 S, R. 45 E. Sw'4 Sw'4 N. 63 39! N. 2337 It. From the St. Correct of Sec. 26, T. 2 S, R. 45 E. Sw'4 Sw (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point is necessary) (If the proposed of the proposed of the point is necessary) (If the proposed of the proposed of the point is necessary) (If the proposed of

علىموا والراجور	u 104.		canal where materially char	feet; width on botto
	建硼 计通畅磁电子设计	of 📆 state 🔭		feet fall per or
الأرادة فتنبه النسا	right of their	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	sudgets: width on top (at wo	
_				f water fee
	feet fall	*** **.		•
(c) Length o	j pipe,	, ft.,	size at intake,	in.; size at
intake		ize at place	of usein.;	difference in elevation betwe
e and place of	f use,		ls grade uniform?	Estimated capaci
	sec. ft.		lace of use	
		rigatea, or p		
Township torth or South	Witnesste Meridian	destion .	Forty-acre Tract	Number Acres To Be irrigated
28	45 EWM	10	Wisei	6.0
28	45 EWM	10	NE ESWE	3.0
28	45 EWM	10 ,	SE ¹ / ₄ SW ¹ / ₄	5.0
28	45EWM 45 EWM	15	NELNWL	5.5 5.6 and 0.5
2S 2S	45 EWM	15 15	SW ¹ _n NE ¹ _r	5.6 and 0.5
25	45 EWM	15	NWLSEL /	and 4.1
ຂນ	ואש פר		HW LOEL	Allu 4.1
(T have w	ater right	on the	above described 17	acres in NW-SE- of
said Sec	. 15 but a	n horows		upplemental right
	,			
(a) Cha	ractor of soil		e and farm land	
				\$ 77
ver or Mining				
9. (a) Tot	al amount of po	nwer to be d	eveloped none	theoretical horsepo
	• •	-	r power	•
(c) Tot	al fall to be uti	lized	(Hend) feet.	
(d) Th	e nature of the	works by me	eans of which the power is to	be developed
•	······································		<u></u>	
(e) Su	ch works to be l	ocated in	(Legal subdivision)	of Sec
	, R(No.	, W	7. M.	
(No. N. or S		at to succ	stream?	
,	water to be reti	irneu to any	(Yes or No)	

icipal or Domestic Supply—	28864
10. (a) To supply the city of	
(Name of) County, having a present population of	
an estimated population ofin 19in	•
(b) If for domestic use state number of families to be supplie	d
(Answer questions 11, 12, 13, and 14 in all cases)	*************************
	2
11. Estimated cost of proposed works, \$	111
12. Construction work will begin on or before	
13. Construction work will be completed on or before	10700
14. The water will be completely applied to the proposed use on or l	before All irrigate
in Spring of 1963	
19/1/	aftenger
J Gubye B	explired of opplicant)
Remarks:	
	. •
	*
<u> </u>	
*	<u> </u>
	*
,	
	,
	
ATE OF OREGON, ss.	
County of Marion,	•
This is to certify that I have examined the foregoing application	
aps and data, and return the same for	<u></u>
In order to retain its priority, this application must be returned t	o the State Engineer, with cor
ons on or before	

WITNESS my hand this day of	, 19
	` •
	· · · ·

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial us 0.80 cubic feet per second measured at the point of diversion from the and shall not exceed stream, or its equivalent in case of rotation with other water users, from Wallowa River, McCully Creek and Prairie Creek; being 0.40 c.f.s. from Wallowa River and 0.40 c.f.s. from McCully Creek; water to be diverted from Wallowa River & McCully Creek when available and any deficiency in the available supply in Wallowa River or McCully Creek is to be made up by diversion from Prairie Creek, providing that the total quantity diverted from either Wallows River and Prairie Creek or McCully Creek and

Prairie Creek shall not exceed 0.40 c.f.s. The use to which this water is to be applied is irrigation. second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3% acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the Lower Grande Ronde River is more than 300 c.f.s. at USGS Gage No. 3325 and more than 420 c.f.s. at Ore-Wash border, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. June 11, 1963 The priority date of this permit is July 18, 1964 Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.65 Complete application of the water to the proposed use shall be made on or before October 1, 19 66 day of WITNESS my hand this ...

Application No. 38823 Permit No. APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

office of the State Engineer at Salem, Oregon, This instrument was first received in the on the // May of June

Returned to applicant:

7

1963, at 11. 1/2 o'clock:

Recorded in book No.

Approved:

Permits on page

₹

STATE ENGINEER CHRIS L. WHEELER

 φ No. Basin Drainage