

RECEIVED
MAY 11 1962

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Josephine County School District
(Name of applicant)

of Court House Annex, Grants Pass
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Reservoir & Applegate River
(Name of stream)
a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 20 acre feet
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation (S.P.)
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1550 ft. S and 2225 ft. E of the NW corner
(N. or S.) (E. or W.)
corner of Section 21 SE of NW corner of Sec. 21, Tp. 37 S., R. 5 W.
(Section or subdivision)

Water diverted from Applegate River through Murphy Electric Ditch Co. to
reservoir, from reservoir to property irrigated.

Diversion point of stored water from the reservoir is located 1250 ft S. and
(If preferable, give distance and bearing to section corner)
1225 ft E, from the center corner of Section 18
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SE 1/4 of Sec. 18 - , Tp. 37 S
(Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of Josephine
(E. or W.)

5. The pipe line to be 1000 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 of SE 1/4 of Sec. 18 , Tp. 37 S
(Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9 feet, length on top 128 feet, length at bottom
128 feet; material to be used and character of construction earth fill
(Loose rock, concrete, masonry)

wasteway around dam
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 38" x 38" x 1" Fir headgate slides
(Timber, concrete, etc., number and size of openings)
in concrete walls.

(c) If water is to be pumped give general description 2 1/2 x 3 centrifugal 5 H.P. motor.
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 4 feet; width on bottom 4 feet; depth of water 1 feet; grade 3 feet fall per one thousand feet.

(b) At 2 miles from headgate: width on top (at water line) 3 feet; width on bottom 3 feet; depth of water 3/4ths feet; grade 3 feet fall per one thousand feet.

(c) Length of pipe, 1,000 ft.; size at intake, 3 in.; size at 1,000 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? yes Estimated capacity, .3 sec. ft.

8. Location of area to be irrigated, or place of use Lincoln Savage Jr. High School

Table with 5 columns: Township North or South, Range E. or W. of Williamsite Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 37 S, 5 W, 18, SW 1/4 of SE 1/4, 23 Sup.

(If more space required, attach separate sheet)

(a) Character of soil Loan

(b) Kind of crops raised Grass turf

Power or Mining Purposes—

9. (a) Total amount of power to be developed none theoretical horsepower.

(b) Quantity of water to be used for power none sec. ft.

(c) Total fall to be utilized DO feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. R. W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. Tp. R. W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 550.00

12. Construction work will begin on or before August 1, 1962

13. Construction work will be completed on or before August 1, 1963

14. The water will be completely applied to the proposed use on or before August 1, 195

Josephine S. Schaefer Hunt
(Signature of Applicant)
Hettie Schaefer Hunt, Clerk

Remarks:

Application for water supply, shown to the County of Josephine

Commencing at the Northwest corner of the Southwest Quarter of the Southeast Quarter of Section 18, Township 37 South, Range 5 West of the Willamette Meridian, said point being the Northeast corner of Tract 1 as described in the deed recorded in Volume 160, Page 629, Deed Records of Josephine County, Oregon; thence East 866.2 feet; thence South 990 feet; thence West 866.2 feet; thence North 990 feet to the point of beginning. Less and excepting that portion which lies Northerly and Westerly from the center of Onion Creek. Also, except that part in New Hope Road. Containing 18.62 acres, more or less.

Also, beginning at a point 990 feet East of the Northwest corner of the Southwest Quarter of the Southeast Quarter of Section 18, Township 37 South, Range 5 West of the Willamette Meridian, Josephine County, Oregon; thence North 660 feet; thence West 264 feet; thence South 660 feet; thence East 264 feet to the point of beginning, containing 4 acres, more or less.

Also, that portion of the Southeast Quarter of the Southwest Quarter of Section 18, Township 37 South, Range 5 West of the Willamette Meridian, Josephine County, State of Oregon, which lies Southerly and Easterly from the center of Onion Creek and Northerly of the center line of the New Hope Road, containing .93 acres, more or less.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for COMPLETION

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 1, 1962
November 26 62

WITNESS my hand this 1st day of June, 1962
26th September 62

RECEIVED
AUG 10 1962
STATE ENGINEER
SALEM, OREGON
WHEELER
STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use 3.0 acre feet stored water only and shall not exceed ~~subsequent~~ measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lincoln Savage Reservoir to be constructed under application No. R-37640, permit No. R- 3270.

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to a diversion of 1/2 acre feet of ~~water~~ for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. August 10, 1962 for 3.0 acre feet

The priority date of this permit is July 22, 1963 for 5.0 acre feet

Actual construction work shall begin on or before August 9, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 9th day of August, 1963

Chris L. Wheeler STATE ENGINEER

Application No. 51641 Permit No. 28868

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of May, 1962, at 2:00 o'clock A. M.

Returned to applicant:

Approved:

August 9, 1963

Recorded in book No. 80 of Permits on page 28868

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 15 page 86 Fees 15.00