

MAY 28 1913
STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Wm E. Carnahan

(Name of applicant)

of 125 SW G Street, 1/2 Smith Variety Store, Grants Pass

(Mailing address)

State of OREGON

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fruitdale Creek

(Name of stream)

, a tributary of Regue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.015

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. S and 450 ft. E from the NW

(N. or S.)

(E. or W.)

corner of Gov. Lot 5

(Section of subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the W 1/2 of SW 1/4 (Gov. Lot 5) of Sec. 21, Tp. 36 S

(Give smallest legal subdivision)

(N. or S.)

R. 5 W, W. M., in the county of Josephine

(E. or W.)

5. The pipe line to be 300 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the W 1/2 of SW 1/4 (Lot 5) of Sec. 21, Tp. 36 S

(Smallest legal subdivision)

(N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top _____ feet, length at bottom _____

feet; material to be used and character of construction Sump in Creek

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., roadway over or around dam)

(b) Description of headgate 1 1/2 inch valve. One opening

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 inch centrifugal pump

(Size and type of pump)

1 H. P. Electric Motor 25 foot lift

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

50426

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 1 1/2 in.; size at 300 ft. from intake 1 1/2 in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? Yes Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	5 W	21	W 1/2 of SW 1/4 Gov. Lot 5	1.5
Description: Commencing at a point which is 65 feet South and 525 feet East of the Northwest corner of Gov. Lot 5, Section 21 Township 36 South, Range 5 West of the Willamette Meridian, said point being at the mouth and in the center of Fruitdale Creek; thence running East, along the South bank of Rogue River, a distance of 154 feet; thence South 200 feet; thence North 89° West 250 feet; thence North 25° West 30 feet to the center line of Fruitdale Creek; thence Easterly and Northerly, along the center line of Fruitdale Creek to the place of beginning.				
Also Lot 2 of Hamilton Park Subdivision, as recorded in the records of Flats, Josephine County, Oregon				

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Garden, lawn, shrubs and trees.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10: (a) To supply the city of _____

_____ County, having a present population of _____

(Name of)

and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00 _____

12. Construction work will begin on or before May 28, 1964 _____

13. Construction work will be completed on or before May 28, 1965 _____

14. The water will be completely applied to the proposed use on or before May 28, 1966 _____

Remarks: _____

Wm B. Courdham
125 SW 6th
of Smith Variety Store
Franklin Pass Ore

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fruitdale Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/800 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the Rogue River is more than 735 c.f.s. at its mouth,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 28, 1963

Actual construction work shall begin on or before August 9, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.

Complete application of the water to the proposed use shall be made on or before October 1, 1966.

WITNESS my hand this 9th day of August, 1963

Chris L. Wheeler STATE ENGINEER

Application No. 38724 Permit No. 28882

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of May 1963, at 8:00 o'clock P.M.

Returned to applicant:

Approved: August 9, 1963 Recorded in book No. 80 of Permits on page 28882

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 15 page 78X

Fees