

RECEIVED  
JUL 1 1903  
STATE ENGINEER  
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, TRUMAN E. AND MILBARD B. PHILLIPS  
(Name of applicant)  
of RANGE 2 BOX 194B NEWBERG  
(Mailing address)  
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is WILLAMETTE RIVER  
(Name of stream)  
a tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 7/60  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is IRRIGATION  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1290 ft. S and 885 ft. W from the QUARTER  
(N. or S.) (E. or W.)  
corner of SMS 1-45-2W-WM. SEC 36-35-2W WM.  
(Section of subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 OF NW 1/4 of Sec. 1, Tp. 4 S  
(Give smallest legal subdivision) (N. or S.)

R. 2W, W. M., in the county of YAMHILL  
(E. or W.)

5. The 2 1/2" PIPE LINE to be 225.0'  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NE 1/4 OF NW 1/4 of Sec. 1, Tp. 4 S  
(Smallest legal subdivision) (N. or S.)

R. 2W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam X feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate X \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description ONE - ELEC. CENTRIFUGAL PUMP, SPEED 3450  
(Size and type of pump)  
CAP. 55 GPM. @ 25 FT. HEAD - EFF. 50% VOLTAGE 220 SINGLE PHASE - INTAKE 2 1/2" - 15' LIFT.  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
DISCHARGE 1" - 65' LIFT. P. SPRINKLERS - NOZZLE 3/4" SINGLE CAP. 6-1/2 GPM @ 40 PSI.  
PUMP TO BE MOVED DURING HIGH WATER.

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_

County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1200.00

12. Construction work will begin on or before Aug 1, 1963

13. Construction work will be completed on or before Sept 1, 1963

14. The water will be completely applied to the proposed use on or before Sept 1, 1963

DUE TO FACT LAND IS NOW SEEDING, THIS WATER IS NEEDED AS SOON AS POSSIBLE.

James E Phillips  
Melvin D Phillips

Remarks:

THE 225' OF 2 1/2" PIPE FROM PUMP TO DISTRIBUTION POINT AS  
SHOWN ON MAP WILL BE A PERMANENT INSTALLATION. THE PUMP  
AND SPOUT LINE WILL BE REMOVED DURING HIGH WATER IN THE  
WILLAMETTE RIVER. 660' OF 2" PORTABLE ALUMINUM PIPE  
WITH 8 SPRINKLER HEADS WILL BE USED TO DISTRIBUTE  
THE WATER.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 1, 1963

Actual construction work shall begin on or before August 9, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.

Complete application of the water to the proposed use shall be made on or before October 1, 1966.

WITNESS my hand this 9th day of August, 1963

[Signature] STATE ENGINEER

Application No. 38864  
Permit No. 28903

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of July 1963, at 8:00 o'clock A. M.

Returned to applicant:

Approved: August 9, 1963  
Recorded in book No. 80 of 28903  
Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 648  
Fees