TATTE GINEER

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

1. The source of the proposed appropriation is a tributary of the Chete Ruch (as tributary of the Ruch (as tributary of the Ruch (as tributary of the Ruch (as tributary))).  (If there is a more than the content of the tributary of the Ruch (as tributary)) as tributary of the Ruch (as tributary).  (If there is a more than tributary of the Ruch (as tributary)) as tributary of the Ruch (as tributary).  (If there is a more than tributary of the Ruch (as tributary)) as tributary of the Ruch (as tributary).  (If there is a more than tributary of the Ruch (as tributary)) as tributary of the Ruch (as tributary).  (If there is a more than tributary of the Ruch (as tributary)) as tributary of the Ruch (as tributary).  (If there is a tributary of the Ruch (as tributary) as tributary of the Ruch (as tributary).  (If there is a more than tributary of the Ruch (as tributary) as tributary of the Ruch (as tributary).  (If there is a more tributary of the Ruch (as tributary) as tributary of t	te of
do hereby make application for a permit to appropriate the lowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is	the of
1. The source of the proposed appropriation is	lowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is	If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is	
1. The source of the proposed appropriation is	
2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is 12 named stream
2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is a named stream
2. The amount of water which the applicant intends to apply to beneficial use is	(Marrie of Marrie)
2. The amount of water which the applicant intends to apply to beneficial use is	a tributary of the Cheten River Co
**3. The use to which the water is to be applied is   **3. The use to which the water is to be applied is   **3. The point of diversion is located   **5. ft. S. and   **4. ft. E. from the S. W.  **The point of diversion is located   **5. ft. S. and   **4. ft. E. from the S. W.  **The point of diversion is located   **The point of dive	
Country Countr	Z. The amount of water which the applicant intends to apply to beneficial use is
4. The point of diversion is located \$75 ft. S. and \$44 ft. E. from the S. W. as \$1. S. E. 4 of the S. E. 4 of the S. E. 4 of the S. E. 4 of S.	bic feet per second.  (If water is to be used from more than one source, give quantity from each)
4. The point of diversion is located \$75 ft. S. and \$44ft. E. from the S. W. of the S. E. 4 of the S. E. 4 of S.	**3. The use to which the water is to be applied is domestic supplies
(If there is many the point of diversite, each near to described. Use separate sheet if necessary)  ing within the SEA ALL SE T of Sec. 3.3 , Tp. 40.5  (II. or N.)  N. M., in the county of Children the point of the county of Children the C	(Brigation, power, mining, manufacturing, degrees supplies, etc.)
(If there is many the point of diversite, each near to described. Use separate sheet if necessary)  ing within the SEA ALL SE T of Sec. 3.3 , Tp. 40.5  (II. or N.)  N. M., in the county of Children the point of the county of Children the C	
(If there is many the point of diversite, each near to described. Use separate sheet if necessary)  ing within the SEA ALL SE T of Sec. 3.3 , Tp. 40.5  (II. or N.)  N. M., in the county of Children the point of the county of Children the C	4. The point of diversion is located #5. ft. D. and #44ft. E. from the S.M.
(If there is many the point of diversite, each near to described. Use separate sheet if necessary)  ing within the SEA ALL SE T of Sec. 3.3 , Tp. 40.5  (II. or N.)  N. M., in the county of Children the point of the county of Children the C	margin N.E. Folthe SE Fol Sect 33 two 405
(If there is more the point of diversion, each near to described. Use separate sheet if necessary)  ing within the SEA ALLS E T of Sec. 3.3 , Tp. 40.5  (N. or S.)  /3 , W. M., in the county of Children of the point in the Children of the	(Section or subdivision)
(If there is many the point of diversite, each near to described. Use separate sheet if necessary)  ing within the SEA ALL SE T of Sec. 3.3 , Tp. 40.5  (II. or N.)  N. M., in the county of Children the point of the county of Children the C	Sange 13 West of the Williamelle Meridian Gott, Curr
(If there is many the point of diversite, each near to described. Use separate sheet if necessary)  ing within the SEA ALL SE T of Sec. 3.3 , Tp. 40.5  (II. or N.)  N. M., in the county of Children the point of the county of Children the C	County Oregon
(a. or W.)  5. The     1	$\mathcal{J}$ , $\mathcal{J}$
(a. or W.)  5. The     1	(If preferable, give distance and bearing to section corner)
(a. or W.)  5. The page last to be 170 (active or seet)  Length, terminating in the 18 E 4 S E 4 of Sec. 33 Tp. 40 S (N. or E.)  (Binalliet legal subdivision)  (Ca. or W.)  DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masoury at and brush, timber crib, otc., wasteway ever or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
(a. or W.)  5. The page last to be 170 (active or seet)  Length, terminating in the 18 E 4 S E 4 of Sec. 33 Tp. 40 S (N. or E.)  (Binalliet legal subdivision)  (Ca. or W.)  DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masoury at and brush, timber crib, otc., wasteway ever or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	ing within the SESEFALLSEF of Sec 33 To 40 5
5. The page land to be 170 faith or seet)  length, terminating in the 18 4 1 14 5 8 4 of Sec. 33 , Tp. 40 5 (Bundlett legal substitution)    13	
5. The page land to be 170 faith or seet)  length, terminating in the 18 4 1 14 5 8 4 of Sec. 33 , Tp. 40 5 (Bundlett legal substitution)    13	(B. or W.) W. M., in the county of
DESCRIPTION OF WORKS  (Loose rock, concrete, mastoury  a and brush, timber crib, etc., wasteway ever or around dam)  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)	5. The pipe line to be 170 list
DESCRIPTION OF WORKS  (Loose rock, concrete, mastoury  a and brush, timber crib, etc., wasteway ever or around dam)  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)	(Idiah ditch, conal or pipe line)  (Idiah ditch, conal or pipe line)  (Idiah ditch, conal or pipe line)
DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam	length, terminating in the 11.5.4.1.3.4.0 of Sec. 3.7. of Sec. 7. (Smallest legal subdivision)
DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam	
feet, length on top	
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masoury at and brush, timber crib, etc., wasteway ever or around dass)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
feet; material to be used and character of construction (Loose rock, concrete, masoury at and brush, timber crib, etc., wasteway ever or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
k and brush, timber crib, etc., wasteway ever or around dass)  (b) Description of headgate	· · · · · · · · · · · · · · · · · · ·
th and brush, timber crib, etc., wasteway ever or around dam)  (b) Description of headgate	feet; material to be used and character of construction
(b) Description of headgate	
·	(b) Description of headgate
(c) If water is to be pumped give general description	
(Rise and type of pump)	(c) If water is to be numbed sine general description
•	(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

		Int anather	canal where materially chang	feet; width on botton
and feet.	et; depth of wo	iter	feet; grade	.*
(b) At	1	miles from he	eadgate: width on top (at wat	er line)
fe	et; width on bo	ttom	feet; depth of	water fee
	foot fall	ner one thou	sand feet.	
		<b>~</b>	; size at intake,	in : size at 70
(c) Length	of pipe,	/·V jt.;	3.	estance in elevation hetwe
n intäke	in.;	size at place	of usein.; d	injerence in essential comme
ke and place o	f use, 20	? ft. 1	Is grade uniform? fair	() Estimatea capaci
. o <i>25</i>	sec. ft:		N E 7	of the-SE T
8. Location	of area to be i	rrigated, or p	place of use	Tup40
Township North or South	Range 2. or W. of Willemette Mortilian	Section	Forty-acre Tract	Number Acres To Be Irrigated
	1711	33	NE'I SE'Y	Durestic 1
405	13W		W 2/1 2 - 1	7/4-1-37
		·		
		-		
,		<del> </del>		
	-	<u> </u>		
	<u> </u>			
•				
				•
	1		pace required, attach separaté sheet)	
(a) C	haracter of <b>so</b> il			
(b) K	ind of crops rai	sed		
Power or Minir	g Purposes—		*	•
9. (a) T	otal amount of	power to be	developed	theoretical horser
(b) <b>G</b>	uantity of wate	er to be used	for power	sec. ft.
(c) T	otal fall to be t	utilized	(Head)	<b>t.</b>
(4) 9	The mateurs of th	a anorke ha r	neans of which the power is t	to be developed
(a) 1			.*	•
••••••••••				
(e) !	Such works to b	e located in .	(Legal subdivision)	of Sec
Тр	, R	(No. E. or W.)	W.M.	
			ny stream?(Yes or No.)	•
			te point of return	
			, Тр	

(i) The nature of the mines to be served

10. (a) To supply the city of		
<b>C</b>	*	
(Drame er)		
nd an estimated population of		
(b) If for domestic use state number of	families to be supplied I family vac	لعا
	13, 13, and 14 in all ceses)	
11. Estimated cost of proposed works, \$5	TO.00	
12. Construction work will begin on or before		
•		
	or before Has been completed	
14. The water will be completely applied to th	se proposed use on or before	19!
	Charles Uto Wielso	<b></b> .
	(Signature of applicant)	
The desire	to be used -	• • • • • •
Remarks: This diversion intermettently for dome vacation Chain	T	· · · · · ·
internitionally for dome	sur purposes in a	
vacation Choin		
•		
	1	···••
		·
·		···••
<del></del>		••••
1	•	
	\ .	
42		•
Ł .		•••••
		••••
	· ·	
STATE OF OREGON, }ss.		
County of Marion,		
This is to certify that I have examined the	foregoing application, together with the accomp	any
maps and data, and return the same for	rection	
In order to retain its priority, this applicati	ion must be returned to the State Engineer, with (	~~~
	•	·or
tions on or before September 20	., 19.Md.	
	: (	
WITNESS my hand this19 day of	July , 19 63	]
	•	

By Malk Mary

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use an unnamed stream stream, or its equivalent in case of rotation with other water users, from ...... The use to which this water is to be applied is domestic use of one family second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is June 24, 1963 Actual construction work shall begin on or before September 20, 1964 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.65... Complete application of the water to the proposed use shall be made on or before October 1, 19.66. WITNESS my hand this ...... ... day of ......

ITNESS my hand this 20th day of September 19 63

Application No. 38851 Permit No. A8943

1942. at E.G

This instrument was first received in the office of the State Engineer at Salem, Oregon

APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Returned to applicant

pproved:

September Recorded in book No

8

Permits on page CHRIS L. WHEELER

Fees

Dreinage Basin No.