

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, FALCON-COVE BEACH DOMESTIC WATER SUPPLY DISTRICT
(Name of applicant)
of P.O. Box 1 Arch Cape, Oregon
(Mailing address)
State of OREGON, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation July 1, 1961
CLATSOP COUNTY OREGON

1. The source of the proposed appropriation is Unnamed Spring
(Name of stream)
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.13
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 3123 ft. N and 802 ft. E from the SW
corner of Sec 31 T.4 N., R.10 W
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW, NW of Sec. 31, Tp. 4N,
R. 10W, W. M., in the county of Clatsop

5. The 7000 feet 2 inch water main as sketched on map attached
(Main ditch, canal or pipe line) to be (Miles or feet)
in length, terminating in the of Sec. , Tp.
R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Single stage centrifical pump,
5 hp motor.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3N	10W	6	NW $\frac{1}{4}$, NW $\frac{1}{4}$	Group Dom. System
			SW $\frac{1}{4}$, NW $\frac{1}{4}$	
3N	11W	1	NE $\frac{1}{4}$, NE $\frac{1}{4}$	
			SE $\frac{1}{4}$, NE $\frac{1}{4}$	
4N	10W	31	NW $\frac{1}{4}$, NW $\frac{1}{4}$	
			SW $\frac{1}{4}$, NW $\frac{1}{4}$	
			NW $\frac{1}{4}$, SW $\frac{1}{4}$	
			SW $\frac{1}{4}$, SW $\frac{1}{4}$	
4N	11W	36	NE $\frac{1}{4}$, NE $\frac{1}{4}$	
			SE $\frac{1}{4}$, NE $\frac{1}{4}$	
			NW $\frac{1}{4}$, SE $\frac{1}{4}$	
			SE $\frac{1}{4}$, SE $\frac{1}{4}$	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the ~~spring~~ Falcon-Cove Beach Domestic Water Supply District as shown on attached map Clatsop-Tillamook County, having a present population of (Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 27 families at present we wish to provide for at least 100 families under the present system.

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 11,000.00
12. Construction work will begin on or before In operation
13. Construction work will be completed on or before -
14. The water will be completely applied to the proposed use on or before
Is in use

July 25, 1963

V. E. Pugh (Signature of applicant) Secretary Board of Commissioners, Falcon-Cove Beach Domestic Water Supply District

Remarks: The property on which this spring is located was deeded to the Falcon-Cove Beach Domestic Water Supply District by the Arch Cape Land Company (Ray B. Early). There are over 300 lots in the area.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is group domestic

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 31, 1963

Actual construction work shall begin on or before September 20, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 20th day of September, 1963

Chris L. Wheeler

STATE ENGINEER

Application No. 38934

Permit No. 28972

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of July 1963, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

September 20, 1963

Recorded in book No. 80 of

Permits on page 28972

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 6M

Fees 20.00