STATE ENGINEER
To Appropriate the Public Waters of the State of Oregon

do hereby make application for a permit to appropriate the lowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation Unmassed gouth appling as shown 1. The source of the proposed appropriation is the stiffing on map of June 17, 1903 1. The source of the proposed appropriation is the stiffing on map of June 17, 1903 1. The source of the proposed appropriation is the stiffing on map of June 17, 1903 1. The source of the proposed appropriation is the stiffing on the stiffing of the sti		d City, Oregon		
Description of heading are described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is the state of incorporation map of June 17, 1963 shown 1. The source of the proposed appropriation is the state of incorporation map of June 17, 1963 on map of June 18, 1964 on map of June 19, 1964 on map of June 1		(Malling address)		,
If the applicant is a corporation, give date and place of incorporation Dimmand about appling as shown on map of June 17, 1963 shown on map of June 18, 1963 shown on the map of	_ ·		•	
1. The source of the proposed appropriation is the stricted on map of June 17, 1985 2. The amount of water sphich the applicant intends to apply to beneficial use is 0.06 3. The amount of water sphich the applicant intends to apply to beneficial use is 0.06 3. The use to which the water is to be applied is the mark has an every the sphire of the sphine sphine and livestock at. 3. The use to which the water is to be applied is the sphine sphine with the water is to be applied is the sphine sphine with the summary of the sphine sphin	sweig described)	public waters of the State of Oregon,	SUBJECT TO EXISTIN	G RIGHTS:
2. The amount of water which the applicant intends to apply to beneficial use is 0.06 2. The amount of water which the applicant intends to apply to beneficial use is 0.01 1. The per second. It was a second of the water is to be applied is conserved and interest on and investock at a second of the water is to be applied is conserved and interest and interest and investock at a second of the water is to be applied is conserved and interest and interest and investock at a second of the water is to be applied is conserved and interest and interest and investock conserved and interest	If the applican	t is a corporation, give date and place	of incorporation	
2. The amount of water sphich the applicant intends to apply to beneficial use is 0.06 2. The amount of water sphich the applicant intends to apply to beneficial use is 0.006 3. The use to which the water is to be applied is 0.04 for domestic 2.000 for irrigation and 11 vestock 2.000 for irrigation and 11 vestock (truestics, sower, taking, manufacturing domestic and 12 feet (truestics, sower, taking, manufacturing domestic and 12 feet (truestic, sower, manufacturing domestic and 12 feet (truestic, sower, sower, manufacturing domestic and truestic and trues		***************************************	Unnamed sou	th spring as shown
2. The amount of water policy the applicant intends to apply to beneficial use is 0.06 2. The amount of water policy the applicant intends to apply to beneficial use is 0.06 3. The use to which the water is to be applied is Domestic and irrigation and livestock at 8. At spr. 200 4. The point of diversion is located 545 ft. N. and 400 ft. N., approx., Signary of Sec. 33 3. The use to which the water is to be applied is Constitute, severy mining, manufacturing diseased on the constitution of diversion is located 545 ft. N. and 400 ft. N., approx., Signary of Sec. 33 3. The point of diversion is located 545 ft. N. and 400 ft. N., approx., Signary of Sec. 33 3. Swit of Sec. 33 3. Spr. N. 200 ft. and 400 ft. N. from SE corner of SWi, SWi, of Sec. 33). (If producible, give distance and bearing to action normal) (If we have here the county of the sum to diversion, such must be described. Our apparent that if accounty) 3. Spr. N. 200 ft. and 400 ft. N. from SE corner of SWi, SWi, of Sec. 33). (If we have here the county of the sum to diversion, such must be described. Our apparent that if accounty) 3. Swit SWi SWi Swit Octoors and bearing to accident normal) (If we have here the county of the sum to diversion, such must be described. Our apparent that if accounty) (If we have here the county of the sum to diversion, such must be described. Our apparent that if accounty) (If we have here the county of the sum to diversion, such must be described. Our apparent that if accounty) (If we have here the county of the sum to diversion, such must be described. Our apparent that if accounts the sum to t	1. The source	of the proposed appropriation is	strates on map of J	une 17, T963
2. The amount of water sphich the applicant intends to apply to beneficial use is 0.01 ship feet per second. from ASS spring only, being 0.04 for domestic at 6.00 for irriga only. The use to which the water is to be applied is consisted and irrigation and livestock at Cardenian power, such and manufacturing domestic and irrigation and livestock of Cardenian power, such and manufacturing domestic and irrigation and livestock of Cardenian power, such and manufacturing domestic applies, see. 4. The point of diversion is located for the south of the southwest quarters. 5. Spr. N. 200 ft. and 400 ft. W. from Sh corner of SW; SW; of Sec. 33). Cardenian power diversion and boards to method the suppose dotters. 5. Spr. N. 200 ft. and 400 ft. W. from Sh corner of SW; SW; of Sec. 33). Cardenian and point of diversion and boards to method the suppose dotters. Cardenian and point of diversion and boards to method the suppose dotters. Cardenian and point of diversion and boards to method the suppose dotters. Cardenian power of SW; SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33), Tp. 1 S. Cardenian power of SW; SW; of Sec. 33				um)
At S. M. spr. and 1 was to be used from some source, give quantity from such. **3. The use to which the water is to be applied is **3. The use to which the water is to be applied is **4. The point of diversion is located. **4. The point of diversion is located. **4. The point of diversion is located. **5. M. spr. ap. 200 **4. The point of diversion is located. **5. Sw. of Sec. 33 **6. Spr. N. 200 ft. and 400 ft. W. from SE corner of Sw. Sw. of Sec. 33). **6. Spr. N. 200 ft. and 400 ft. W. from SE corner of Sw. Sw. of Sec. 33). **6. Spr. N. 200 ft. and 400 ft. W. from SE corner of Sw. Sw. of Sec. 33). **6. Spr. N. 200 ft. and 400 ft. W. from SE corner of Sw. Sw. of Sec. 33). **6. Sw. M. in the county of Union **6. Sw. M. in the county of Union **6. Sw. M. in the county of Union **6. Sw. M. in the county of Sw. or of Will of Sec. The Corner of Sw. Of Sec. 33 **7. Discussion of Sec. 33 **8. Sw. M. in the county of Union **6. Sw. M. in the county of Sw. or of Will of Sec. The Corner of Sw. Of Sec. 33 **7. Discussion of Sec. 33 **7. D	2. The amount		•	0.06
Demestic and irrigation and livestock (creation or power, which manufacturing, demestic mapping, eac.) 4. The point of diversion is located for the southwest of the southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. Southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. Southwest prince the southwest quarter of the southwest quarter. Southw	•	from fack spring only, being	ng 0.04 for domestic	6.01 & Gree for irriga
at S. M. spr. 200 4. The point of diversion is located and spr. 345 M. SW, SW, SW, of Sec. 33 South one-half (20 acres) southwest quarter of the southwest quarter. S. spr. N. 200 ft. and 400 ft. W. from SE corner of SW, SW, of Sec. 33). (If there is now than one point of diversion, such must be described. One separate duest if secondary) ing within the S2 SW, SW, SW, of Sec. 33 mp. 15. (One mailant legal indeferment) S. The pipe line extends about // Sec. 33 mp. 15. (One mailant legal indeferment) S. The pipe line extends about // SW, from preservoir at the N. S. corner of SW, SW, preservoir at the S. S. S. M. SW, of Sec. 33 mp. 2/N S. 38 E. , who is the country of the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 38 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 39 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 30 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 30 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 31 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 32 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 33 E. , who supplies the SW, of Sec. 33 mp. 2/N S. 34 E. , who supplies the SW, o		(M water is to be used from a	more than one source, give quantity	from each)
Control one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of SWt, SWt, SWt, of Sec. 33). Consequently of the southwest	**3. The use to	which the water is to be applied is	Omestic and irrigati Orrigation, power, mining, manufac	on and livestock
Control one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of the southwest quarter. South one-half (20 acres) southwest quarter of SWt, SWt, SWt, of Sec. 33). Consequently of the southwest		at S. M/ spr. 200		
Control one-half (20 acres) southwest quarter of the southwest quarter. S. spr. N. 200 ft. and 4,00 ft. W. from SE corner of SW4 SW4 of Sec. 33). (If prederable, the distance and bearing to meeting corner) (If there is more than one point of diversion, each must be described. Use separate duest if becomen?) ing within the S2 SW4 SW4 of Sec. 33 , Tp. 1 S. (Cite mealinst legal incidental) (Cite mealinst legal incidental) 5. The pipe line extends about	4. The point o	of diversion is located	and 400 ft.	from the
South one-half (20 acres) southwest quarter of the southwest quarter. 3. spr. N. 200 ft. and 400 ft. W. from SE corner of SW4, SW4, of Sec. 33). (If preferable, the detents and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate then if necessary) Ing within the S2 SW4, SW4, of Sec. 33 , Tp. 1 S. (Give mailiest legal indidivision) 38 E.	ner of SWL SWL			oc ₩.)
(If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion each must be described. Due separate deed if necessary) (If there is more than one point of diversion deed if necessary) (If there is more than one point of diversion deed if necessary) (If there is more than one point of diversion deed if necessary) (If there is more than one point of diversion deed if necessary) (If there is more than one point of diversion deed if necessary) (If there is more than one point of diversion deed if necessary) (If there is more than one point diversion deed if necessary) (If there is more than one point diversion deed if necessary) (If there is more than one point diversion deed if necessary) (If there is more than one point diversion deed if necessary) (If there is more than the diversion deed if necessary) (If there is more than one point deed if necessary) (If the mail the diversion deed if necessary) (If the more than one point deed if necessary) (If the more than one point deed if necessary) (If the more than one point deed if necessary) (If the more than one point deed if necessary) (If the more than one point deed if necessary) (If the more than one point deed if necessary) (If the more than one poin	· · · · · · · · · · · · · · · · · · ·	(Bertien or t	mbdivision) of the southwest qua	rten.
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if seconary) Ing within the Si SW SW Corner of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Give smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Cive smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Cive smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Cive smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Cive smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Cive smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Cive smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Cive smallest legal subdivision) Of Sec. 33 , Tp. 1 S. (Cive smallest legal subdivision) Of Sec. 36 S. Of Sec. 4 S. Of	***************************************		***************************************	
38 E. , W. M., in the country of Union 5. The pipe line extends about /// BOOD At 2000 feet to the sump (reservoir) at the f. W. corner of Mil of MEL pfSec. 4, p2// S. length terminating in the supplies dwellings to a mile further S.E., 38 E. , W. M ** ** ** ** ** ** ** ** ** ** ** **	. spr. n. 200	10. and 400 10. W. From SE Co.	rner of Swit Swit of S	ec. 33).
38 E. , W. M., in the county of Union 5. The pipe line extends about //// BOOD At 2000 feet to the sump (reservoir) at the first corner of Mi of Mi pfSec. 4, 2// S. length, terminating in the county of the first corner of Mi of Mi pfSec. 4, 2// S. 38 E. , and suppfTes dWITITIES to g mile further S.E., (H. or S.) DESCRIPTION OF WORKS version Works—pring encasement 6. (a) Height of firm— 2 feet feet, length on top 12 feet feet, length at bottom 12 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry t and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate // (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	-·			
38 E. , W. M., in the county of Union 5. The pipe line extends about //// BOOD At 2000 feet to the sump (reservoir) at the first corner of Mi of Mi pfSec. 4, 2// S. length, terminating in the county of the first corner of Mi of Mi pfSec. 4, 2// S. 38 E. , and suppfTes dWITITIES to g mile further S.E., (H. or S.) DESCRIPTION OF WORKS version Works—pring encasement 6. (a) Height of firm— 2 feet feet, length on top 12 feet feet, length at bottom 12 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry t and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate // (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)		(If preferable, rive distance and beer	to de continue compani	
38 E. , W. M., in the country of Union 5. The pipe line extends about //// BOOD At 2000 feet to the sump (reservoir) at the first corner of Mi of ME of Sec. 4, 2// S. length, serminating in the sump first description of Mi of ME of ME of ME of ME of Sec. 4, 2// S. 38 E. , W. M As supplied locations being shown throughout on the accompanying map. DESCRIPTION OF WORKS version Works—spring encasement 6. (a) Height of first feet feet, length on top 12 feet feet, length at bottom 12 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry i and brush, timber crib, etc., westerway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)				•
5. The pipe line extends about /// ACCO Mick 2000 feet to the sump (reservoir at the M. W. corner of Mil of Mil pfSec. 4, 2// S. length, terminating in the Side (Sec. 4), 2// S. and supplies welltings to be mile further S.E., (N. et al.) 38 E. and supplies welltings to be mile further S.E., (N. et al.) 38 E. and supplies welltings to be mile further S.E., (N. et al.) 38 E. and supplies welltings to be mile further S.E., (N. et al.) 38 E. and supplies welltings to be mile further S.E., (N. et al.) 38 E. and supplies well locations being shown throughout on the accompanying map. DESCRIPTION OF WORKS Version Works spring encasement feet, length on top 12 feet feet, length at bottom feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masoury feet) feet; material to be used and character of construction timber crib, etc., wasteway ever or around dam) (b) Description of headgate Minist Pipe opening about 5 diam., changing to 2 with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	(If the	tere to more than one point of diversion, each must be d	inscribed. Ver separate sheet if nece	mary)
to the sump (reservoir) at the N.V. corner of Mri of NEL price. (Since or rect) length, terminating in the St. of Since Since the N.V. corner of Mri of NEL price. (N. or S.) 38 E. and supplied averiffing to be mile further S.E., 38 E. , W. M. se supplied locations being shown throughout on the accompanying map. DESCRIPTION OF WORKS version Works—spring encasement 6. (a) Height of consequent feet, length on top 12 feet feet, length at bottom 12 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry) 13 tand brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Middle Pipe opening — about 3° diam., changing to 2° (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	ng within the	sere to more than one point of diversion, each must be d S1 SW1 SW1 (Clive smallest legal subdivision)	neerhod. Use separate short if need	, Tp. 1 S. (N. or S.)
and supplies dwellings to g mile further S.E., (N. or S.) DESCRIPTION OF WORKS rection Works—spring encasement 6. (a) Height of them. 2 feet feet, length on top 12 feet feet, length at bottom 2 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Misself Pipe opening about 3° diam., changing to 2° (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	38 E, W. J.	L, in the county of	· · · · · · · · · · · · · · · · · · ·	
and supplied defilified to g mile further S.E., (N. or S.) 38 E. , W. M. fe thinked locations being shown throughout on the accompanying map. DESCRIPTION OF WORKS version Works—spring encasement 6. (a) Height of constant feet, length on top 12 feet feet, length at bottom 12 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry 12 and brush, timber crib, etc., wasteway over or around dem) (b) Description of headgate from sump. (c) If water is to be pumped give general description None (Size and type of pump)	38 E, W. I. (2. er w.) 5. The	f., in the county ofUnion pipe line extends about		6t 2000 feet
DESCRIPTION OF WORKS version Works—spring encasement 6. (a) Height of constant feet, length on top 12 feet feet, length at bottom 12 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry t and brush, timber crib, etc., wasteway ever or around dam) (b) Description of headgate (Timber concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	38 E, W. I. (2. er w.) 5. The	in the county of Union ipe line extends about (reservoir) at the N.V. corner g in the	/4/4/ /3/40 /A	of 2000 feet Option or feet) 70, 47
6. (a) Height of some 2 feet feet, length on top 12 feet feet, length at bottom 12 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry) 13 and brush, timber crib, etc., wasteway ever or around dam) (b) Description of headgate Middle Pipe opening about 3° diam., changing to 2° (c) If water is to be pumped give general description None (Size and type of pump)	38 E. W. M.	in the county of Union pipe line extends about (reservoir) at the N.V. corner genther—Ski of Shi (north 26	of mil of met of se	(Nices)
(Loose rock, concrete, masonry) (and brush, timber crib, etc., westeway ever or around dams) (b) Description of headgate (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	38 E. W. M.	in the county of Union pipe line extends about (reservoir) at the N.V. corner genther—Ski of Shi (north 26	of mil of met of se	(fillise or feet) (7,000 feet (7,000 feet) (8,000 feet) (10,000 feet) (10,000 feet)
12 feet feet; material to be used and character of construction timber crib and fill (Loose rock, concrete, masonry, and brush, timber crib, etc., wasteway ever or around dam) (b) Description of headgate Miniber Pipe opening about 5° diam., changing to 2° (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	38 E. W. h CE or W.) 5. The P to the sump length, dermination 38 E. (E. or W.)	in the county of Union pipe line extends about (reservoir) at the N.V. corner gin the Sky (north 26 and supplies dwellings); W. M., he shipped locations being sh	of Mil of Mil of Section of the distance of th	(fillise or feet) (7,000 feet (7,000 feet) (8,000 feet) (10,000 feet) (10,000 feet)
(Loose rock, concrete, masonry k and brush, timber crib, etc., wasteway ever or around dom) (b) Description of headgate	38 E. W. h CE or W.) 5. The P to the sump length, dermination 38 E. (E. or W.)	(reservoir) at the N.V. corner gin the Ship (north 25 and supplies we'llings a W. M. the frings locations being sh	of Mil of MEL of Section 10 mile further Sown throughout on the action of the section of the sec	(fillise or feet) (7,000 feet (7,000 feet) (8,000 feet) (10,000 feet) (10,000 feet)
(b) Description of headgate Minibel Pipe opening about 5s diam., changing to 2s (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	38 E. W. M. M. C. er W.) 5. The	(reservoir) at the N.V. corner genetic St. of St. (north 26 and supplies wellings ; W. M. the residual locations being sh DESCRIPTION OF oring encasement of from 2 feet, length	of Mid of MEL prise to mile further sown throughout on the act on top 12 feet	(Milles or feet) (C. 4, 7, Tp. 2// S. (N. er S.) companying map.
(b) Description of headgate Middle Pipe opening about 3" diam., changing to 2" (Timber, concrete, etc., number and size of openings) with small leads from sump. (c) If water is to be pumped give general description None (Size and type of pump)	5. The property of the sumplength, dermination 38 E. (a. erw.) Version Works—pp. 6. (a) Height	(reservoir) at the N.V. corner genetic St. of St. (north 26 and supplies wellings ; W. M. the residual locations being sh DESCRIPTION OF oring encasement of from 2 feet, length	of Mid of MEL prise to mile further sown throughout on the act on top 12 feet	At 2000 feet (Miles or Seet) C. 4, Tp. 2// S. E., (N. or S.) companying map. feet, length at bottom crib and fill
(C) If water is to be pumped give general description None (Size and type of pump)	38 E. W. h 5. The property of the sumplength, dermination 38 E. C. er W.) version Works—pp 6. (a) Height	(reservoir) at the N.V. corner genetic St. of St. (north 26 and supplies wellings ; W. M. the residual locations being sh DESCRIPTION OF oring encasement of from 2 feet, length	of Mid of MEL prise to mile further sown throughout on the act on top 12 feet	At 2000 feet (Miles or Seet) C. 4, Tp. 2// S. E., (N. or S.) companying map. feet, length at bottom crib and fill
(c) If water is to be pumped give general description None (Size and type of pump)	38 E. W. M. S. The	in the county of Union (reservoir) at the N.V. corner gin the Shi (north 26 and supplies wellings a W. M. he righted locations being sh DESCRIPTION OF of from 2 feet feet, length t; material to be used and character of	of Mil of Mil pfSe to mile further Sown throughout on the act of WORKS on top 12 feet timber	fet 2000 feet (Inc. 4, Tp. 2// S. E., (N. or E.) companying map. feet, length at bottom Crib and fill (Loose rock, concrets, masonry
(Size and type of pump)	38 E. W. M. S. C. er W.) 5. The property of the sumple ength, dermination 38 E. C. er W.) 7. C. er W.)	in the county of Union (reservoir) at the N. corner gin the Sit the N. corner and supplies dwiftlings? W. M. pe finish locations being sh DESCRIPTION OF oring encasement of feet, length t; material to be used and character of the wasteway over or around dam) on of headgate Mandel Pipe open	of Mil of Mil pfSe to 1 mile further 3 own throughout on the air construction timber to 1 mine 1 mine 1 mine 2 ming about 3 die	At 2000 feet (Allies or feet) (2.4, Tp. 2// S. E., (N. er S.) companying map. feet, length at bottom (Loose rock, concrete, masonry a., changing to 2*
(Size and type of pump)	38 E. W. M. S. C. or W.) 5. The property of the sumplength, dermination 38 E. C. or W.) version Works—pp 6. (a) Height 12 feet feet k and brush, timber crib, e	control of Union control of Union control of Union control of No. corner gin the Ski the No. corner and supplies awaitings? W. M. The stable locations being sh DESCRIPTION OF Oring encasement of feet, length t; material to be used and character of the wastewn over a mount dam) on of headgate (Timber Open)	of Mil of Mil pfSe to 1 mile further 3 own throughout on the air construction timber to 1 mine 1 mine 1 mine 2 ming about 3 die	At 2000 feet (Allies or feet) (2.4, Tp. 2// S. E., (N. er S.) companying map. feet, length at bottom (Loose rock, concrete, masonry a., changing to 2*
(Cite and type of engine or motor to be used, total head water is to be lifted, etc.)	38 E. W. M. M. C. C. C. W.) 5. The property of the sumplength, dermination 38 E. C. C. W.) version Works—pp 6. (a) Height 12 feet feet k and brush, timber crib, c (b) Description	control of Union (reservoir) at the N.V. corner gin the Ship of Ship (north of and supplies awillings) a W. M. he ship of locations being sh DESCRIPTION OF oring encasement of the Ship of the Ship of the Ship it; material to be used and character of the waters over a wound dam) on of headgate	of Mil of Mil of Second of Mil of Mil of Mil of Mil of Mil of Mil of Second of Mil of	At 2000 feet (Allies or feet) (2.4, Tp. 2// S. E., (N. er S.) companying map. feet, length at bottom (Loose rock, concrete, masonry a., changing to 2*
	38 E. W. M. M. C. C. C. W.) 5. The property of the sumplength, dermination 38 E. C. C. W.) version Works—pp 6. (a) Height 12 feet feet k and brush, timber crib, c (b) Description	control of Union (reservoir) at the N.V. corner gin the Ship of Ship (north of and supplies awillings) a W. M. he ship of locations being sh DESCRIPTION OF oring encasement of the Ship of the Ship of the Ship it; material to be used and character of the waters over a wound dam) on of headgate	of Mil of Mil of Second of Mil of Mil of Mil of Mil of Mil of Mil of Second of Mil of	At 2000 feet (Allies or feet) (2.4, Tp. 2// S. E., (N. er S.) companying map. feet, length at bottom (Loose rock, concrete, masonry a., changing to 2*
	38 E. W. M. M. C. C. C. W.) 5. The property of the sumplength, dermination 38 E. C. C. W.) version Works—pp 6. (a) Height 12 feet feet k and brush, timber crib, c (b) Description	control of Union compared to the N.V. corner of th	of Mil of Mil of Son Andrew of Mil of Mil of Mil of Son Of	At 2000 feet (Allies or feet) (2.4, Tp. 2// S. E., (N. er S.) companying map. feet, length at bottom (Loose rock, concrete, masonry a., changing to 2*

te. At head	lgate: width on t	top (at water	line)	fest; width on bottom
	feet; depth of w	ater	feet; grade	feet fall per one
nd feet. b) At		miles from h	eadgate: width on top (at w	ater line)
			-	f water feet;
				. jeei,
-	feet fall	per one thou	sand feet.	·
c) Length	of pipe,	ft.;	size at intake,	in.; size at ft.
take	in.;	size at place	of use in.;	difference in elevation between
and place	of use,	ft. 1	s grade uniform?	Estimated capacity,
	sec. ft.	•		
. Location	of area to be in	rigated, or p	lace of use	· · · · · · · · · · · · · · · · · · ·
ownship th or South	Range S. er W. of Willemette Meridian	Cortion	Forty-sere Tract	Number Acres To Be Irrigated
S	38 E.	-33	SW4 SB1	Domestic (1) and 2.0
			SEA SWA	Domestic (2) and 2.0
s.	38 E.	- 4	N.E. d of N.E.	1 and stock
				and domestic for three
			NWt of NBt	domestic for one fami
			Swit of NEt	domestic for one fami
				deserte for one land
		-		•
 				
				
· · · · · · · · · · · · · · · · · · ·	`		·	
(a) Che	racter of soil		required, attach separate sheet) Stony	
(b) Ki	rd of crops raises	garden,	orchard, grasses and g	
	Purposes—	-		
9. (a) Tot	al amount of po	wer to be det	peloped	theoretical horsepower.
(b) Qu	antity of water t	o be used for	power	sec ft.
		-		•
			(Read)	· • •
(a) Th				be developed
				-
(a) Car	ch works to be lo	cated in	(Legal subdivision)	of Sec.
(6) 20	, R			
	. ,			
(No. N. er S.	water to be retu	mea to any, s	reum:	
(No. N. er S.	water to be retus		,	
(Mo. H. or E. (f) Is (10, name stream	and locate p	oint of return	, R, W. M.

. .

	is supply the city of		************************	 	
	County, her	ring a present	population of	·	•••••••
and on optimit	ــــــــــــــــــــــــــــــــــــــ		in 19		
(4) for doublette use state	number of f	smilies to be suppl	led 8 4/40	1/6 5
4 5			M. and M. in oil cours		
A R. Bette	Securitaria i	mter 4000		n.	
and the state of	ferfold at	ompleted, ad	dition	•	
12. Cons	truction workspill begin	on or before	l year from	n date of permi	<u>it</u>
13. Cons	truction work will be co	mpleted on or	before Octobe	r 1, 1965	••••••
14. The	water will be completely	applied to the	proposed use on o	before October	1, 1966
	art of this project	bae been in	use many years	•	
		***************************************	() . I (CHH	
			h. II	At The	<i>9</i>
		•	Mary H.	Stodday	a
Remark	a: Water does not	flow from	the land of the	owner. It sin	ka in a
distanc	e into loose rock i	mmediately !	below the surfa	ce.	
	•	•			
***	**************************************			***************************************	
********************		*****************	. /		
	************************************	**************************************		*************	
	· «	******************************	······································	······································	
- ' ` ` `					
		,			•••••••••••••••••••••••••••••••••••••••
	#=	***************************************	<u> </u>		
***************************************					***************************************
*****************			******************************	•	
***************************************	<u> </u>	***************	· *	***************************************	
			. *	<u> </u>	
40 + 2 00 p = 0 1 4 2 00 + 1 + 1 + 1 + 1 + 2 + 1 + 1	***************************************				
* *************************************		······································		***************************************	······································
, , , , , , , , , , , , , , , , , , ,		***************************************	•	***************************************	•••••
STATE OF	OPECON)				
	} ee .				
County of	• • • •				
This is	to certify that I have e	xamined the f	oregoing application	m, together with t	he accomp
maps and dat	ta, and return the same f	or	o erection	·	
		•••••	completion	***************************************	
In ord	er to retain its priority,	this applicatio	n must be returned	to the State Pagi	neer with
		•		· · · ·	neer, with
tions on or b	efore October 30 November 8	·····,	1963 1963		
• • • • • • • • • • • • • • • • • • • •	TAA OMMET O		-,-,		
THE PERMIT	ESS my hand this23	day of	July	••••••••••••••	, 10 6 ;
-W11 M	The second secon	^	Septemi	ner-	1963
WILIN.		9	Septem	2,44	_,

STATE ENGINEER

STATE OF OREGON, County of Merion,

To a second and a

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

•	Linear Control of the Con-	GHTS and the follow ed is limited to the an				neficial use
nd shall no	ot exceed	04 cubic feet pe	r second me	easured at the p	point of diversion	n from the
tream, or i		case of rotation with o				
			•		······································	
	**********************		~·.			
The t	use to which this	water is to be applied	is domesti	c use of fiv	e families, s	tock and
rrigatio	a, being 0.02	c.f.s. for domest	Lo, 0.01 c	.f.s. for st	ook and 0.01	c.f.s.
or irrig	ation.				•••••	
If for	r irrigation, this a	ppropriation shall be l	imited to	1/40≜	of one ci	ibic foot per
		ach acre irrigatedan				
		et per acre for e				
eason of	each year; p	rovided further th	at the rig	th to use of	water is li	mited to
he perio	od when the flo	ow of the Lower Gr	ande Ronde	River is mo	re than 300 c	c.f.s. at
SGS Gage	No. 3325 and	more than 420 c.f	.s. at Or	e-Wash border		

	•					
	•					
		reasonable rotation sy				
		his permit is				
		vork shall begin on or				
		ith reasonable diligend				
Con	nplete application	of the water to the pr				ber 1, 19 66
WI	TNESS my hand t	his 15th day	of	Novembe	19 63	**
		•	ي	K. K.	steller st	ATE ENGINEER
,	•	•				-
	1	9 k (· ·		2	.1.
	- ບູ	in t Orego				381
0 6	UBL	em, C			8 10 ~	F 8
9 %	E P	rece t Sal	* .	1963	80 28995	page 18E
2 %	PERMIT PRIATE THI RS OF THE S OF OREGON	# 5/ et #		15,		0
J. S	PERMIT PRIATE TI RS OF THE	was ingin of	ä	Der.	k No	3
Application No. 30030 Permit No. 38995	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the ITK day of Itel. (**) 1962, at 3.00 o'clock ************************************	Returned to applicant:	November 15	Recorded in book No. 2899 Permits on page CHRIS L. WHEELER	Drainage Basin No. 3
plica mit	PPR	S. C. St.	8 8 9	_	led ir n pa	Bass
Ap.	9	of the	ğ	Approved	ecord tite o	9 7
	"	# 5 # 79	let &	radi	Perm R	Page