

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, ROBERT J. AND MARTHA C. BELL

P.O. Box 324 OCEANLAKE

of OREGON do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is TWO UNNAMED SPRINGS a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.20 cubic feet per second. 0.10 CU-FT. PER SPRING

3. The use to which the water is to be applied is DOMESTIC SUPPLIES FOR HOMES LOCATED IN LOTS 23 AND 24

4. The point of diversion is located 1220 ft. S-52 and 45 E from the 1/4 SEC. corner of SECTIONS 27 AND 26

being within the LOT 23 SECTION 26 of Sec. 26, Tp. 6 S, R. 11 W, W. M., in the county of LINCOLN

5. The in length, terminating in the of Sec. , Tp. , R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam NONE feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate NONE

(c) If water is to be pumped give general description PUMP PROPOSED WOULD BE SIZED TO SUPPLY APPROXIMATELY 12500 GALLONS PER DAY TO A 10 FT HIGH STORAGE TANK OF 6000 GAL. CAPACITY, LOCATED APPROX. A 100 DISTANCE AT AN ELEVATION OF 415 COMPARED TO A 300 ELEVATION AT THE SPRINGS.

*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

SUBJECT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two springs, being 0.02 c.f.s. from each spring

The use to which this water is to be applied is group domestic use

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 18, 1963

Actual construction work shall begin on or before December 20, 1964 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 20th day of December, 1963

Chris L. Wheeler STATE ENGINEER

Application No. 28912 Permit No. 29029

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of July, 1963, at 5:00 o'clock P. M.

Returned to applicant:

Approved:

December 20, 1963

Recorded in book No. 80 of Permits on page 29029

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 18 page 6A

Fees