* Permit No. 2906

CERTIFICATE NO. 3214.

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

<i>I</i> , ₋	W E Phipps	(Name of Applicant)
	™od ford	(Name of Applicant)
f	(Postoffice)	, County ofJackson
tate of	ff	, do hereby make application for a permit to appropriate th
ollowin	ng described public waters of th	he State of Oregon, subject to existing rights:
If :	the applicant is a corporation,	give date and place of incorporation
·	-	
1.	The source of the proposed ap	opropriation is Rogue River Name of stream)
		, tributary of
2.	The amount of water which	the applicant intends to apply to beneficial use is
	0.225 cubic feet	
3.	The use to which the water is	to be applied is Irrigation
· ·		(Irrigation, power, mining, manufacturin
domestic	supplies, etc.)	
	The point of diversion is located	N. 55 degrees W 2508 feet from the NW cor.
	- '	(Give distance and bearing to section corner)
	omi, ao mui	
eing w	within the $\frac{\text{SE}_4}{\text{(Give smallest legs)}}$	of Sec. 22 , Tp. 36 S (No. N. or S.)
(N)	3 V, W. M., in the co	unty of Jackson
· 5.	The Pipe Line	to be 800 feet ≃ miles
		nal or pipe line)
	(Smallest	of No. N. or S.) (No. N. or S.) (No. E. or W
V. M.,	the proposed location being show	wn throughout on the accompanying map.
6.	The name of the ditch, cana	d or other works is
	Phipps Pumping Plant and	d Pipe Line
	D	ESCRIPTION OF WORKS
)iversi	ION WORKS—	
7.	(a) Height of dam	feet, length on topfeet, length at botto
	feet: material to be	used and character of construction.
************		(2002)
nasonry,	rock and brush, timber crib, etc., waste	way over or around dam)
		(Timber, concrete, etc., number and size of openings)
	- ,	(I minor, concrete, etc., number and size of openings)
		(Timber, concrete, etc., number and size of openings)

CANAL	SYSTEM-
-------	---------

8. (a) Give dimensions at each point of canal where materially changed in size, stating mile
from headgate. At headgate: Width on top (at water line)feet; width on bottom
feet; depth of water feet; grade feet fall per on
thousand feet.
(b) Atmiles from headgate. Width on top (at water line)
feet; width on bottomfeet; depth of waterfeet
gradefeet fall per one thousand feet.
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:
Irrigation—
9. The land to be irrigated has a total area of 18 acres, located in eac
smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigate)
SET of NW Sec. 22 Tp 36 S R 3 W.W.M.
en en la companya de la companya de La companya de la co
<u>and the second of the second </u>
(If more space is required, attach separate sheet)
Power, Mining, Manufacturing, or Transportation Purposes—
10. (a) Total amount of power to be developedtheoretical horsepower
(b) Total fall to be utilizedfeet.
(c) The nature of the works by means of which the power is to be developed
(d) Such works to be located in of Sec
T_m (Legal subdivision)
Tp, R, W. M. (No. E. or W.)
(e) Is water to be returned to any stream? (Yes or No)
(f) If so, name stream and locate point of return
, Sec, Tp, R, W. M. (No. N. or S.) (No. E. or W.)
(Ro. N. or S.) (No. E. or W.) (g) The use to which power is to be applied is
(h) The material of the mines to be served
(h) The nature of the mines to be served
The second of the control of the second of t

MUNICIPAL SUPPLY—	
11. To supply the city of	
(Name of)	opulation of, and ar
stimated population ofin 191	
(Answer questions 12, 13,	14, and 15 in all cases)
12. Estimated cost of proposed works, \$	
	Now complete
	Now complete
	he proposed use on or before
Irrigation se	ason 1917
Duplicate maps of the proposed ditch or other	works, prepared in accordance with the rules of th
State Water Board, accompany this application.	W E Phipps
	(Name of applicant)
Signed in the presence of us as witnesses:	
(1) Fred N Cumnings	Medford, Oregon (Address of witness)
Mona B Dunlan	Medford, Oregon
(2)	
(Name) Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point	(Induitable BI Williams)
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc. STATE OF OREGON, County of Marion Ss.	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc. STATE OF OREGON, County of Marion This is to certify that I have examined the for	egoing application, together with the accompanyin
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc. STATE OF OREGON, County of Marion This is to certify that I have examined the for	egoing application, together with the accompanyin
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc. STATE OF OREGON, County of Marion This is to certify that I have examined the for	egoing application, together with the accompanyin
Remarks: Pumping plant comprises 3 H centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc. STATE OF OREGON, County of Marion This is to certify that I have examined the for	egoing application, together with the accompanyin
Remarks: Pumping plant comprises 3 is centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc. STATE OF OREGON, County of Marion This is to certify that I have examined the formaps and data, and return the same for correction maps and data, and return the same for correction	slip joint pipe pumping head 50 feet. s, 2 lines of ditches with all necessary egoing application, together with the accompanyin
Remarks: Pumping plant comprises 3 in centrifugal pump, through 6 in steel Stand pipes at high controlling point outlet boxes, etc. STATE OF OREGON, County of Marion This is to certify that I have examined the for maps and data, and return the same for correction in the same for correction in order to retain its priority, this application.	egoing application, together with the accompanying on or completion, as follows: tion must be returned to the State Engineer, with
Remarks: Pumping plant comprises 3 II centrifugal pump, through 6 in. steel Stand pipes at high controlling point outlet boxes, etc. STATE OF OREGON, County of Marion This is to certify that I have examined the formaps and data, and return the same for correction and the same for correction of the same for corrections, on or before	egoing application, together with the accompanying on or completion, as follows: tion must be returned to the State Engineer, with

15

Application No. 4875 Permit No. 2906.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

MOTE: Attention is called to the prior Application No. 3025, Permi No. 2538, in the name of The Rogue River Public Service Corpo ration covering the irrigation of this land.

Divisi	on No District No	
This	instrument was first rece	ived
in the	office of the State Enginee	r at
Salem	Oregon, on the 26	
day of	April , 19	
at	8:30 o'clock a. m.	
Return	ied to applicant for correct	etion
Retur	ned to applicant for correc	tion
	ned to applicant for corrections application received	
Co	rrected application received Approved:	<i>d</i>
Co ,	rrected application received Approved: May 8 1916	<i>d</i>
Co Rec Permi	Approved: Nay 8 1916 orded in Book No11	d. of

STATE OF OREGON.

County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer..... The use of the water under this permit shall be limited to water for irrigation purposes. The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.23 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is April 26, 1916 Actual construction work shall begin on or before May 8, 1917 and shall thereafter be prosecuted with reasonable diligence and be completed on or before..... June 1, 1918 Complete application of the water to the proposed use shall be made on or before..... et blanck and a second of the color 1, 1919 WITNESS my hand this 8th day of May, 1916 John H Lewis

nits for power development are subject to the limitation of franchise as provided in Sec. 6633, Lord's Oregon Laws, and the of annual fees as provided in Chapter 213, Laws of 1915.