

*APPLICATION FOR PERMIT

STATE ENGINEER
KALE

To Appropriate the Public Waters of the State of Oregon

We, HARLEY D. AND/OR MARGARET L. NAAS
(Name of applicant)

of P.O. Box 2222 MYRTLE CREEK
(Mailing address)

State of OREGON do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is SOUTH MYRTLE CREEK
(Name of stream), a tributary of SOUTH UMPQUA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.05
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is IRRIGATION
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N62°-23'E 2532 FT. from the SW
(N. or S.) (E. or W.) corner of ALPHEUS IRELAND DONATED LAND CLAIM NO. 47
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of NW 1/4 of Sec. 26, Tp. 29S
(Give smallest legal subdivision) (N. or S.)

R. 5W, W. M., in the county of DOUGLAS
(E. or W.)

5. The PIPE to be
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 NW 1/4 of Sec. 26, Tp. 29S
(Smallest legal subdivision) (N. or S.)

R. 5W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6: (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description "JACUZZI" 1 1/2 HP
(Size and type of pump)

220 VOLT 1 1/2" DISCHARGE
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
(Name of) _____ County, having a present population of _____
and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500
- 12. Construction work will begin on or before ALREADY COMPLETE
- 13. Construction work will be completed on or before ALREADY IN USE
- 14. The water will be completely applied to the proposed use on or before ALREADY IN USE

(Signature of applicant)

Remarks:

WATER FROM SOUTH MYRTLE CREEK HAS ALWAYS BEEN
USED ON MY PROPERTY. I MAKE THIS APPLICATION TO ESTABLISH
THE LEGALITY OF THIS WATER USAGE.

I MAKE THIS APPLICATION UNDER THE KNOWLEDGE OF
THE PROVISIONS OF ORS 536.360, WHICH INCLUDE THE LIMITED
FLOW OF THE SOUTH UMPQUA RIVER TO BE 60 CFS BELOW WHICH
I MAY NOT BE ABLE TO DIVERT ANY WATER FROM SAID RIVER
SYSTEM.

STATE OF OREGON, }
County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ 19 _____

WITNESS my hand this _____ 19 _____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Bytles Brook

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the South Umpqua River is more than 60 c.f.s. at its mouth,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 26, 1963

Actual construction work shall begin on or before December 20, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 20th day of December, 1963

Chris L. Wheeler STATE ENGINEER

Application No. 39024

Permit No. 29069

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of August, 1963 at 8:20 o'clock P. M.

Returned to applicant:

Approved:

December 20, 1963

Recorded in book No. 81 of 29069 Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 18 page 37E

Fees