

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Peter Steeves Morse
(Name of applicant)
 of 3722 Belvedere Salem
(Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring
(Name of stream)
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 9 C.F.S. see Mr. New-63
(If water is to be used from more than one source, give quantity from each)
 cubic feet per second.

*3. The use to which the water is to be applied is domestic and irrigation
(Irrigation, power, mining, manufacturing, domestic supply, etc.)

4. The point of diversion is located 725 ft. N and 1234 ft. E from the SW
(N. or S.) (E. or W.)
 corner of Section 19, Township 7 South, Range 3 West, W.M., Polk county, Oregon
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the SW 1/4 SW 1/4 of Sec. 19, Tp. 7 S
(Give smallest legal subdivision) (N. or S.)

R. 3 W, W. M., in the county of Polk
(E. or W.)

5. The pipe line to be 280 feet
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the SE 1/4 SW 1/4 of Sec. 19, Tp. 7 S
(Smallest legal subdivision) (N. or S.)

R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Leave rock, concrete, masonry, rock and brush, timber crib, etc., waterway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Peerless shallow well jet type
(Size and type of pump)
1/2 horse Max pressure at pump: 80 pounds Electric motor
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
 **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 grade feet fall per one thousand feet.

5 g.p.m. sec. ft.

8. Location of area to be irrigated, or place of use

(If more space required, attach separate sheet)

(a) Character of soil red clay

(b) Kind of crops raised : home garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilizedfeet.

(d) *The nature of the works by means of which the power is to be developed*

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tp......, **R.**....., **W. M.**
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) **The nature of the mines to be served**

10. (a) To supply the city of

..... County, having a present population of
 (Name of)
 and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... work completed years ago

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before For the last 50 years

Edw. Steves Ward
 (Signature of applicant)
Wm. E. Ward

Remarks: Beginning on the North line of Lot 4, Hartley and Craig Fruit Tracts
 in Township 7 South, Range 3 West of the Willamette Meridian in Polk
 County, Oregon, at a point which is 60.00 feet south 89 degrees 56' West
 from the Northeast corner of said lots; Thence South 0 degrees 31' West
 Parallel with the east line of said lot, 5.731 chains; thence North 72
 degrees 56' West 8.945 chains; Thence North 0 degrees 31' East 2.283 chains
 to the Northerly line of Lot 3 in said Fruit tracts; Thence South 40
 degrees 34' East along the Northerly line of said Lot 3, a distance of
 0.667 chains; thence North 89 degrees 56' East 1.243 chains; thence
 North 56 degrees 26' East 2.170 chains; thence North 89 degrees 56' East 5.185 ch
 chains to the place of beginning. SAVE AND EXCEPT that portion of the
 above described tract of land lying within the boundaries of public
 roads and highways.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
 maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
 tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic use of one family and irrigation; being 0.005 c.f.s. for domestic and 0.01 c.f.s. for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. October 18, 1963 for 0.01 c.f.s.

The priority date of this permit is November 4, 1963 for 0.005 c.f.s.

Actual construction work shall begin on or before February 5, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.

Complete application of the water to the proposed use shall be made on or before October 1, 1966.

WITNESS my hand this 5th day of February, 1964.

STATE ENGINEER

Application No. 39184

Permit No. 29140

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of October, 1963, at 5:00 o'clock P. M.

Returned to applicant:

Approved:

February 5, 1964

Recorded in book No. 81 of

Permits on page 29140

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 2 page 76129

Fees \$25.00

State Printing 8117