

RECEIVED RECEIVED
OCT 17 1963 OCT 20 1963
STATE ENGINEER STATE ENGINEER
SALEM, OREGON SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lee F. Gardner
(Name of applicant)

of Harbor, Oregon
(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fish House Creek
(Name of stream)

a tributary of Chetco River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02

cubic feet per second. XXXX
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic use including irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

of family garden

4. The point of diversion is located 1840 ft. S and 820 ft. E from the NW

corner of Section 4, T.41S, R.13W
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW1 of the NW1 of Sec. 4, Tp. 41S
(Give smallest legal subdivision) (N. or S.)

R. 13W, W. M., in the county of CURRY
(N. or W.)

5. The Pipe line to be 200 feet
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW1 of the NW1 of Sec. 4, Tp. 41S
(Smallest legal subdivision) (N. or S.)

R. 13W, W. M., the proposed location being shown throughout on the accompanying map.
(N. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom

_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 4'x4'x8' deep redwood lined sump along
(Timber, concrete, etc., number and size of openings)

stream

(c) If water is to be pumped give general description 1/2 HP, 3/4" electric pump
(Size and type of pump)

to lift water 30' to point of use
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 3/4 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 30' ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Part-acre Tract	Number Acres To Be Irrigated
Description on property on which water is to be used: West 220 feet of North 400 feet of SE 1/4 of SW 1/4 of NW 1/4 of Section 4, Township 41S., Range 13W., W.M.,				
Note: This is an existing diversion 20 feet south from the diversion described in Permit # 16859 to Louie Stoler				

(If more space required, attach separate sheet)

- (a) Character of soil
- (b) Kind of crops raised

Power or Mining Purposes—

- 9. (a) Total amount of power to be developed theoretical horsepower.
- (b) Quantity of water to be used for power sec. ft.
- (c) Total fall to be utilized feet.
(Head)
- (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

- (f) Is water to be returned to any stream?
(Yes or No)
- (g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

- (h) The use to which power is to be applied is
- (i) The nature of the mines to be served

10. (a) To supply the city of _____

County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

existing

11. Estimated cost of proposed works, \$ \$200.00

12. Construction work will begin on or before now completed and in use

13. Construction work will be completed on or before Now completed and in use

14. The water will be completely applied to the proposed use on or before _____

now completed and in use

Lee Gardner

(Signature of applicant)

Remarks: Note: This is an existing diversion 20 feet south from the diversion described in Permit, 16659 to Louie Stoller

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fish House Creek

The use to which this water is to be applied is domestic use of one family, including irrigation of not to exceed 1/2 acre lawn and garden

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 28, 1963

Actual construction work shall begin on or before February 5, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.

Complete application of the water to the proposed use shall be made on or before October 1, 1966.

WITNESS my hand this 5th day of February, 1964

Chris L. Wheeler

STATE ENGINEER

Application No. 29200
Permit No. 29149

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of October, 1963, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 5, 1964

Recorded in book No. 81 of 29149 Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 24
Fees