*APPLICATION FOR PERSON

To Appropriate the Public Waters of the State of Oregon

SW. W. M., in the county of Josephine a.ew 3 5 W. Ditch and pipeline to be 3200 Pt. China on the pipeline to be 3200 Pt. China on the pipeline to be 37 S. China on the pipeline of Sec. 35 Tp. 37 S. (M. or E.) 5 W. M., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Neversion Works— See Reservoir Application 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Locae real, concrete, masser). China on the pipeline of headgate (Tunker, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Tunker, concrete, otc., number and size of openings) 2" x 2" pump and one 15 Hp. 3" x 3" Direct Drive centrifugal pump.				
do hereby make application for a permit to appropriate the library of described public sectors of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	31	ARE MATTERNA THE AREA	to of explanati	
The special public vectors of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation		Charles address	Valle o rese	***************************************
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Moodcock Springs, Moodcock Reservoir, and waste collected in Moodcock Transh theory of Applegate River 2. The amount of unter which the applicant intends to apply to beneficial use is 0.22 Me fact per accord, being .07 from Spring and 7.7 AF from Reservoir Moodcock Transh and 0.15 c.f.n., from Myslesch Evillet. The second propriate is intended to apply to beneficial use is 0.22 Me fact per accord, being .07 from Spring and 7.7 AF from Reservoir Moodcock of the second for the second from the sec	180 of	egen, do he	reby make application for a	permit to appropriate the
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Moodcock Springs, Moodcock Reservoir, and waste collected in Moodcock Transh theory of Applegate River 2. The amount of unter which the applicant intends to apply to beneficial use is 0.22 Me fact per accord, being .07 from Spring and 7.7 AF from Reservoir Moodcock Transh and 0.15 c.f.n., from Myslesch Evillet. The second propriate is intended to apply to beneficial use is 0.22 Me fact per accord, being .07 from Spring and 7.7 AF from Reservoir Moodcock of the second for the second from the sec				THA DIAUTO.
1. The source of the proposed appropriation is Moodcock Springs, Moodcock Reservoir, and waste collected in Moodcock Trust tibutary of Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is 0.22 the fact per second, being .07 from Spring and 7.7 AF from Reservoir Moodcock Trust Trust Trust Reservoir Moodcock Trust		a passe waters of the state of C	vegow, SUDJECT TO EAIST	ING RIGHTS:
2. The amount of water which the applicant intends to apply to beneficial use is 0.22 2. The amount of water which the applicant intends to apply to beneficial use is 0.22 Me fast per second, being .07 from Spring and 7.7 AF from Reservoir Management of Table 1 and 1	If the applic	suit is a corporation, give date an	d place of incorporation	
2. The amount of water which the applicant intends to apply to beneficial use is 0.22 2. The amount of water which the applicant intends to apply to beneficial use is 0.22 Me fast per second, being .07 from Spring and 7.7 AF from Reservoir Management of Table 1 and 1	19 - P. La la			
2. The amount of water which the applicant intends to apply to beneficial use is 0.22 2. The amount of water which the applicant intends to apply to beneficial use is 0.22 Me fast per second, being .07 from Spring and 7.7 AF from Reservoir Management of the second of the control of the co			Moodecek Springs, Wo	odcock keservoir
2. The amount of water which the applicant intends to apply to beneficial use is 0.22 the feet per second being .07 from Spring and 7.7 AF from Reservoir *** and 0.15 c.f.m. framchipplesecht. **ENER**** Name to make the water is to be applied in the water in the water in the water in the water is to be applied in the water in th	1. The sour	ce of the proposed appropriation is	(Manne of	streem)
being .07 from Spring and 7.7 AF from Reservoir (1985) and 0.15 c.f.s. from: Speacehold System bund from more than one recent sevent county of the county o	nd waste soll	ected in Woodcock Trench	stery of Applegate R	iver
being .07 from Spring and 7.7 AF from Reservoir (1985) and 0.15 c.f.s. from: Speacehold Stability band from more than one remail and application of the control to be applied to the control to the			utanda ta manlu ta hanafialai	0.22
end 0.15 c.f.m. from the control of the water is to be applied is "The use to which the water is to be applied is "The point of diversion is located 220 ft. S. and 1100 ft. E. from the wite of Sec. 35, being within Wit Set Sec. 35. Spring: 630' N. and 1180' L. from the corner Sec. 35 being within Set Wit Sec. 35. Reservoir: 130' N. and 1650' E. from SN corner of Sec. 35 being within Set Wit Sec. 35. Reservoir: 130' N. and 1650' E. from SN corner of Sec. 35 being within Set Wit Sec. 35. The sec above of Sec. 35 being within Set Sec. 35. Reservoir: 130' N. and 1650' E. from Sec. 35 being within sec patient of diversion and beauting to section water. The beautiful the sec the country of Josephine of Sec. 35 ft. Tp. 37 S. (H. w. N.) S. The Ditch and pipeline to be 3200 Pt. S. The Sec. Sec. 35 ft. of Sec. 35 ft. of Sec. 35 ft. of Sec. 35 ft. of Sec. 37 ft. of Sec. of Sec. 37 ft. of Sec. of Sec. 37 ft. of Sec. o	77.4	the first contact of the contact of	4	
No. of Sec. 35	ible feet per seco	of cange of Head oping a	od from more than one source, give quan	(Hy from each)
Moste trench: S. and 1100 ft. E. from the with 220 ft. S. and 1100 ft. E. from the with an experiment of Sec. 35, being within MWt SMt Sec. 35. Spring: 630' N. and 1180' L. from SM corner Sec. 35 being within SMt SMt Sec. 35. Reservoir: 130' N. and 1650' E. from SM corner of Sec. 35 being within SMt SMt Sec. 35. **Green of Sec. 35 being within SMt SMt Sec. 35. **Green of Sec. 35 being within SMt SMt Sec. 35.** **Green of Sec. 35 being within SMt SMt Sec. 35.** **Green of Sec. 35 being within SMt SMt Sec. 35.** **Green of Sec. 35 peing within SMt SMt Sec. 35.** **Green of Sec. 35 peing within SMt SMt Sec. 35.** **Green of Sec. 35 peing within SMt SMt Sec. 35.** **Green of Sec. 35 peing within SMt SMt Sec. 35.** **Green of Sec. 35 peing within SMt SMt Sec. 35.** **Green of Sec. 35 peing show the second of Sec. 35 peing show show show the second of Sec. 35 peing show show show show show show show show	••3. The use :	to which the water is to be applied		
4. The point of discersion is located 220 ft. S. and 1100 ft. E. from the M. (R. ww.) food th			(Brigation, power, mining, men	ulacturing, domastic supplies, etc.)
where of see. 35, being within swit Sag Sec. 35. Spring: 630' N. and 1180' k. from Chains or adminster to the second of Sec. 35 being within Ski Wit Sec. 35. Reservoir: 130' N. and 1650' E. from SM corner of Sec. 35 being within Ski Ski Sec. 35. Clear second of Sec. 35 being within Ski Ski Sec. 35. Clear SM corner of Sec. 35 being within Ski Ski Sec. 35. Clear SM corner of Sec. 35 peing within Ski Ski Sec. 35. Clear SM corner of Sec. 35 peing within Ski Ski Sec. 35. Clear SM corner of Sec. 35 peing within Ski Ski Sec. 35. SM corner of Sec. 35 peing within Ski Ski		Wasto t	rench:	
where of see. 35, being within swit Sag Sec. 35. Spring: 630' N. and 1180' k. from Chains or adminster to the second of Sec. 35 being within Ski Wit Sec. 35. Reservoir: 130' N. and 1650' E. from SM corner of Sec. 35 being within Ski Ski Sec. 35. Clear second of Sec. 35 being within Ski Ski Sec. 35. Clear SM corner of Sec. 35 being within Ski Ski Sec. 35. Clear SM corner of Sec. 35 peing within Ski Ski Sec. 35. Clear SM corner of Sec. 35 peing within Ski Ski Sec. 35. Clear SM corner of Sec. 35 peing within Ski Ski Sec. 35. SM corner of Sec. 35 peing within Ski Ski	4. The poin	at of diversion is located220	ft. S. and 1100 ft.	from the
The corner Sec. 35 being within Sec. 35. Reservoir: 130' N. and 1650' R. Corner of Sec. 35 being within Sec. 35' Sec. 35. Corner of Sec. 35 being within Sec. 35' Sec. 35. Corner of Sec. 35 being within Sec. 35' Sec. 35. Corner of Sec. 35 Tp. 37 S. Corner of Sec. 35 Tp. 37	Sec. 3	5, being within IWE SWE See	cm.erm) c. 35. Spring: 630† N	and 1180 E. from
Cili production, give distance and beauting to continue conserved. Cili these to make that can public of diversion, each must be described. The responses about if measures? Cili these to make that can public of diversion, each must be described. The responses about if measures? Sing solithin the cilis and principal administration. Sing solithin the cilis and principal cilis and principal administration. (Construction cilis and principal administration.) (Construction cilis and principal administration.) (Construction cilis and principal principal principal principal principal principal principal principal.)	THE OJ		adion or subdivision)	
sing soithin the see above of Sec. 35 Tp. 37 S. S. W. M. M. in the country of Josephine of Low W. M., in the country of Josephine of Low W. M. In the country of Josephine of Low W. M. In the country of Sec. 3200 Pt. Common one, country two limits of Sec. 35 Tp. 37 S. A length, terminating in the security of Sec. 35 Tp. 37 S. S. M. Of Sec. 35 Tp. 37 S. Sec. 35 Tp. 37 S. (H. or R.) DESCRIPTION OF WORKS See Reservoir Application 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Lease real, country, manner). (b) Description of headgate (Tunker, country, class and type of pump) (c) If water is to be pumped give general description One 10 hp Direct Drive Centrifug. (Since and type of pump) (2n x 2n pump and one 15 Hp. 3n x 3n Direct Drive centrifugal pump.		,		
5 N. Ditch and pipeline to be 3200 Ft. 5. The Ditch and pipeline to be 3200 Ft. Chain with county of previous to be 3200 Ft. Chain with county or the line) Slig Slig of Sec. 35 Tp. 37 S. (M. or a.) 5 N. (M. or a.) DESCRIPTION OF WORKS Iversion Works—See Reservoir Application 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction feet; material to be used and character of construction (Lesso real, conserve, manner, dat and brush, under oth, oth, underway over or around dam) (b) Description of headgate (c) If water is to be pumped give general description One 10 hp Direct Drive Centrifug. (the and type of pump.) 2" x 2" pump and one 15 lip. 3" x 3" Direct Drive centrifugal pump.			and busing to cookin conser)	
5. The Ditch and pipeline to be 3200 Pt. 5. The Other study count or pipeline to be 3200 Pt. 5. The Other study count or pipeline to be 3200 Pt. 5. The Other study count or pipeline to be 3200 Pt. 5. The Other study count or pipeline to be 3200 Pt. 6. (a) Height of the Other See Reservoir See Reservoir Application 6. (a) Height of deam feet, length on top feet, length at bottom feet; material to be used and character of construction (Louis rock, concrete,		If there is made then one point of diversion, each	Smot be described. Use separate shoot if	70 37 S.
Sit Sit Of Sec. 35 Tp. 37 S.	eing within the	Ef there is more than one point of diversion, each see above	must be described. The repends shoot if	, Tp. 37 S,
Sit Sit Of Sec. 35 Tp. 37 S.	eing within the	If there is more than one point of diversion, each see above (thre conflict legal subdivision F. M., in the country ofJosephi:	of Sec. 35	(M. ex 2.)
(H. or E.) 5 W. CL or W.) DESCRIPTION OF WORKS See Reservoir Application 6. (a) Height of dam	5 V. W. W.	If there is more than one point of diversion, each see above (thre conflict legal subdivision F. M., in the country ofJosephi:	of Sec. 35	(M. ex 2.)
DESCRIPTION OF WORKS See Reservoir Application 6. (a) Height of dam	sing within the	There is more than one point of diversion, each see above office medical legal subdivision. F. M., in the country of	of Sec. 35	200 Pt.
DESCRIPTION OF WORKS See Reservoir Application 6. (a) Height of dam	sing within the	There is more than one point of diversion, each see above office medical legal subdivision. F. M., in the country of	of Sec. 35	200 Pt.
See Reservoir Application 6. (a) Height of dam	5 W. 5 The 5 W. 5 The 5 W.	W there is more than one point of diversion, each see above (Since smallest legal subdivision F. M., in the country of	of Sec. 35 to be 35 of Sec. 35	200 Pt
6. (a) Height of dam	5 W. 5 The 5 W. 5 The 5 W.	Ditch and pipeline Chin can proposed location by M., in the county of Josephi: Ditch and pipeline Chin chin, can or proposed location b	of Sec. 35 to be	200 Pt
feet; material to be used and character of construction	5 W. W. S. The	Ditch and pipeline (Ship smallest legal subdivision, each (F. M., in the county of Josephi: Ditch and pipeline (Ship Ship Ship (Mandest legal subdivision (Mandest legal subdivision) (Mandest legal subdivision)	of Sec. 35 to be 35 of Sec. 35 others cing shown throughout on the	200 Pt
(b) Description of headgate	sing within the 5 W. , W. , W. , W. , S. The 5 U. , CL & W.) Niversion Works-	Ditch and pipeline Chan dead of pipeline DESCRIPTI See Reservoir	of Sec. 35 to be 35 of Sec. 35 of Sec. 35 of Sec. 35 value of Sec. 35	200 Pt. Chillies or feet) , Tp
(b) Description of headgate	sing within the 5 W. , W. , W. , W. , S. The 5 U. , CL & W.) Niversion Works-	Ditch and pipeline Chan dead of pipeline DESCRIPTI See Reservoir	of Sec. 35 to be 35 of Sec. 35 of Sec. 35 of Sec. 35 value of Sec. 35	200 Pt. Chillies or feet) , Tp
(b) Description of headgate	5 W. 5 The 5 W. 6 ews 5 The 6 ws 6 (a) Heig	Ditch and pipeline Chin can proposed location by M., in the county of Josephi: Ditch and pipeline Chin chin, can or province Shig Shig Chinalest lead saled The proposed location by DESCRIPTI See Reservoir pht of dam	of Sec. 35 to be 35 of Sec. 35 of Sec. 35 riden of Sec. 35 riden of Sec. 35 riden of Sec. 35 riden eing shown throughout on the ON OF WORKS r Application , length on top	200 Ft. 37 S. (N. er.) e accompanying map.
(c) If water is to be pumped give general description One 10 hp Direct Drive Centrifug. One 20 pump and one 15 Hp. 3 ⁿ x 3 ⁿ Direct Drive centrifugal pump.	5 W. 5 The 5 W. 6 ews 5 The 6 ws 6 (a) Heig	Ditch and pipeline Chin can proposed location by M., in the county of Josephi: Ditch and pipeline Chin chin, can or province Shig Shig Chinalest lead saled The proposed location by DESCRIPTI See Reservoir pht of dam	of Sec. 35 to be 35 of Sec. 35 of Sec. 35 riden of Sec. 35 riden of Sec. 35 riden of Sec. 35 riden eing shown throughout on the ON OF WORKS r Application , length on top	200 Ft. 37 S. (N. er.) e accompanying map.
(c) If water is to be pumped give general description One 10 hp Direct Drive Centrifuge One 2" x 2" pump and one 15 Hp. 3" x 3" Direct Drive centrifugal pump.	5 W	Ether is more than one point of diversing, each see above ether smallest legal subdivision. F. M., in the county of	of Sec. 35 of Sec. 35 to be 35 of Sec. 35 of Sec. 35 of Sec. 35 construction to be 35 of Sec.	200 Pt. (1200 er test) 37 S. (12 er 1) e accompanying map. feet, length at bottom
(c) If some is to be pumped give general description (the and type of pump) 2" x 2" pump and one 15 Hp. 3" x 3" Direct Drive centrifugal pump.	5 W	Ether is more than one point of diversing, each see above ether smallest legal subdivision. F. M., in the county of	of Sec. 35 of Sec. 35 to be 35 of Sec. 35 of Sec. 35 of Sec. 35 construction to be 35 of Sec.	200 Pt. (Blue or bot) 37 S. (R. = 1.) e accompanying map. feet, length at bottom
(2) If some is to be pumped give general description (the and type of pump) 2" x 2" pump and one 15 Hp. 3" x 3" Direct Drive centrifugal pump.	sing within the 5 W, W 5. The 1 length, termina 5 W (2 er W.) Niversion Works 6. (a) Heighted the continuous sections where the continuous sections were sections and the continuous sections where the continuous sections were sections and the continuous sections and the continuous sections are sections as a section where sections are sections are sections as a section where section where sections are sections as a section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where section where sections are sections as a section where sections are sect	Ether is more than one point of diversing, each see above ether smallest legal subdivision. F. M., in the county of	of Sec. 35 of Sec. 35 to be 35 of Sec. 35 of Sec. 35 of Sec. 35 construction to be 35 of Sec.	200 Pt. (1200 er test) 37 S. (12 er 1) e accompanying map. feet, length at bottom
2" x 2" pump and one 15 Hp. 3" x 3" Direct Drive centrifugal pump.	sing within the 5 W. , W 5. The 1. length, termina 5 W. , (a. er W.) Niversion Works-6. (a) Heighth (b) Descrip	Ditch and pipeline Chain dead, or she country of Josephin Ditch and pipeline Chain dead, or she chain Shig Shig Chained the chain and she chain thing in the Chained the chain One chain dead, or she chain DESCRIPT See Reservoir pht of dem	of Sec. 35 to be 35 to be 35 riden of Sec. 35 riden of Sec. 35 riden of Sec. 35 riden of Sec. 35 riden cing shown throughout on th ON OF WORKS r Application , length on top sector of construction (Tember, conserve, etc., number and in	200 Pt. (Bliss or tool) 77 S. (H. or E.) e accompanying map. (Loose resk, conserve, masser)
	sing within the 5 W, W 5. The 1. Length, termina 5 W (a. e. W.) Niversion Works 6. (a) Height (b) Description (c) If water	E there is more than one point of diversion, each see above Side smallest legal subdivision. F. M., in the county of	of Sec. 35 of Sec. 35 to be 35 of Sec. 35 of Sec. 35 of Sec. 35 construction con of Sec. 35 construction con of Works con Application length on top construction	200 Pt. (Bline or feet) 37 S. (R. er E.) e accompanying map. (Louis reak, concrete, manney. (Louis reak, concrete, manney. birect Drive Centrifug.
	5 W	Ditch and pipeline Chin make limit and substitute F. M., in the county of Josephin Ditch and pipeline Chin ship aming pipeline Skir Skir Chindred light substitute The proposed location b DESCRIPTI See Reservoir pht of dam feet feet; material to be used and char a, etc., waterny over a around dam) ption of headgate er is to be pumped give general decoration on the pumped give general decoration of and one 15 Hp. 3" x 3" Di	of Sec. 35 of Sec. 35 to be 35 of Sec. 35 of Sec. 35 of Sec. 35 construction con of Sec. 35 construction con of Works con Application length on top construction	(Losse rock, concrete, manuary, (Losse rock, concrete, manuary, part type of pump) Plance.

"A different form of application in provided where storage works are contemplated.

"Application for paralle to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Specialistic Commission. Taker of the above forms may be secured, without each, together with instructions by addressing the State Single-oer, Salem,

, c	7. (a) Glos	dimensions at	the state of the s	mel where materially chan	ged in size, stating miles from
	erdgets, At head	pale: width on 's	op (et weter l		feet; width on bottom
	and an experience of the				feet fall per one
	bouilind feet.			•	ter line)
			•		water feet;
ø					
	in was introduced the in-	aleksa (j. 1965)	The street sales are		in.; size at
•	The Park Street	But the Butter	Section 1997 April 1997		lifference in elevation between
				•	Estimated capacity,
	Marin Harris Market				
•			rrigated, or ple	sce of use	
	Trumbig. Both or Stub	2000	C ertion	Ferty-acre Treat	Number Acres To Be Irrigated
Printy	37 8.	5 V.	35	SHE WHE	2.8 - from Soring
				net swi	1.1
				seł swł	1.6 Spring, french
				SWL SWL	5.0
*		·		met svit	0.6
					11.1
Suppl	<i>∕</i> 37 8.	5 W.	35	neł swł	3.0
				SHE SHE	6.0 Spring, Tr
4				Mic Sit	3.2
					12.2
			<u> </u>		
	(a) Ch	aracter of soil .	Sandy	loui, Guibo, granite	,
	(b) Ki	nd of crops raise	ed Fore	ge crope.	
	Power or Mining	-			•
·		,			theoretical horsepower
				power	sec. ft.
•		•		feet.	÷.
	(d) Th	e nature of the	works by mee	ns of which the power is to	be developed
•	••••••••••••••••				
			•		of Sec.
•	Tp				
		water to be ret		(Tes or No)	
	•			oint of return	
_				·	, R, W. I
				epplied is	.,

Remerit: The water from the spring is applied directly to the 2.5 acres in t Min and disched to Woodcock Trench which has been constructed to capture was ter from irrigation of lands above and then pumped to the Reservoir which is ed as a redistribution point after release of the stored water. Woodcock Tren on the applicant's property and wholly under his control. Some of the waste ther collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Merion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with co	The state of the s	
(a) if you demands was seen assault of families to be compiled [Coulds, Aspirar & streams securation of	***************************************
If Construction work will begin on or before October 1, 1965 If The water will be completely applied to the proposed use on or before October 1, 1966 Lyff Wan Cox Lyff Wan Cox Remarks: The water from the spring is applied directly to the 2.5 acres in the life and disched to Woodcook Treach which has been constructed to capture was ther from irrigation of lands above and then pumped to the Reservoir which is end as a redistribution point after release of the stored water. Woodcook Treach of the applicant's property and wholly under his control. Some of the waste the collected is reapplied to the same lands from which it is collected. ATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompany ps and date, and return the same for		
If Construction work will begin on or before October 1, 1965 If The water will be completely applied to the proposed use on or before October 1, 1966 Lyff Wan Cox Lyff Wan Cox Remarks: The water from the spring is applied directly to the 2.5 acres in the life and disched to Woodcook Treach which has been constructed to capture was ther from irrigation of lands above and then pumped to the Reservoir which is end as a redistribution point after release of the stored water. Woodcook Treach of the applicant's property and wholly under his control. Some of the waste the collected is reapplied to the same lands from which it is collected. ATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompany ps and date, and return the same for		
If Construction work will begin on or before October 1, 1965 If The water will be completely applied to the proposed use on or before October 1, 1966 Lyff Wan Cox Lyff Wan Cox Remarks: The water from the spring is applied directly to the 2.5 acres in the life and disched to Woodcook Treach which has been constructed to capture was ther from irrigation of lands above and then pumped to the Reservoir which is end as a redistribution point after release of the stored water. Woodcook Treach of the applicant's property and wholly under his control. Some of the waste the collected is reapplied to the same lands from which it is collected. ATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompany ps and date, and return the same for		
If Construction work will begin on or before October 1, 1965 If The water will be completely applied to the proposed use on or before October 1, 1966 Lyff Wan Cox Lyff Wan Cox Remarks: The water from the spring is applied directly to the 2.5 acres in the life and disched to Woodcook Treach which has been constructed to capture was ther from irrigation of lands above and then pumped to the Reservoir which is end as a redistribution point after release of the stored water. Woodcook Treach of the applicant's property and wholly under his control. Some of the waste the collected is reapplied to the same lands from which it is collected. ATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompany ps and date, and return the same for	\$2900.00	tentis Stantis Atlan
If Construction work will be completed on or before Outobar 1, 1965 16. The water will be completely applied to the proposed use on or before Outobar 1, 1966 Lyff Way Cost Lyff Way Cost Remarks: The water from the spring is applied directly to the 2.8 acres in the first irrigation of lands above and then pumped to the Reservoir which is sed as a redistribution point after release of the stored water. Mondoock Trends on the applicant's property and wholly under his control. Some of the waste ther collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application, together with the accompange and data, and return the same for		
It The water will be completely applied to the proposed use on or before October 1, 1966 Lyff Was Cock Description of Land Section of Lands above and then pumped to the Reservoir which is set as a redistribution point after release of the stored water. Noodcock Trench wholly under his control. Some of the waste ther collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Merion, This is to certify that I have examined the foregoing application, together with the accompany pe and data, and return the same for the section of the State Engineer, with come on or before	IX. Countains man man color as a cales a	1 1065
Remarks: The unter from the spring is applied directly to the 2. scree in the from the spring is applied directly to the 2. scree in the from irrigation of lands above and then pumped to the Reservoir which is ed as a redistribution point after release of the stored mater. Woodcock Transon the applicant's property and wholly under his control. Some of the waste ther collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application, together with the accompany pe and data, and return the same for	A SALE SALE SALE SALE SALE SALE SALE SAL	0-4-5 7 7066
Remarks: The mater from the spring is applied directly to the 2.8 acres in the limit and disched to Woodcock Tranch which has been constructed to capture was ter from irrigation of lands above and then pumped to the Reservoir which is ed as a redistribution point after release of the stored mater. Woodcock Tranco on the applicant's property and wholly under his control. Some of the waste ter collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Merion, This is to certify that I have examined the foregoing application, together with the accompange and date, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with conson or before	14. The water will be completely applied to the proposed use on o	r before
Remarks: The mater from the spring is applied directly to the 2.8 acres in the limit and disched to Woodcock Tranch which has been constructed to capture was ter from irrigation of lands above and then pumped to the Reservoir which is ed as a redistribution point after release of the stored mater. Woodcock Tranco on the applicant's property and wholly under his control. Some of the waste ter collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Merion, This is to certify that I have examined the foregoing application, together with the accompange and date, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with conson or before	ACCOUNTY OF THE PROPERTY OF TH	······································
Remarks: The mater from the spring is applied directly to the 2.8 acres in the limit and disched to Woodcock Tranch which has been constructed to capture was ter from irrigation of lands above and then pumped to the Reservoir which is ed as a redistribution point after release of the stored mater. Woodcock Tranco on the applicant's property and wholly under his control. Some of the waste ter collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Merion, This is to certify that I have examined the foregoing application, together with the accompange and date, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with conson or before	LYLE WA	OS COCK Gladuro et espirant)
This is to certify that I have examined the foregoing application, together with the accompany pe and data, and return the same for	by Day Il	Dellamy, age
This is to certify that I have examined the foregoing application, together with the accompany pe and data, and return the same for		
ter from irrigation of lands above and then pumped to the Reservoir which is ed as a redistribution point after release of the stored water. Woodcock Tren on the applicant's property and wholly under his control. Some of the waste ther collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with co	and the second s	4
on the applicant's property and wholly under his control. Some of the maste ther collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Merion, This is to certify that I have examined the foregoing application, together with the accompange and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with comes on or before 19.		
on the applicant's property and wholly under his control. Some of the waste ther collected is reapplied to the same lands from which it is collected. ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompange and data, and return the same for	ter from irrigation of lands above and then pumped t	the Reservoir which is
ATE OF OREGON, County of Merion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with come on or before	ed as a redistribution point after release of the st	ored water. Woodcock Tren
ATE OF OREGON, County of Merion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with come on or before	on the smallcant's property and wholly under his co	ntrol. Some of the waste
ATE OF OREGON, se. County of Merion, se. This is to certify that I have examined the foregoing application, together with the accompange and data, and return the same for	<u> </u>	• •
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompanups and data, and return the same for	ter collected is reapplied to the same lands from wh	ich it is collected.
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompanups and data, and return the same for		
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompanups and data, and return the same for		
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompanups and data, and return the same for		
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompanups and data, and return the same for		
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompanups and data, and return the same for		
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompanups and data, and return the same for		
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompanups and data, and return the same for		
ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing application, together with the accompange and data, and return the same for		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanses and data, and return the same for		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanses and data, and return the same for		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanses and data, and return the same for		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompange and data, and return the same for		
In order to retain its priority, this application must be returned to the State Engineer, with co	ATE OF OREGON,	
In order to retain its priority, this application must be returned to the State Engineer, with co	ATE OF OREGON,	
In order to retain its priority, this application must be returned to the State Engineer, with co	ATE OF OREGON, County of Merion,	
In order to retain its priority, this application must be returned to the State Engineer, with cons on or before	ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing applicat	ion, together with the accompan
ns on or before	ATE OF OREGON, se. County of Marion, se. This is to certify that I have examined the foregoing applicat	ion, together with the accompan
ns on or before	ATE OF OREGON, se. County of Merion, se. This is to certify that I have examined the foregoing applicat ps and data, and return the same for	ion, together with the accompan
	ATE OF OREGON, as. County of Merion, This is to certify that I have examined the foregoing applicat ps and data, and return the same for	ion, together with the accompan
WITNESS my hand this day of 19, 19	ATE OF OREGON, as. County of Merion, This is to certify that I have examined the foregoing applicat ps and data, and return the same for	ion, together with the accompan
WITNESS my hand this day of 19, 19	ATE OF OREGON, as. County of Merion, This is to certify that I have examined the foregoing applicat ps and data, and return the same for	ion, together with the accompan
	ATE OF OREGON, as. County of Merion, This is to certify that I have examined the foregoing applicat ps and data, and return the same for	ion, together with the accompan
	ATE OF OREGON, se. County of Merion, se. This is to certify that I have examined the foregoing applicat ps and data, and return the same for	ion, together with the accompan
	ATE OF OREGON, se. County of Merion, se. This is to certify that I have examined the foregoing applicates and data, and return the same for	ion, together with the accompan

STATE OF OREGON,

This is to certify that I have exemined the foregoing application and do hereby grant the same,

		nt of diversion from the		
streem, or its equivalent in case of rotation with other wa	ster users, from Wood	cock Springs, waste		
collected in Weedcock Trench and Woodcock Reservoir to be constructed under				
		f.s. from Woodcock		
Spring and 0.15 c.f.s. from waste water The use to which this water is to be applied is		plemental irrigation		
If for irrigation, this appropriation shall be limited t	to480 <u>=</u>	of one cubic foot per		
second or its equivalent for each acre irrigated from dir	rect flow and shall	be further limited		
to a diversion of not to exceed 4% acre feet				
during the irrigation season of each year fro	om direct flow and	storage from reser-		
voir to be constructed under permit No. R- 38	•			
		49.43		
right allowed herein shall be limited to any	deficiency in the	available supply of		
right allowed herein shall be limited to any any prior right existing for the same land as				
	nd shall not excee	d the limitation		
any prior right existing for the same land as allowed herein, and shall also be limited to point of diversion and shall not carry with of the waste water; provided further that the to the period when the flow of the Rogue Riv	the water availabilit the right to come right to use of the right	d the limitation le at the proposed mpel the continuance direct flow is limite 5 c.f.s. at its mouth		
any prior right existing for the same land as allowed herein, and shall also be limited to point of diversion and shall not carry with of the waste water; provided further that the to the period when the flow of the Rogue River and shall be subject to such reasonable rotation system as	the water availabit the right to come right to use of er is more than 73 and may be ordered by the	d the limitation le at the proposed mpel the continuance direct flow is limit 5 c.f.s. at its mouth e proper state officer.		
any prior right existing for the same land as allowed herein, and shall also be limited to point of diversion and shall not carry with of the waste water; provided further that the to the period when the flow of the Rogue Riw and shall be subject to such reasonable rotation system as The priority date of this permit is	the water availabit the right to come right to use of war is more than 73 amay be ordered by the August 9.	d the limitation le at the proposed mpel the continuance direct flow is limite 5 c.f.s. at its mouth e proper state officer. 1963		
any prior right existing for the same land as allowed herein, and shall also be limited to point of diversion and shall not carry with of the waste water; provided further that the to the period when the flow of the Rogue Riw and shall be subject to such reasonable rotation system as The priority date of this permit is	the water availabit the right to come right to use of war is more than 73 amay be ordered by the August 9.	d the limitation le at the proposed mpel the continuance direct flow is limite 5 c.f.s. at its mouth e proper state officer. 1963		
any prior right existing for the same land as allowed herein, and shall also be limited to point of diversion and shall not carry with of the waste water; provided further that the to the period when the flow of the Rogue Riw and shall be subject to such reasonable rotation system as The priority date of this permit is Actual construction work shall begin on or before	the water availabit the right to come right to use of or is more than 73 amay be ordered by the August 9. February	d the limitation le at the proposed mpel the continuance direct flow is limite 5 c.f.s. at its mouth e proper state officer. 1963 24, 1965 and shall		
any prior right existing for the same land as allowed herein, and shall also be limited to point of diversion and shall not carry with of the waste water; provided further that the to the period when the flow of the Rogue River and shall be subject to such reasonable rotation system as The priority date of this permit is Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be	the water availabit the right to come right to use of the right to	d the limitation le at the proposed mpel the continuance direct flow is limite 5 c.f.s. at its mouth e proper state officer. 1963 24, 1965 and shale over October 1, 19.65		
any prior right existing for the same land as allowed herein, and shall also be limited to point of diversion and shall not carry with of the waste water; provided further that the to the period when the flow of the Rogue River and shall be subject to such reasonable rotation system as The priority date of this permit is Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and the Complete application of the water to the proposed	the water availabilit the right to come right to use of the right to use than 72 and the right to use than 72 and the right to use shall be made on the right that the right to use shall be made on the right that the right to use shall be made on the right that the right to use of	d the limitation le at the proposed mpel the continuance direct flow is limit 5 c.f.s. at its mouth e proper state officer. 1963 24, 1965 and shall ore October 1, 19.65 or before October 1, 19.66		
any prior right existing for the same land as allowed herein, and shall also be limited to point of diversion and shall not carry with of the waste water; provided further that the to the period when the flow of the Rogue River and shall be subject to such reasonable rotation system as The priority date of this permit is Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be	the water availabilit the right to come right to use of the right to use than 72 and the right to use than 72 and the right to use shall be made on the right that the right to use shall be made on the right that the right to use shall be made on the right that the right to use of	d the limitation le at the proposed mpel the continuance direct flow is limite 5 c.f.s. at its mouth e proper state officer. 1963 24, 1965 and shall ore October 1, 19.65 or before October 1, 19.66		

Application No. 38700 Permit No. 29162 PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Returned to applicant:

Recorded in book No. 61
Permits on page 29162

. Approved:

Dysinage Berin No. 15 page 164

Onto Printed Sta