

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Frank Memorial Gardens, a corporation in the State of Oregon

of 5309 11th Avenue East, Eugene

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Eugene, Oregon 10-22-52

1. The source of the proposed appropriation is Amazon Drainage Channel and Reservoir, a tributary of the Fern Ridge Reservoir

2. The amount of water which the applicant intends to apply to beneficial use is 0.86 cubic feet per second. Diversion Point No. 1 = 0.4 cubic feet per second. Diversion Point No. 2 = Shoap connected to lagoon = 0.86

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located N38°56'49"E 1250.45 feet from the SW corner of Section 32 and 33 - T17S - R4W - W.M. being within the SW of Section 33, said Township and Range. Diversion Point No. 2: South 349.04 feet and East 473.84 feet from said one-quarter corner being within the NW of Section 33

being within the SW of Sec. 33, Tp. 17S, R. 4W, W. M., in the county of Lane

5. The main pipe line to be 1720 feet in length, terminating in the NW of Sec. 33, Tp. 17S, R. 4W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Diversion Point No. 1 = 2 inch centrifugal pump powered by a 5 H.P. electric motor. Capacity = 160 G.P.M. Head = 15'
Diversion Point No. 2 = 4 inch by 5 inch centrifugal pump powered by a 20 H.P. electric motor. Capacity = 100 G.P.M. Head = 0 feet to 200 feet.

*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Other of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use (See attached description)

Township North or South	Range E. or W. of Wisconsin Meridian	Section	Four-acre Tract	Number Acres To Be Irrigated
17 South	4 West	32	NE $\frac{1}{4}$ - SE $\frac{1}{4}$	18.2 $\frac{1}{2}$
17 South	4 West	32	SE $\frac{1}{4}$ - SE $\frac{1}{4}$	15.9 $\frac{1}{2}$
17 South	4 West	33	NW $\frac{1}{4}$ - SW $\frac{1}{4}$	20.5 $\frac{1}{2}$
17 South	4 West	33	SE $\frac{1}{4}$ - SW $\frac{1}{4}$	14.0 $\frac{1}{2}$

(If more space required, attach separate sheet)

(a) Character of soil Clay loam

(b) Kind of crops raised Lawn

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

To supply the city of _____ County, having a present population of _____ and an estimated population of _____ in 19____

(b) for domestic use state number of families to be supplied _____

- 11. Estimated cost of proposed works, \$ 3000
12. Construction work will begin on or before September 15, 1963
13. Construction work will be completed on or before 10-15-63
14. The water will be completely applied to the proposed use on or before 10-15-63

LANE MEMORIAL GARDENS

Signature of applicant: L. M. Jones

Remarks: A permit was obtained in 1951 covering a water right on the Company's present well. This application is for a supplemental water right due to the fact that the capacity of the present well has fallen far below that indicated by the original tests. File No. G P 66. Water will be pumped to and stored in the lagoon from the Amazon Drainage Channel. In so far as the well is concerned, the lagoon will be a part of the distribution system.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 18, 1963.

WITNESS my hand this 17 day of September, 1963.

CHRIS L. WHEELER STATE ENGINEER
By: [Signature] ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.86 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Amazon Drainage Channel and reservoir to be constructed under application No. R-39063, permit No. R-3867.

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R-3867; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, provided further that the right to use of direct flow is limited to the period when the flow of the Long Tom River is more than 25 c.f.s. at USGS Gage No. 1700,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 11, 1963

Actual construction work shall begin on or before February 24, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

Complete application of the water to the proposed use shall be made on or before October 1, 1966

WITNESS my hand this 24th day of February, 1964

Chris L. Wheeler
STATE ENGINEER

Application No. 39064
Permit No. 29167

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of September, 1963, at 6:00 o'clock A. M.

Returned to applicant:

Approved:

February 24, 1964

Recorded in book No. 29167 of

Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 76A29

Fees