

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Rosberry Lumber Co. (Name of applicant)of P. O. Box 1058, Rosberry (Address)State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is South Umpqua River (Name of stream), a tributary of Umpqua River.2. The amount of water which the applicant intends to apply to beneficial use is 2,0 cubic feet per second. (If water is to be used from more than one source, give quantity from each)3. The use to which the water is to be applied is Industrial, including fire protection (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(See Remarks.)4. The point of diversion is located 900 ft. N (E. or S.) and 160 ft. W (E. or W.) from the S¹ corner of Section 33. (Location or subdivision)(If preferable, give distance and bearing to section corner)being within the SW₁ SW₁ (Give smallest legal subdivision) of Sec. 33, Tp. 28 S. (N. or S.)R. 6 M., W. M., in the county of Douglas (E. or W.)5. The Pipe Line (Ditch, creek, canal or pipe line) to be 2,200 Feet (Miles or feet)
in length, terminating in the NE₁ SW₁ (Smallest legal subdivision) of Sec. 33, Tp. 28 S. (N. or S.)R. 6 M., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1000 feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____ (Clay rock, concrete, masonry, etc.)(Soil and brush, timber crib, etc., watershed over or around dam)(b) Description of headgate None (Timber, concrete, etc., number and size of openings)(c) If water is to be pumped give general description 1500 g.p.m. turbine pump driven by electric motor. Concrete pump houses will provide space for second unit for standby. (Size and type of pump)*A different form of application is provided where storage tanks are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of noncommercial, must be made to the Hydroelectric Commission. Either of the above forms may be used, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

QVDR

Central Bank of Maldives

Causal Hypotheses of Price Lists

7. (a) Give dimensions at each point of cut at where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

- (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet;
grade feet fall per one thousand feet.

- (c) Length of pipe, 2200 ft.; size at intake, 1A in.; size at ft. from intake in.; size at place of use 1A in.; difference in elevation between intake and place of use, 43 ft. Is grade uniform? No Estimated capacity, 3.34 sec. ft.

^a Location of area to be irrigated, or place of use.

- d. Location of area to be irrigated, or place of use ...

(If more space required, attach separate sheet)

- (a) Character of soil

- (b) Kind of crops raised _____

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

- (b) Quantity of water to be used for power sec. ft.

- (c) Total fall to be utilized feet.

- (d) The nature of the works by means of which the power is to be developed.

- (e) Such works to be located in _____ of Sec. _____.

Tp. **R.** **W. M.**
(No. N. or S.) (No. E. or W.)

- (f) Is water to be returned to any stream? _____

- (g) If so, name stream and locate point of return _____

Sec. _____, Tp. _____, R. _____, W. M. _____

- (b) The sum to which money is to be applied is _____.

- (i) The nature of the wines to be served.

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ to 19____.

(b) If for domestic use state number of families to be supplied _____
_____ (Leave blank if U.S. and U.S.A. are used)

11. Estimated cost of proposed work, \$ _____

12. Construction work will begin on or before ... has begun _____

13. Construction work will be completed on or before ... two years _____

14. The water will be completely applied to the proposed use on or before three years _____

ROSEBURG LUMBER CO.

By Frank C. Gifford Signature of applicant
8/16/41

Remarks: This application is for permit to cover existing uses in sawmill and plywood plant plus expansion to include a new particle-board plant. Water from the South Umpqua is pumped to a tank from which it is re-pumped throughout the plant and into two reservoirs of 2,500,000 gal. and 1,250,000 gal. capacity. These reservoirs provide a fire-protection water supply and a standby reserve for industrial use. Uses include processing of timber products, condenser cooling and boiler make-up water.

STATE OF OREGON, { ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.....

WITNESS my hand this day of 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from South Umpqua River,
provided further that the right to use of water is limited to the period when the
flow of the South Umpqua River is more than 60 c.f.s. at its mouth.

The use to which this water is to be applied is industrial, including fire protection

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per
second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 12, 1963

Actual construction work shall begin on or before February 24, 1965 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.

Complete application of the water to the proposed use shall be made on or before October 1, 1966.

WITNESS my hand this 24th day of February, 1964

Chris L. Lovelace
STATE ENGINEER

Application No. 39240
Permit No. 29193

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first recorded in the
office of the State Engineer at Salem, Oregon,
on the 12th day of November,
1963, at 2:00 o'clock P.M.

Returned to applicant:

Approved:

February 24, 1964

Recorded in book No. 61 page 5
Permit on page 29193

CHRIS L. LOV ра
STATE ENGINEER

District Basin No. 16 page 304
Fee 2.50