* Permit No. 2921

CERTIFICATE NO. 2455.

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

1. The source of the proposed appropriation is. Upper Timber Canyon Name of stream) Tributary of Name of stream tributary of the amount of water which the applicant intends to apply to beneficial use is. Lubic feet per second. 3. The use to which the water is to be applied is. Irrigation dements supplies, etc.) 4. The point of diversion is located. So rod more or loss. Irrigation of So rod more or loss. Irrigation of So rod more or loss. (Over similar and bearing to section corner) Note of Society of So 15 (Ne N er 2) being within the Note of the Note county of Sec. 24, Tp. 9.5 The main ditch so the county of Soc. 15, Tp. 9.5, R. 44 B. (No. E. or W.) 5. The main ditch sand or pipe line) Longth, terminating in the Society of Soc. 15, Tp. 9.5, R. 44 B. (Sandlest teal subdivision) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. Timber Canyon Ditch DESCRIPTION OF WORKS 7. (a) Height of dam. 2 feet, length on top. 10 feet, length at bottom. Rock & British namewory, reck and brush, timber orth, eje. wasteway over or around dam) (timber, concress, etc., number and size of openings)	I,	Alexander Simonis
State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is. Upper Timber Canyon Name of Aream) Formal Alver Library of Cartenian Curiquitan, power making in section corner; With the water is to be applied is. Ciriquitan, power making, manufacturing. IFFIGATION Consects supplies, etc.) 4. The point of diversion is located. Ored more or less Library of Oregon of S 13 With Office and the section corner; With the Control of Science of Corner and the section corner; With the water of the Wife of Science of Sc	ĺ	
State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is. Upper Timber Canyon Name of stream) Powder River tributary of Name of stream) Fowder River Powder River	of	Richland , County of Baker (Postoffice)
following described public valers of the State of Oregon, subject to existing rights: 1f the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is. Upper Limber Canyon. Powder Player 2. The amount of water which the applicant intends to apply to beneficial use is. O.536		
1. The source of the proposed appropriation is. Upper Timber Canyon Nume of stream) Prover filter 2. The amount of water which the applicant intends to apply to beneficial use is. O.36		
1. The source of the proposed appropriation is. Upper Timber Canyon Name of stream) Powder River 2. The amount of water which the applicant intends to apply to beneficial use is		
### Provider Fiver Tributary of Tributary of	If	the applicant is a corporation, give date and place of incorporation
### Provider River The amount of water which the applicant intends to apply to beneficial use is	1.	The source of the proposed appropriation is Upper Timber Canyon
2. The amount of water which the applicant intends to apply to beneficial use is. O.35		David and Difference
Connecte supplies, etc.) 4. The point of diversion is located. 80 rod more or less. (Give distance and bearing to section corner) 187 to 37 corner of 3 13 being within the MF of the WF of the		tributary of
S. The use to which the water is to be applied is	2.	The amount of water which the applicant intends to apply to beneficial use is
Irrigation	0.3	cubic feet per second.
Irrigation	3.	The use to which the water is to be applied is
4. The point of diversion is located. 80 rod more or less W to SV corner of \$12\$ SV corner of \$12 SV corner of \$12\$ SV corner of \$12\$ SV corner of \$12\$ S		(Irrigation, power, mining, manufacturing,
4. The point of diversion is located. 80 rod more or loss (Give distance and bearing to section corner) III to SI COMPET OF S 15 being within the. With the Rith of the Rit	domestic	
being within the NV2 of the NV3 of the SW3 corner of \$13 being within the NV2 of the NV3 of the SW4 of Sec. 24 , Tp. 9 S (No. N. or S.) R. 44 E (Cive smallest legal subdivision) Balter Main ditch to be 105 rods SW5 (No. N. or S.) 5. The main ditch to be 105 rods SW5 (No. N. or S.) length, terminating in the SW2 of SV2 of Sec. 13 , Tp. 9 S (No. N. or S.) (No. E. or W.) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. Timber Canyon Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 2 feet, length on top 10 feet, length at bottom 8 feet; material to be used and character of construction. Rock & Brush (Loose rock, concrete, Rock & Brush (Timber crib, etc., wasteway over or around dam)		
being within the Note of the Note of the Note of Sec. 24	4.	(Give distance and pearing to section corner)
R. 44 E , W. M., in the county of Balcer (No. E. or W.) 5. The main ditch to be 105 rods saids in Main ditch, canal or pipe line) length, terminating in the Sit of Sit		MA CO DA GOLHEL OL D TO
R. 44 E , W. M., in the county of Balcer (No. E. or W.) 5. The main ditch to be 105 rods (Smallest legal subdivision) length, terminating in the (STL) of STL) of Sec. 13 , Tp. 9 S , R. 44 E (No. N. or S.) (No. E. or W.) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Timber Canyon Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam. 2 feet, length on top 10 feet, length at bottom 8 feet; material to be used and character of construction (Loose rock, concrete, Rock & Brush masonry, rock and brush, timber crib, ctc., wasteway over or around dam) (b) Description of headgate Lamber 11 X 12 in (Timber, concrete, etc., number and size of openings)		
R. 44 E , W. M., in the county of Balcer (No. E. or W.) 5. The main ditch to be 105 rods (Smallest legal subdivision) length, terminating in the (STL) of STL) of Sec. 13 , Tp. 9 S , R. 44 E (No. N. or S.) (No. E. or W.) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Timber Canyon Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam. 2 feet, length on top 10 feet, length at bottom 8 feet; material to be used and character of construction (Loose rock, concrete, Rock & Brush masonry, rock and brush, timber crib, ctc., wasteway over or around dam) (b) Description of headgate Lamber 11 X 12 in (Timber, concrete, etc., number and size of openings)	7	\mathbb{N}^{1} of the \mathbb{N}^{1} of the \mathbb{N}^{1}
S. The Main ditch to be 105 rods Main ditch, canal or pipe line) length, terminating in the SIZ of SIZ of SIZ of SIZ (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Timber Canyon Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam. 2 feet, length on top 10 feet, length at bottom 6 feet; material to be used and character of construction. (Loose rock, concrete, Rock & Brush masonry, rock and brush, timber crib, eye., wasteway over or around dam) (b) Description of headgate Launbor 11 X 12 in. (Timber, concrete, etc., number and size of openings)		(diff plantage ingle was a constant,
5. The	R	44 E Baker
length, terminating in the St. of Sw. of Sw. of Sec. 13 , Tp. 9 S , R. 44 E (Smallest legal subdivision) (No. N. or S.) (No. E. or W.) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. Timber Canyon Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam. 2 feet, length on top 10 feet, length at bottom 8 feet; material to be used and character of construction. Rock & Brush masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate. Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)		
W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is		Main ditch, canal or pipe line)
Timber Canyon Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam. 2 feet, length on top. 10 feet, length at bottom 8 feet; material to be used and character of construction. Rock & Brush masonry, rock and brush, timber crib, eye., wasteway over or around dam) (b) Description of headgate. Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)	length,	, terminating in the $\frac{SV_4}{\text{(Smallest legal subdivision)}}$ of Sec. $\frac{13}{\text{(No. N. or S.)}}$, $\frac{9}{\text{(No. N. or S.)}}$, $\frac{44}{\text{(No. E. or W.)}}$
Timber Canyon Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 2 feet, length on top 10 feet, length at bottom 8 feet; material to be used and character of construction (Loose rock, concrete, Rock & Brush masonry, rock and brush, timber crib, eye., wasteway over or around dam) (b) Description of headgate Lumber 11 X 12 in * (Timber, concrete, etc., number and size of openings)	W. M.,	the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam. 2 feet, length on top. 10 feet, length at bottom 8 feet; material to be used and character of construction. (Loose rock, concrete, Rock & Brush masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)		
DESCRIPTION OF WORKS 7. (a) Height of dam. 2 feet, length on top. 10 feet, length at bottom 8 feet; material to be used and character of construction. Rock & Brush masonry, rock and brush, timber crib, eyc., wasteway over or around dam) (b) Description of headgate. Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)	0.	
7. (a) Height of dam. 2 feet, length on top. 10 feet, length at bottom 8 feet; material to be used and character of construction. (Loose rock, concrete, Rock & Brush masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate. In X 12 in (Timber, concrete, etc., number and size of openings)		Timber Caryon Di ach
7. (a) Height of dam. 2 feet, length on top. 10 feet, length at bottom 8 feet; material to be used and character of construction. (Loose rock, concrete, Rock & Brush masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate. In X 12 in (Timber, concrete, etc., number and size of openings)		DESCRIPTION OF WORKS
7. (a) Height of dam. 2 feet, length on top 10 feet, length at bottom 8 feet; material to be used and character of construction. (Loose rock, concrete, Rock & Brush masonry, rock and brush, timber crib, eyc., wasteway over or around dam) (b) Description of headgate Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)	DIVERS	
feet; material to be used and character of construction. Rock & Brush masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		
Rock & Brush masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)	۰.	
masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate. Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)	8	feet; material to be used and character of construction. (Loose rock, concrete,
(b) Description of headgate. Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)		Rock & Brush
(b) Description of headgate Lumber 11 X 12 in. (Timber, concrete, etc., number and size of openings)	masonry	, rock and brush, timber crib, etc., wasteway over or around dam)
(Timper, concrete, etc., number and size of openings)		
(Timper, concrete, etc., number and size of openings)		(b) Description of headgate Lumber 11 X 12 in.
		(Timber, concrete, etc., number and size of openings)
	• • • • • • • • • • • • • • • • • • • •	
* A different form of application is provided where storage works are contemplated. These forms can be secured, without charge	* Δ	different form of application is provided where storage works are contemplated. These forms can be secured, without charge

		Section 2	% • ··	
8. (a) Give d	imensions at each po	int of canal w	here materially ch	nanged in size, stating mile
from headgate. At	headgate: Width on	ı top (at water	line) 18 in.	
14 in. =7ee	t, depth of water	10 in. =	feet; grade 📜 i	na to rod feet fall per on
thousand feet.	* * * *****	-		
(b) At	.05 r od <i>=miles f</i>	rom headgate.	Width on top (at	water line) 16 in.
= <i>†ve</i>	t; width on bottom	12 in,	.=fee t; depth of ı	water 8 in feet
grade in. to:	rod .fee t fall per one t	housand feet.		en e
	7			
			·	
FILL IN TH	E FOLLOWING IN	FORMATION	WHERE THE WA	ATER IS USED FOR:
IRRIGATION—		$\mathcal{L} = \mathcal{L}(x_0)$		en e
9. The land to	be irrigated has a to	tal area of	3 0	acres, located in each
smallest legal subdir	vision. as follows:	9.		livision which you intend to irrigate)
				livision which you intend to irrigate)
设置 week and a second	LOUIS TO THE REAL PROPERTY	, stader a substant to the second substant to	,	
# 1		,	·	

	<u> </u>	·····	••••	
y - 20				
American Company			·	
		Karing .	gen v	and the second of the second o
·				
194 K.				
138	, (If more space	is required, attach	separate sheet)	
Power, Mining, MA	NUFACTURING, OR TR	ANSPORTATION	Purposes—	
10. (a) Total o	amount of power to	be developed		theoretical horsepower
	all to be utilized		1	
en e	- -	(Head)		
•			_	developed
(d) Such u	orks to be located in.	(1,000	l subdivision)	of Sec
<i>Tp.</i>	., <i>R</i>	., W. M.	i subulvision)	
(140, 14, 01 5.)	(No. E. or W.) er to be returned to a	A second second		
			(les of No)	
				•
	Sec.	, Tp	, R.	(No. E. or W.)
		(N	o. N. or S.)	(NO. E. OF W.)

County, having a present population	ı of	, and an	
(Name of) stimated population ofin 191			
(Answer questions 12, 13, 14, and 1 12. Estimated cost of proposed works, \$\frac{100_{\circ}}{}\$			
	May 25, 1916		
13. Construction work will begin on or before	June 5 1916		
14. Construction work will be completed on or before.			
15. The water will be completely applied to the proper			
· · · · · · · · · · · · · · · · · · ·	July 1, 1916	•••••••	
Duplicate maps of the proposed ditch or other works,	prepared in accordance wit	h the rules of the	
tate Water Board, accompany this application.	Alex. Simonis		
	Richland, Ore.		
4			
Signed in the presence of us as witnesses:			
1) Jay Schultz	Richland, Ore.		
(Name) 2) PT Wyatt	(Address of witness)	***************************************	
(Name) Remarks:	(Address of witness)	•	
Tenans.			
	,		
	·	***************************************	
	· · · · · · · · · · · · · · · · · · ·		
		·	
STATE OF OREGON,			
County of Marion \\ ss.	• · · · · · · · · · · · · · · · · · · ·	en e	
,	INDUNINACITANNI TANDATSAM AMATIK T	he accommonder	
This is to certify that I have examined the foregoing of	-		
This is to certify that I have examined the foregoing of naps and data, and return the same for correction or con	mpletion, as follows:	•••••	
This is to certify that I have examined the foregoing of naps and data, and return the same for correction or correction answers to Questions 4 - 5 - 7 - 8	mpletion, as follows:	•••••	
This is to certify that I have examined the foregoing of maps and data, and return the same for correction or components to Questions 4 - 5 - 7 - 8. Signatures of applicant & witnesses,	mpletion, as follows:	•••••	
This is to certify that I have examined the foregoing of maps and data, and return the same for correction or composed and the foregoing of the same for correction or composed and the foregoing of the same for correction or composed and the foregoing of the same for correction or composed and the same for correction or	mpletion, as follows:	.5	
This is to certify that I have examined the foregoing of maps and data, and return the same for correction or compore answers to questions 4 - 5 - 7 - 8 signatures of applicant & witnesses, Balance of fees \$4.50, & maps. In order to retain its priority, this application mutually	mpletion, as follows:	.5	
This is to certify that I have examined the foregoing of maps and data, and return the same for correction or compositions and the foregoing of the same for correction or compositions are supplied to the same for corrections and the same for corrections and the same for corrections and the same for corrections are same for the same for corrections and the same for corrections are same for corrections and the same for corrections are same for corrections and the same for corrections are same for corrections and the same for correction or corrections are same for correction or corrections are same for correction or corrections and the same for correction or corrections are same for corrections.	mpletion, as follows:	5 e Engineer, with	
This is to certify that I have examined the foregoing of maps and data, and return the same for correction or compositions and the foregoing of the same for correction or compositions are supplied to the same for correction or compositions are supplied to the same for correction or composition and supplied to the same for correction or composition and supplied to the same for correction or correction or correction and supplied to the same for correction or corrections are supplied to the same for correction or corrections are supplied to the same for correction or corrections are supplied to the same for correction or corrections are supplied to the same for correction or corrections are supplied to the same for correction or corrections are supplied to the same for correction or corrections are supplied to the same for correction or corrections are supplied to the same for corrections ar	mpletion, as follows:	.5	
This is to certify that I have examined the foregoing of maps and data, and return the same for correction or components to Questions 4 - 5 - 7 - 8. Signatures of applicant & witnesses, Balance of fees \$4.50, & maps. In order to retain its priority, this application must corrections, on or before. MITNESS my hand this.	mpletion, as follows:	5 e Engineer, with	

Application	No. 4868
Permit No	2921

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No	District A	/ 0		
An experience of the second se	This instrume	ent was first	received	Lista (11 felikisa)	regarden egit
	in the office of	the state of the s		and the second of the second o	, •
	Salem, Oregon,				
	day of Apri			uniterated by the second secon	
	at 1:30	o'clock₽•	m. 		***
emplija kod komunitation in de koman. T	Returned to app April 20		rrection	on Arry Japan	
inger og skalende sk De skalende	Corrected an May 1	oplication rece 3, 1916	eived		
	Ap	oproved: 2 1916			
	Recorded in B	Book No	ll of	e e samen e e e ga e	L GARAÑI
	Permits, on Pag John H Le			a en Sty	
	1 map RS	State	Engineer.	<u>-</u>	
	\$7.	50 -	•		e e e e e e e e e e e e e e e e e e e
STATE OF OREGON,) ·				. 19
County of Marion	\ss.	•		•	
subject to such reasonable rotati The use of the wat Irrigation purpose	er under this				
The amount of water app				. " -	
rotation. The priority date of t	his permit is		April 19	, 1916	
Actual construction work	shall begin on or	· before	May 22,	1917	
and shall thereafter be prosecut	ea wun reasonao				
			0.010 1,	1918	
Complete application of th					
	$(\mathcal{P}_{\mathcal{A}}^{(k)}, \mathcal{P}_{\mathcal{A}}^{(k)}, \mathcal{P}_{\mathcal{A}}^{(k)}) = (\mathcal{P}_{\mathcal{A}}^{(k)}, \mathcal{P}_{\mathcal{A}}^{(k)})$		Oct I, I	313	- "
WITNESS my hand this	2 2d	day o	f13	ay, 19 16	<u></u>
•					
		0.011	TT MONTO		State Engineer.
Permits for power development are	ubject to the limitation	on of franchise as	provided in Sec	e. 6633, Lord's Oregon	n Laws, and the