

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mrs. Harry J. Anderson (MARI L. ANDERSON) of 2406 Jackson Street, Corvallis, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation no

1. The source of the proposed appropriation is Mary's River and unnamed Spring, a tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 0.52 cfs Being 0.52 from Mary's River and 0.01 from Spring

3. The use to which the water is to be applied is stock and irrigation and Domestic and operation of Grade A Dairy

4. The point of diversion is located 864.8 ft. S and 1274.4 ft. E from the NW corner of Sec. 27 T 11S, R 6W, W. M.

Stocks: 728.7 feet south and 2,687.9 feet east from the NW corner of Sec. 27, T. 11 S., R. 6 W., W. M.

diversion SEE REMARKS for spring location being within the NW 1/4 NW 1/4 & NW 1/4 NW 1/4 of Sec. 26 of Sec. 27 T. 11S R. 6W, W. M., in the county of Benton

5. The pipeline to be portable, 1200' in length, terminating in the NW 1/4 of Sec. 26, 27, T. 11S R. 6W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 20 h.p. single phase (with phasing control) electric & 3x2 1/2 centrifugal pump

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

**Canal System or Pipe Line**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 5" mainline ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Meridian	Section	Part-acre Tract	Number Acres To Be Irrigated
11S	6W	22	SE $\frac{1}{4}$ SE $\frac{1}{4}$	5.0
"	"	"	SW $\frac{1}{4}$ SE $\frac{1}{4}$	4.0
"	"	27	NW $\frac{1}{4}$ NE $\frac{1}{4}$	8.0
"	"	"	NE $\frac{1}{4}$ NE $\frac{1}{4}$	24.0
				41.0
		26	NW $\frac{1}{4}$ NW $\frac{1}{4}$	stock
		23	SW $\frac{1}{4}$ SW $\frac{1}{4}$	Domestic
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	Commercial - Dairy

(If more space required, attach separate sheet)

(a) Character of soil ..... silty clay loam

(b) Kind of crops raised ..... forage

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. .... R. .... W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied ONE  
\_\_\_\_\_

- 11. Estimated cost of proposed works, \$ 3,000
- 12. Construction work will begin on or before \_\_\_\_\_ complete
- 13. Construction work will be completed on or before \_\_\_\_\_ complete
- 14. The water will be completely applied to the proposed use on or before 1964

*David L. Anderson*  
Signature of applicant

Remarks: This water is used for livestock only (up to 150 head) and washing  
around Grade A dairy operation. House and milkhouse water is from ~~spring~~  
supply.

A Cont. Spring: S 7 E, 5225 feet from the NE corner of section 27, T 11 S, R 6 W  
being within the NE 1/4 of section 26, T 11 S, R 6 W, W1

Gravity flow through 1 1/2 inch pipe at intake. Water used at house and milkhouse

*R. E.*  
**RECEIVED**  
OCT 2 1959  
STATE ENGINEER  
SALEM OREGON

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before \_\_\_\_\_, 19\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

\_\_\_\_\_  
STATE ENGINEER  
By \_\_\_\_\_  
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.53 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mary's River and an unnamed spring being 0.52 c.f.s. from Mary's River and 0.01 c.f.s. from the spring.

The use to which this water is to be applied is irrigation, domestic use of one family and stock; being 0.51 c.f.s. for irrigation and 0.01 c.f.s. for stock from Mary's River, 0.005 c.f.s. for domestic and 0.005 c.f.s. for use in dairy from the spring.

If for irrigation, this appropriation shall be limited to 1/1000 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 16, 1963

Actual construction work shall begin on or before April 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 1st day of April, 1964

[Signature] STATE ENGINEER

Application No. 39174  
Permit No. 29220

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of October, 1963, at 11:35 o'clock A.M.

Returned to applicant:

Approved:

April 1, 1964

Recorded in book No. 29221 of Permits on page

CAROL L. MESSLER STATE ENGINEER

Change Basin No. 2 page 19B  
Fees 2.00