

RECEIVED

OCT 22 1963

STATE ENGINEER
SALEM, OREGON

Permit No. 29222

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mrs. Elva Surbrick (Name of applicant)

of 307 Washington, La Grande (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Grande Ronde River (Name of stream), a tributary of Snake River.

2. The amount of water which the applicant intends to apply to beneficial use is 8.5 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Portable Pump between Bearing No. 1 - N. 25° 0' W. and Bearing No. 2 - S. 26° 0' E. all along the West side of the Grande Ronde River. Bearing No. 1 located in the NE 1/4, Section 16 and Bearing No. 2 located in the NW 1/4, Section 15, T. 1 S., Range 39 E., W. M., County of Union. Bearings and distances taken from the quarter section corner between Sections 15 - 16 T. 1 S., Range 39 E., W. M., County of Union. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. Tp. R., W. M., in the county of

5. The to be in length, terminating in the of Sec. Tp. R., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., waterway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Portable Pumps with main line and laterals (Specifications not determined as yet) Possible ditching depending upon engineering advice.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S.	39 East	16	SW $\frac{1}{4}$ NW $\frac{1}{4}$.5
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	5.0
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	16.5
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	40.0
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	35.0
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	40.0
1 S.	39 East	17	SE $\frac{1}{4}$ SE $\frac{1}{4}$	1.0
1 S.	39 East	20	NE $\frac{1}{4}$ NE $\frac{1}{4}$	5.5
1 S.	39 East	21	NW $\frac{1}{4}$ NW $\frac{1}{4}$	17.0
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	17.0
(See additional acreage sheet)				177.5

(If more space required, attach separate sheet)

(a) Character of soil Deep medium textured "sand ridge" soils and deep medium textured lowland soils overlying volcanic ash.

(b) Kind of crops raised Grass, Hay, Grain and Peas

Power or Mining Purposes

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivisions)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

29222

Additional acreage to be included in application -

No. 8

Township	Range	Section	Tract	No. of Acres
1 S.	39 East	15	NW $\frac{1}{4}$ NW $\frac{1}{4}$	3.5
		15	SW $\frac{1}{4}$ NW $\frac{1}{4}$	37.1
		15	SE $\frac{1}{4}$ NW $\frac{1}{4}$.04
		15	NW $\frac{1}{4}$ SW $\frac{1}{4}$	24.8
1 S.	39 East	16	NW $\frac{1}{4}$ NE $\frac{1}{4}$	10.0
		16	NE $\frac{1}{4}$ NE $\frac{1}{4}$	5.6
		16	SW $\frac{1}{4}$ NE $\frac{1}{4}$	40.0
		16	SE $\frac{1}{4}$ NE $\frac{1}{4}$	<u>40.0</u>
				161.04
			Listed on application	<u>177.5</u>
				338.54

RECEIVED
JAN 7 1937
S. M. BROWN
Treasurer

Municipal or Domestic Supply

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) \$ for domestic use state number of families to be supplied _____

(Amount including 10, 15, 20, and 25 cent _____)

11. Estimated cost of proposed works, \$ 14,000.00 _____

12. Construction work will begin on or before March 1, 1964 _____

13. Construction work will be completed on or before June 1, 1964 _____

14. The water will be completely applied to the proposed use on or before September 1, 1965 _____

Wrs. E. P. P. Furbrich
(Signature of applicant)

Remarks: Enclosed are legal descriptions and maps covering this application. Noted on the map in color is an area covered under Permit No. 18991. It would appear that an actual Water Right had not been issued. The applicant's husband had a heart attack and died shortly after issuance of the permit and the widow presumed the permit constituted a water right and the lessees of the land have been utilizing the water in accordance with the permit. If this is not valid according to your records, please return the application so that the area in color can be included.

Enclosed check - \$10.00 Exam Fee

19.40 For 177.5 Acres

\$29.40

\$18.60 (Check enclosed for additional acreage of 161.04 acres)

Application amended as shown.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 6, 1964 _____

WITNESS my hand this 5 day of November, 1963 _____

RECEIVED
JAN 9 1964
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Walter B. [Signature]
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 8.46 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Grande Ronde River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acrefeet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the Lower Grande Ronde River is more than 300 c.f.s. at USGS Gage No. 3325 and more than 420 c.f.s. at Ore-Wash border,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 9, 1964

Actual construction work shall begin on or before April 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967.

WITNESS my hand this 1st day of April, 1964

Chris L. Wheeler

STATE ENGINEER

Application No. 39188
Permit No. 29222

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of October, 1963 at 1:22 o'clock P.M.

Returned to applicant:

Approved:

April 1, 1964
Recorded in book No. 63 of 29222
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 12A
Fees \$ 37.45