

RECEIVED
JAN 20 1924
STATE ENGINEER

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Murl Laird

(Name of applicant)

of Sitkum, Route Box 142A Myrtle Point, Oregon

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is East Fork of Coquille River and a Spring, a tributary of Coquille River

(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is * see remarks Exhibit #2 - 1.00 cfs * see remarks cubic feet per second. Exhibit #1 - .11 cfs Exhibit #3 - 0.56 cfs

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Exhibit #1 - Domestic Stock Exhibits #2&3 Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of See "Remarks"

(N. or S.)

(E. or W.)

(Section or subdivision)

Exhibit #1 - 1225 ft. SE corner of Section 10, T. 28 S., R. 11 W., Coos Co., Oregon
Exhibit #2 - 1225 ft. SE corner of Section 10, T. 28 S., R. 11 W., Coos Co., Oregon
Exhibit #3 - 1225 ft. SE corner of Section 10, T. 28 S., R. 11 W., Coos Co., Oregon

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the location of of Sec. 10, Tp. 28 S.

(Give smallest legal subdivision)

(N. or S.)

R. 11 W., W. M., in the county of Coos

(E. or W.)

5. The to be

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the of Sec. 10, Tp. 28 S.

(Smallest legal subdivision)

(N. or S.)

R. 11 W., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam.)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description #1 2 h.p. 53 gal per min. 10 ft. head #2 20 h.p. 450 gal " " 145 ft. head

(Size and type of pump)

#3 15 h.p. 250 gal per min. 140 ft. head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe #1-2700' ft.; size of intake, #1-1 1/2" in.; size at #2-1320' ft. from intake #2-4" in.; size at place of use #2-5" in.; difference in elevation between intake and place of use. #3-2800' ft. Is grade uniform? #3-4" in. #1 & 2 (Sprinklers) Estimated capacity. #1-1" #2-6" #3-4" #1-5' #2-1320' #3-300'

8. Location of area to be irrigated, or place of use sec. ft.

| Township North or South | Range E. or W. of Willacrete Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|----------------------------|---|---------|------------------|------------------------------|
| T 28 S | R 11 W | 10 | SW 1/4 NE 1/4 | 1.0 1.0 Dam - Spraying |
| 28 S | 11 W | 10 | SE 1/4 NE 1/4 | 0.4 0.4 - Spraying |
| 28 S | 11 W | 10 | NE 1/4 SW 1/4 | 1.1 1.1 - Spraying |
| 28 S | 11 W | 10 | NW 1/4 SE 1/4 | 24.4 24.4 - Spraying |
| 28 S | 11 W | 10 | NE 1/4 SE 1/4 | 10.9 10.9 Dam & Stock |
| 28 S | 11 W | 10 | " " | 3.0 3.0 |
| 28 S | 11 W | 10 | NW 1/4 SE 1/4 | 0.3 0.3 |
| 28 S | 11 W | 10 | SE 1/4 SE 1/4 | 29.8 29.8 |
| 28 S | 11 W | 11 | SW 1/4 SW 1/4 | 13.4 13.4 |

(If more space required, attach separate sheet)

(a) Character of soil Clay loam

(b) Kind of crops raised Clover, hay & corn (pasture)

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream, and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied Two

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 6,800.00

12. Construction work will begin on or before Already in use.

13. Construction work will be completed on or before Already in use.

14. The water will be completely applied to the proposed use on or before Water will be applied

on all ground as of this date except acreage not yet cleared. This ground by Jan. 27, 1965

Musgrave Laird
(Signature of applicant)

Remarks: * Exhibit #1 This pump is not only being used to serve 2 residences with water but waters approximately 100 head of cattle.

Furnishes water for chemical spraying of 40 acres of flowers & bulbs which is necessary for a satisfactory crop.

* Exhibit #2 In answering question number 2 on front page of application I have shown total amount of Cubic ft per sec. of water to be taken from this diversion point. Permit # 17788 already allows us 3/8 cu. ft. per sec. of this amount. Exhibit #2 & permit # 17788 will have the same diversion point.

The following diversion points are listed in reference to the S. E. corner of Section 10, T-28 S, R-11 W, W4

No. 1 - N 18° W, 3325 ft, being within the SE 1/4 NE 1/4 of Sec. 10 (Spring)

No. 2 - N 21° W, 3520 ft, " " " SW 1/4 NE 1/4 of Sec. 10 (River)

No. 3 - N 50°45' W, 1285 ft, " " " SE 1/4 SE 1/4 of Sec. 10 (River)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.075 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from East Fork Coquille River

The use to which this water is to be applied is Irrigation, crop spraying, stock and domestic use of two families; being 1.05 c.f.s. for irrigation, 0.01 c.f.s. for stock and 0.01 c.f.s. for domestic use and 0.005 c.f.s. for crop spraying.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 29, 1964

Actual construction work shall begin on or before April 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 1st day of April, 1964

Chris L. Weikler

STATE ENGINEER

Application No. 39454
Permit No. 29296

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of January, 1964, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 1, 1964

Recorded in book No. 81 of

Permits on page 29296

CHRIS L. WEIKLER

STATE ENGINEER

Drainage Basin No. 17 page 22K

Fees 3