

JAN 26 1914

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harold Shepherd  
(Name of applicant)  
of Box 91, McKinley Rte., Myrtle Point  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Cherry Creek  
(Name of stream)  
, a tributary of North Fork of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is .01  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 413.8 ft. S and          ft.          from the NW  
(N. or S.) (E. or W.)  
corner of Section 3, T. 28 S., R. 11 W., W. M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 3, Tp. 28 S.  
(Give smallest legal subdivision) (N. or S.)  
R. 11 W., W. M., in the county of C.O.S.  
(E. or W.)

5. The Pipeline to be 100 ft.  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NW 1/4 NW 1/4 of Sec. 3, Tp. 28 S.  
(Smallest legal subdivision) (N. or S.)  
R. 11 W., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam          feet, length on top          feet, length at bottom           
feet; material to be used and character of construction           
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., roadway over or around dam.)

(b) Description of headgate           
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 H. P. Cent. electric  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of) \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_ one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 150.00
- 12. Construction work will begin on or before \_\_\_\_\_
- 13. Construction work will be completed on or before Complete
- 14. The water will be completely applied to the proposed use on or before in use now

*Harold Shipbird*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_ April 10 \_\_\_\_\_, 1964.

WITNESS my hand this 11th day of February, 1964.

RECEIVED  
MAY 10 1964  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

*Natalie R...*

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Cherry Creek

The use to which this water is to be applied is Domestic use of one family

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 31, 1964

Actual construction work shall begin on or before April 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 1st day of April, 1964

Chris L. Weisler

STATE ENGINEER

Application No. 39462  
Permit No. 29299

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of January, 1964, at 9:00 o'clock A.M.

Returned to applicant:

Approved:

April 1, 1964  
Recorded in book No. 81 of 29299  
Permits on page

CHRIS L. WEISLER  
STATE ENGINEER

Drainage Basin No. 17 page 22K  
Fees