

RECEIVED  
FEB - 1 1924  
STATE ENGINEER  
SALEM, OREGON

Permit No. 29309

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Paul L. Davis  
of SILKUM RE, Box 42, Myrtle Point  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Fork  
a tributary of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 37 1/4  
cubic feet per second. Domestic 1/100 - 15 H.P. irr. Pump 27 3/4 - 7 1/2 H.P. irr. Pump 08 1/4

3. The use to which the water is to be applied is Domestic Supply & Irrigation

4. The point of diversion is located 620 ft. S and 100 ft. E from the NW  
corner of Sec 36

15 H.P. irrigation system - 405 ft S; and 1075 ft E from the  
NW corner of Section 36

7 1/2 H.P. irrigation system - 1675 ft N and 1640 ft.  
East from the SW corner of Section 36

being within the 1/4 1/4 of Sec. 36, Tp. 28 S

R. 12 W., W. M., in the county of Coos

5. The Sec Remarks to be  
in length, terminating in the of Sec. Tp.

R., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom  
feet; material to be used and character of construction

(Leave rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam.)

(b) Description of headgate  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description See Remarks  
(Site and type of pump)

(Site and type of engine or motor to be used, total head water to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

39378

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 3020 ft.; size at intake, See Remarks in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? yes Estimated capacity, 4 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
28 S	12 W	36	NW 1/4 NW 1/4	15 1/4 <u>DOMESTIC</u>
28 S	12 W	36	NE 1/4 NW 1/4	0 1/2
28 S	12 W	36	SW 1/4 NW 1/4	5 1/4
28 S	12 W	36	SE 1/4 NW 1/4	1 3/4
28 S	12 W	36	NW 1/4 SW 1/4	3 0
28 S	12 W	36	NE 1/4 SW 1/4	3 6

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam  
 (b) Kind of crops raised Hay + Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

Tp. ...., R. ...., W. M. ....

(f) Is water to be returned to any stream? .....  
 (Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500

12. Construction work will begin on or before begin 1947

13. Construction work will be completed on or before 1963

14. The water will be completely applied to the proposed use on or before 1963

X Paul R. Davis

(Signature of applicant)

Remarks: Domestic Water System - pressure pump Electric Motor pipeline 730' from pump via barn to house terminating in NW 1/4 NW 1/4 Sec. 36, Twp. 28 S., Rge. 12 W.

15 HP irrigation System - Electric Motor driven centrifical pump 6" intake pipe, 990 ft mainline 4" terminating in SE 1/4 SW 1/4 Sec 36, Twp. 28 S., Rge. 12 W.

7 1/2 HP system (irrigation) - 4" intake centrifical pump with 4" mainline 490' terminating in NW 1/4 SW 1/4 Sec 36 Twp 28 S Rge 12 W.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.365 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Coquille River

The use to which this water is to be applied is Irrigation and domestic use of one family: being 0.36 c.f.s. for irrigation and 0.005 c.f.s. for domestic use.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 4, 1964

Actual construction work shall begin on or before April 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 1st day of April, 1964

Chris L. Weisler STATE ENGINEER

Application No. 30479
Permit No. 29309

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of February, 1964 at 8:00 o'clock A.M.

Returned to applicant:

Approved: April 1, 1964
Recorded in book No. 61 of 29309
Permits on page

CHRIS L. WEISLER STATE ENGINEER
Drainage Basin No. 17 page 22K
Fees \$25.00