

RECEIVED
 FEB 1934
 STATE ENGINEER
 SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Eugene Reed
(Name of applicant)
 of Box 1115, Myrtle Point
(Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Fork of Coquille River
(Name of stream)
 a tributary of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02
 cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic supplies and stock
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
watering 0.01 cubic feet per second each

4. The point of diversion is located 1020 ft. S and 2020 ft. E from the N¹
(N. or S.) (E. or W.)
 corner of Section 20
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Gov't Lot 4 (NE¹NE¹) of Sec. 20, Tp. 29 S
(Give smallest legal subdivision) (N. or S.)

R. 12 W, W. M., in the county of COOS
(E. or W.)

5. The Pipeline to be 600 feet
(State ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the Gov't Lot 4 (NE¹NE¹) of Sec. 20, Tp. 29 S
(Smallest legal subdivision) (N. or S.)

R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 H.P. electric cent. pump
(Size and type of pump)
lifting water 30 feet
(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be covered, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

COPYRIGHT NO 37170

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 600
- 12. Construction work will begin on or before Completed
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before In use 1964

Eugene A. Reed
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 27, 1964.

WITNESS my hand this 25th day of February, 19 64

RECEIVED
FEB 25 1964
By *Walter M. [Signature]*
CHRIS L. WHEELER
STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Fork Coquille River

The use to which this water is to be applied is Livestock and domestic use of one family; being 0.005 c.f.s. for livestock and 0.005 c.f.s. for domestic use.

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 7, 1964

Actual construction work shall begin on or before April 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 1st day of April 1964

Charles L. Weiler
STATE ENGINEER

Application No. 39490
Permit No. 29314

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of February 1964, at 1:00 o'clock A. M.

Returned to applicant:

Approved: April 1, 1964
Recorded in book No. 81 of 29314
Permits on page

CHARLES L. WEILER
STATE ENGINEER

Drainage Basin No. 17 page 22K
Fees \$20.00