

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Edward Grant Johnson, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Middle Creek, a tributary of North Fork of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 0.625 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 600 ft. S and 250 ft. E from the NW corner of SW 1/4 of NW 1/4 of sec 33

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 33, Tp. 27 S

R. 11 W., W. M., in the county of Coos

5. The Pipeline to be 2400 ft in length, terminating in the NE 1/4 NE 1/4 of Sec. 32, Tp. 27 S

R. 11 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 10 H.P. Electric Motor Centrifugal Pump - 30 ft lift.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2400 ft.; size at intake, 4" in.; size at 700 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? yes Estimated capacity, 0.65 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S	11 W	32	NE 1/4 NE 1/4	13 1/2
27 S	11 W	32	SE 1/4 NE 1/4	11 1/4
27 S	11 W	33	SW 1/4 NW 1/4	25 1/2

(If more space required, attach separate sheet)

(a) Character of soil Clay Loam

(b) Kind of crops raised Pasture + Hay

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2400.00

12. Construction work will begin on or before May 1, 1964

13. Construction work will be completed on or before June 1, 1964

14. The water will be completely applied to the proposed use on or before June 15, 1964

(Signature of Applicant)
Edwrsa H. Johnson

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.625 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Middle Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 14, 1964

Actual construction work shall begin on or before April 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 1st day of April, 1964

[Signature]

STATE ENGINEER

Application No. 39508
Permit No. 29321

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of February, 1964 at Salem o'clock A. M.

Returned to applicant:

Approved:

April 1, 1964

Recorded in book No. 81 of 29321 Permits on page

CURIS L. WENZEL
STATE ENGINEER

Drainage Basin No. 17 page 228
Fees 13.00