*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

5. Thepipeline	************************
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is North Fork of the Coque of arrown and arrown as a tributary of Coquille River 2. The amount of water which the applicant intends to apply to beneficial use is cold feet per second. (If water is to be applied is high and the analysis of constitution of the control of diversion is located 1480 ft. N. and 1512 ft. E. (R. W.) The point of diversion is located 1480 ft. N. and 1512 ft. E. (R. W.) The point of diversion is located 1480 ft. N. and 1512 ft. E. (R. W.) The point of diversion of Sec. 36, T. 285., R. 12W. W.M., #2 P. In Previous in is located (R. W.) The source of Sec. 36, T. 285., R. 12W. W.M., #2 P. In Previous in is located (R. W.) The point of diversion of the sweet of Sec. 36, T. 285., R. 12W. W.M., #3 is located 580 ft. S. and 2055 ft. E. from the Nort Sec. 1s T. 295., R. 12 W. W. M. The proposed location and the the described the accordance of the state	·····,
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is North Fork of the Coquing a tributary of Coquille River 2. The amount of water which the applicant intends to apply to beneficial use is the season of the proposed appropriation in the season of Coquille River 2. The use to which the water is to be applied is irrigation and domes (trigation, power, mining, manufacturing, a control of diversion is located 1480 ft. N. and 1512 ft. E. (t. e. w.) 1. The point of diversion is located 1480 ft. N. and 1512 ft. E. (t. e. w.) 1. The point of diversion is located 1480 ft. N. and 1512 ft. E. (t. e. w.) 2. The use to which the water of Sec. 36. T. 285. R. 12W. W. M. #2 Pt. Diversion is located (t. e. w.) 2. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 3. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located 1480 ft. N. and 2512 ft. E. (t. e. w.) 4. The point of diversion is located	appropriate the
1. The source of the proposed appropriation is North Fork of the Coquition of stream of the coquition of stream of the coquition of stream of the coquition of	HTS:
a tributary of Coquille River 2. The amount of water which the applicant intends to apply to beneficial use is solic feet per second. (If water is to be used from more than one source, give quantity from second for the control of	
2. The amount of water which the applicant intends to apply to beneficial use is the feet per second. (If water is to be used from more than one source, give quantity from second for more than one source, give quantity from second for more than one source, give quantity from second for more than one source, give quantity from second for more than one source, give quantity from second for more than one source, give quantity from second for the use to which the water is to be applied is intrigation, sow, mining, manufacturing. #1 4. The point of diversion is located 1480 ft. N. and 1512 ft. E. (R. et w.) mer of Sec. 36. T. 28S. R. 12W. W. M#2 Pt. Diversion is located diversion or subdivision. #3 is located 580 ft. S. and 2055 ft. E. from the Nort Sec. 1. T. 29S. R. 12 W. W. M. All production, give distance and bearing to section corner) (If there is more than one point of diversion, and must be described. On separate door if necessary) ing within the GOV. t. Lot. 7 (NEASW1) of Sec. 36 , T. 12 *** *** *** *** *** *** *** *** *** *	lle River
or water is to be used from more than one source, give quantity from second. The use to which the water is to be applied is irrigation and domes (Brigation, power, mining, manufacturing, and 1512 ft. E. (B. or K.) The point of diversion is located 1480 ft. N. and 1512 ft. E. (B. or K.) The point of diversion is located 1480 ft. N. and 1512 ft. E. (B. or K.) The point of diversion is located 1480 ft. N. and 1512 ft. E. (B. or K.) The point of diversion is located 1480 ft. N. and 1512 ft. E. (B. or K.) The point of diversion is located 1480 ft. N. and 1512 ft. E. (B. or K.) The point of diversion is located 1480 ft. N. and 1512 ft. E. (B. or K.) The point of diversion is located 1480 ft. S. and 2055 ft. E. from the North Sec. 1. T. 298., R. 12 W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of the SW corner of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 36. T. 288., R. 12W. W. M. The point of Sec. 3	
#1 4. The point of diversion is located 1480 ft. N and 1512 ft. E (x or w) mer of Sec. 36, T. 288, R. 12W. W. M. #2 Pt. Diversion is located Continue or subdivision OO ft. E. from the SW corner of Sec. 36, T. 288, R. 12W. W. M. #3 is located 580 ft. S. and 2055 ft. E. from the Nort Sec. 1. T. 298., R. 12 W. W. M. Constitution of Sec. 36 T. 288 R. 12W. W. M. Constitution of Sec. 3	0.194
#1 4. The point of diversion is located 1480 ft. N and 1512 ft. E (x or w) mer of Sec. 36, T. 288, R. 12W. W. M. #2 Pt. Diversion is located Continue or subdivision OO ft. E. from the SW corner of Sec. 36, T. 288, R. 12W. W. M. #3 is located 580 ft. S. and 2055 ft. E. from the Nort Sec. 1. T. 298., R. 12 W. W. M. Constitution of Sec. 36 T. 288 R. 12W. W. M. Constitution of Sec. 3	
4. The point of diversion is located 1480 ft. N and 1512 ft. E (B. or W) mer of Sec. 36, T. 28S, R. 12W, W.M., #2 Pt. Diversion is located (Bestin or substrates) Of the Entropy the SW corner of Sec. 36, T. 28S, R. 12W, W.M., #3 is located 580 ft. S. and 2055 ft. E. from the North Sec. 1. T. 29S., R. 12 W. W. M. The point of diversion and bearing to section corner) The Sec. 1. T. 29S., R. 12 W. W. M. The point of the Sw corner of Sec. 36 ft. E. from the North Sec. 1. T. 29S., R. 12 W. W. M. The point of the Sw corner of Sec. 36 ft. E. from the North Sec. 36 ft. E.	
Sec. 1. T. 29S., R. 12 W. W. M. (If there is near the one point of direction, and must be described. Due apparate door if accountry) ing within the GOV't Lot 7 (NEISWI) of Sec. 36 , T # Gov't Lot/Editor annalest legal and direction. NENW 12 W. M., in the country of COOS & GOV't Lot 12 (NEINWI) Sec. R. 5. The pipeline (Interest legal and direction) (Interest legal and direction) (Interest legal and direction) DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet; material to be used and character of construction feet; material to be used and character of construction	
Sec. 1. T. 29S., R. 12 W. W. M. (If there is more than one point of diversion, each must be described. One separate door if necessary) ing within the GOV't Lot 7 (NEISWI) of Sec. 36 , T #\$ Gov't Lot//Rairre maillest legal medivision.) NENW 12. W. M., in the county of COOS & GOV't Lot 12 (NEINWI) Sec. (In w. W.) 5. The pipeline to be (International of pipe line) of Sec. 7 (Included legal medivision) (Included legal medivision) DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet, length on top feet, material to be used and character of construction	
(If there is now than one point of diversion, each small be described. The separate door if necessary) ing within the GOV't LOT 7 (NEISWI) of Sec. 36 , T 12 be , W. M., in the county of COOS & GOV't LOT 12 (NEINWI) Sec R. 5. The	west cor.
(If there is now than one point of diversion, each small be described. The separate door if necessary) ing within the GOV't LOT 7 (NEISWI) of Sec. 36 , T 12 be , W. M., in the county of COOS & GOV't LOT 12 (NEINWI) Sec R. 5. The	
ing within the GOV't LOT 7 (NETSW1) of Sec. 36 T Sec. 7 Lot / Editor annalist legal medication. NENW / Sec. 8. 1.2 M , W. M., in the county of COOS & GOV't LOT 12 (NETNW1) Sec. R. 5. The pipeline to be (Main annal or pipe line) of Sec. 7. (Included legal medication)	4
DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet; material to be used and character of construction	. 1,T.29S., 12 W. W. M.
DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet; material to be used and character of construction	p, (M. er S.)
version Works— 6. (a) Height of dam feet, length on top feet, length on top feet, length on top	
feet; material to be used and character of construction	
feet; material to be used and character of construction	length at bottom
	rock, concrete, mesonry,
k and brush, timber orb, ote, wasteway over or around dam)	
(b) Description of headgate	
(Timoer, centres, etc., number and une of opening	
(c) If water is to be pumped give general description 2 pumps, one is a	1 UP Jet
ec. and the other is a 5 MP elec. centrifugal. Water is	
(files and type of engine or motor to be used, total head water in to be lifted, etc.) Ifted 20 feet.	

"A different form of application is provided where strongs wells are contemplated.

"Application for permits to appropriate water for the generation of electricity with the conspires of municipalities, must be under to the
resistant Commission. When of the above forms may be assumed, without east, together with instructions by addressing the dista Engineer, failum.

dgate. At head	lgate: width on to	p (at water	r line)	feet; width on botton
			feet; grade	
usand feet.			headgate: width on top (at wate	
			• :	
and the second s	feet; width on bo	ttom	feet; depth of u	pater fee
de	feet fall	per one tho	rusand feet.	
(c) Length	of pipe,	ft	;; size at intake,	in.; size at
m intake	in.: :	rize at place	e of use in.; di	fference in elevation between
			Is grade uniform?	
			13 gruse unique mo	
· 8. Locatio	sec. ft. n of area to be ir	rigated, or	place of use	
	Range			Number Acres To Be Irrigated
Township North or South	E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres 10 at 21 at
28 S	12 W	36	Lot 7 (NEISWI)	0.75
28 S	12 W	36	NW1SW1	1.25 & Domest
28 S	12 W	36	Lot 6 (SWISWI)	1.00
				11.75
29 S	12 W	1	Lot 12 (NEINWI)	• 11.75
· · · · · · · · · · · · · · · · · · ·	<u> </u>			
· · · · · · · · · · · · · · · · · · ·			N.	
·				
			·.	
•				
		(V	pace required, attach separate sheet)	
(a) C	haracter of soil		y Loan	
	-		ss Pasture	
over or Minia		u		
	•	ower to be	developed	theoretical horsepor
			for power	
				·
		•	(Heed)	
(d) 1		-	reans of which the power is to b	•
	*******************	•••••		
(e) S	Such works to be	located in	(Legal subdivision)	of Sec.
	, R			
(0.00.00.00				
			y stream?(You or No)	
(g)	lf so, name stream	n and locat	e point of return	***************************************
***************************************		, Sec	, Tp	, R, V

CHRIS L. WHEELER

STATE ENGINEER

ASSESTANT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein gran	ated is limited to the	amount of	water which c	an be applied	
and shall s	not exceedO.	185 cubic feet	per second	measured at t	he point of di	iversion from the
stream, or River	its equivalent in	case of rotation with	other wate	er users, from	North For	k Coquille
The		water is to be applied				•
		005 c.f.s. for do				
If fo	r irrigation, this	appropriation shall be		1/80th		one cubic foot per
second or i	its equivalent for	each acre irrigated	and sh	all be furt	her limited	to a diversion
		re feet per acre				
season o	f each year,					
		-				
***************************************		······································	•			
***************************************			······································	••••••••••••	······································	;
***************************************	·····				•••••••	
The	priority date of t	reasonable rotation s his permit is pork shall begin on or	Pe	bruary 25,]	1964	•
	•	ith reasonable diligen				
	•	of the water to the pr			•	·
		hisdag	=	~		
W11	INESS my nana t	nıs daş	y oy	pril		
				The Z	stal.	STATE ENGINEER
,		÷				
Application No. 39575 Permit No. 29327	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Bugineer at Salem, Oregon, on the LLA day of Lake trained fry my safe, at LLA octook A. M.	plicant:	April 1, 1964	Recorded in book No. 182 of mits on page 29327	CHRIS L. MERLER STATE ENGINEER 1 No. 17 page 224
Applica Permit	TO APPR WATI	This instruction of fice of the St. on the 12.5. 12. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	Returned to applicant:	Approved:	Recorded in book No Permits on page	CHBIS L. Drainage Basin No. //