

RECEIVED
OCT 10 1963

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, U.S. Forest Service, Sitouaw National Forest

(Name of applicant)

of P.O. Box 11, Corvallis

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Scheelhouse Creek

(Name of stream)

, a tributary of Alsea River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is public campground

(Irrigation, power, mining, manufacturing, domestic supply, etc.)

4. The point of diversion is located 500 ft. E and 2000 ft. E from the NW

(N. or S.)

(E. or W.)

corner of Sec. 6, T. 14S., R. 9W., Sec. 1, T. 14S., R. 10W., and Sec. 21, T. 13S., R. 9W., W.M.

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4, NW 1/4 of Sec. 6, Tp. 14S.

(Give smallest legal subdivision)

(N. or S.)

R. 9W., W. M., in the county of Lincoln

(E. or W.)

5. The pipe to be 300 feet

(State ditch, canal or pipe line)

(Dikes or feet)

in length, terminating in the NE 1/4, NW 1/4 of Sec. 6, Tp. 14S.

(Smallest legal subdivision)

(N. or S.)

R. 9W., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., washway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

- 11. Estimated cost of proposed works, \$2500. _____
- 12. Construction work will begin on or before July 30, 1964 _____
- 13. Construction work will be completed on or before September 30, 1964 _____
- 14. The water will be completely applied to the proposed use on or before September 30, 1964 _____

Ernest Bennett
(Signature of applicant)

ACTING FOREST SUPERVISOR

Remarks:

Letter dated 10-28-63; water supply for approx 30 persons by means of
4 hydrants and 2 fountains.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____ correction

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before _____ June 3, 1964

WITNESS my hand this _____ 1st day of _____ April, 19 64

RECEIVED
APR 13 1964

CHRIS L. WHEELER

STATE ENGINEER
SALEM, OREGON

Walter King

STATE ENGINEER

ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Schoolhouse Creek

The use to which this water is to be applied is public campground

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 10, 1963

Actual construction work shall begin on or before May 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 1st day of May, 1964

Chris L. Wheeler
STATE ENGINEER

Application No. 39151
Permit No. 29342

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of October, 1963, at 8:00 o'clock A.M.

Returned to applicant:

Approved: May 1, 1964

Recorded in book No. 82 of 29342 Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 18 page 12C
Fees 20.00