PAPPLACATION POR PRINTE

To Appropriate the Public Waters of the State of Oregon

Noste 1, Ber 227, Browney!	ille, Oregon	97321		**********	
			•		• .
B of	., do hereby m	ike applicatio	n for a pe	rmit to ap	propriate
wing described public waters of the Sta	ite of Oregon, S	UBJECT TO	Existin	G RIGHT	'S :
If the applicant is a corporation, give	date and place	of incorporat	ion	***************************************	
1. The source of the proposed appropri	iation isC	lapocya Ri	ver thru	Browns	rille Di
	., a tributary o	. Willamo	tte Rive		
					.01
2. The amount of water which the app	Meant intends 1	o apply to be	nejicial w	le 18	
c feet per second	a de de De mend dem e				
**3. The use to which the water is to be	ennlied is	Irrientio	n D	-	
3. The use to which the water is to be	appara a	krigation, power, m	ining, manufac	stering, demost	ile supplies, et

4. The point of diversion is located	1150 ft 1	I. and 15	0 ft.	E. from	n the MW
14334 - M3-A N.Y. G	or.	or 8.)	(18.	er W.)	
er of William Templeton D.L.C.	No. 40			······································	***************************************
		·			
diversion: 7 chains S. and 1.2		rom the NE	······································	of D.L.C.	, # <u>4</u> 1)
diversion: 7 chains S. and 1.2 (Execution is more than one spint of the gradual	ive distance and bearing	of to costlem corner)			
(If probable, of the case of the case of the diverge of the case o	re distance and beach	D.L. G, Sec.			
(If probable, of the pr	re distance and beach	D.L. G, Sec.			
(If predictable, of there is more thin one opint of direction of the county of the cou	return and heath rates, each must be de in Alford in whell tion	D.L. Gy Sec.	to about if non	, Tp	14 S.
(If predictable, of the county of	return and heath rates, each must be de in Alford in whell tion	D.L. Gy Sec.	to about if non	, Tp	14 S.
(If predictable, of (If there is more thin one spint of dive g within the	reditions and beach rates, each must be de 1 in Alford interviews into physical	D.L. G, Sec to be	4	(Miss or So., Tp, Tp	14 S. (H. er S.) (J. er S.) (J. er S.)
(If predictable, of (If there is more thin one spint of dive g within the	reditions and beach rates, each must be de 1 in Alford interviews into physical	D.L. G, Sec to be	4	(Miss or So., Tp, Tp	14 S. (H. ers.)
(If predentile, at (If there is more thin one point of dive g within the	reten, each must be de 1 in Alford inhalfordina subdivision) linn stee line) legal subdivision) cation being sho	D.L. Gy Sec	4	(Nice or Sec, Tp, Tp	14 S. (H. er S.) (J. er S.) (J. er S.)
(If prederable, of (If there is more thin one point of dive g within the	reditions and beach rates, each must be de 1 in Alford interviews into physical	D.L. Gy Sec	4	(Nice or Sec, Tp, Tp	14 S. (H. er S.) (J. er S.) (J. er S.)
(If predictable, of (If there is more thin one spint of dive g within the	relea, each must be de in Alford instruction inst pure line) cation being sho CRIPTION OF	to be worth throughout	32 ut on the a	(Miss or is	14 S. (H. er S.) 13 S. (H. er S.) ing map.
(If predicable, of (If there is more thin one spint of dive g within the Mil NE as projected (Green makes legal 2 W., W. M., in the county of	ries, each must be de in Alford inn pre-lies legal subdivision) cation being sho CRIPTION OF feet, length	to be works WORKS on top	32 at on the a	(Miles or loss) Company Company Company	13 S. (N. ers.) ing map.
(If predicable, of (If there is more thin one spint of dive ing within the	ries, each must be de in Alford inn pre-lies legal subdivision) cation being sho CRIPTION OF feet, length	to be works WORKS on top	32 at on the a	(Miles or loss) Company Company Company	13 S. (N. ers.) ing map.
(If yesterable, of there is more than one spint of diverge within the MW. NE. as projected (Otto smallest legal of the country of	ries, each must be de in Alford inn pre-lies legal subdivision) cation being sho CRIPTION OF feet, length	to be works WORKS on top	32 at on the a	(Miles or loss) Company Company Company	13 S. (N. ers.) ing map.
(If predictable, of (If there is more thin one spint of dive ing within the	ire distance and booth rates, and must be de fin Alford in Alford interiors interiors interiors cation being sho defined and character of	to be works WORKS on top	4 32 ut on the a	(Miss or to	14 S. (N. er a.) 13 S. (N. er s.) ing map.
(If predicable, of the constraint of the country of	retain, each must be del in Alford i	to be worth or to be worth of Sec	32 ut on the a	Company feet, len	14 S. (N. er a.) 13 S. (N. er s.) ing map.
(If predictable, of (If there is more thin one spint of dive ing within the	retain, each must be del in Alford i	to be worth or to be worth of Sec	32 ut on the a	Company feet, len	14 S. (N. er a.) 13 S. (N. er s.) ing map.
(If predicable, of (If there is more thin one spint of dive g within the	rice distance and books rice, each must be de 1 in Alford inn plue line) legal subdivision) cation being sho CRIPTION OF feet, length and character of	to be of Sec	32 at on the a	(Lesse red	13 S. (N. er a.) ing map.
(If predicable, of the country of th	rice distance and books rice, each must be de 1 in Alford inn plue line) legal subdivision) cation being sho CRIPTION OF feet, length and character of	to be of Sec	32 at on the a	(Lesse red	13 S. (N. er a.) ing map.
(If predicable, of the country of th	rice distance and books rice, each must be de 1 in Alford inn plue line) legal subdivision) cation being sho CRIPTION OF feet, length and character of	to be of Sec	32 at on the a	(Lesse red	13 S. (N. er a.) ing map.
(If predicable, of the country of th	ire distance and books rates, and must be de 1 in Alford inn plue limit cation being sho CRIPTION OF feet, length and character of	to be of Sec	32 at on the a	(Lesse red	13 S. (N. er s.) ing map.

System or Pa		Complete or the second		naed in size, stating miles from
7. (a) Give	dimensions at a	ich point of ci	ine) tohere meseriany cha	nged in size, stating miles from
gate. At headg	ate: width on to	p (at water l	ine)	feet; width on bottom
				feet fall per one
(b) At				ater line)
fe	eet; width on bo	ttom	feet; depth (of water feet
le	feet fall	per one thous	and feet.	
(c) Length	of pipe,	ft.;	size at intake,	in.; size at f
n intake	in.;	rize at place o	f use in.,	difference in elevation between
ike and place	of use,	ft. Is	grade uniform?	Bstimated capacity
	sec. ft.		ace of use	
8. Location	7	rigates, or po	, , , , , , , , , , , , , , , , , , ,	Number Agres To Be brigated
Township North or South	Remote B. or V. of Williamotte Moridian	Custien	Surly-acre Track.	
13 8.	2 W.	32	met ant	.25
:			NET SAF	.50
				.75
				`
				-
•				
				·
			nce required, attach separate shoot)	
(a) C	haracter of soil			
(L) Т	Sind of crops rai	ed	***************************************	
Power or Minis	og Purposes-			
				theoretical horsepo
		-	or power	
(c) 1	Total fall to be	tilized	(Mond)	eet.
(d) '				s to be developed
(0)		e located in		of Sec.
				· · · · · · · · · · · · · · · · · · ·
	ers.) R		y stream?(You or No)	•
			•	
				, R. ors.) (No. E. or W.)

Line County, Oregon as sees appears on the plat thereof of record in the office the County Becorder of Line County, Oregon. All of Block Four (h) of Kirk's Second Addition to the team of Nort massville in Line County, Oregon, as said block appears on the plat of said addi Line County, Oregon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cor	sicipal of Domes	tie Supply-				293	6
(b) If for domestic was state manager of families to be supplied 11. Bottomated exist of proposed works, 8. 12. Construction work will be completed on or before	* (4) 70 -4	pity the day of					
(b) If for domestic was state manager of families to be supplied 11. Bottometed cost of proposed works, \$ 12. Construction work will be completed on or before		County, h	soling a process?	population of .		·····	
11. Belianted cost of proposed works, \$. In 20	j. ve iz.	•	
11. Solvented cost of proposed works, \$				amillas da lia a	المالحد	•	
11. Estimated cost of proposed works, \$ 12. Construction work well begin on or before	10)41					<u> </u>	
12. Construction work will be completed on or before			1. C	N. and W. S. all species			
14. The water will be completely applied to the proposed use on or before Completed L.B.:	11. Bolimated	cost of proposed a	vorks, #	************		40 mg	
14. The water will be completely applied to the proposed use on or before Completed L.B.:	12. Constructi	lon work will beg	in on or before .	Completed			
Remarks: 1.B.: All of Elock Five (5) in Kirk's Second Addition to North Brownsville Linn County, Oregon as sense appears on the plat thereof of record in the office the County Becorder of Linn County, Oregon. All of Elock Four (4) of Kirk's Second Addition to the tesm of North mesville in Linn County, Oregon, as said block appears on the plat of said addit Linn County, Oregon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany appeared of the State Engineer, with cor- ons on or before. 19	P 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	A			mpleted		
Remarks: 1.B.: All of Elock Five (5) in Kirk's Second Addition to North Brownsville. Linn County, Oragon as sense appears on the plat thereof of record in the office the County Secondary of Linn County, Oragon. All of Elock Four (4) of Kirk's Second Addition to the team of North Memorylle in Linn County, Oragon, as said block appears on the plat of said addition County, Oragon, and subject to the right of way for a water ditch or mill me as shown on said plat. TATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompany appeared data, and return the same for the county of Marion, In order to retain its priority, this application must be returned to the State Engineer, with corions on or before						Completed	
Remerks: All of Elock Five (5) in Eirk's Second Addition to North Brownsvill. Lian County, Oregon as sees appears on the plat thereof of record in the office the County Recorder at Linn County, Oregon. All of Elock Four (4) of Eirk's Second Addition to the term of North massville in Linn County, Oregon, as said blook appears on the plat of said addit Lian County, Oregon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany appe and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cor ons on or before	12. The water	. April of Combrases	A chimer to twe	proposes use o			••••
Remerks: L.B.: All of Elock Pive (5) in Eirk's Second Addition to North Brownsville. Lian County, Oregon as sens appears on the plat thereof of record in the office the County Recorder of Linn County, Oregon. All of Elock Four (4) of Eirk's Second Addition to the team of North Remeville in Linn County, Oregon, as said blook appears on the plat of said addition County, Oregon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corions on or before				0	00		••••
All of Elock Pive (5) in Eirk's Second Addition to North Brosmsville Lina County, Oregon as sees appears on the plat thereof of record in the office the County Necorder of Lina County, Oregon. All of Elock Four (4) of Kirk's Second Addition to the term of North measuille in Lina County, Oregon, as said block appears on the plat of said addit Lina County, Oregon, and subject to the right of way for a water ditch or mill see as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cor ions on or before				> DEE	Commence of a	AL	
All of Elock Five (5) in Eirk's Second Addition to North Brosmaville Linn County, Oregon as seems appears on the plat thereof of record in the office the County Recorder of Linn County, Oregon. All of Elock Four (4) of Kirk's Second Addition to the term of North memorille in Linn County, Oregon, as said block appears on the plat of said addit Linn County, Oregon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany haps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cor ions on or before				***************************************			
All of Elock Pive (5) in Eirk's Second Addition to North Brownsville. Line County, Oragon as some appears on the plat thereof of record in the office the County Becorder of Line County, Oragon. All of Elock Four (A) of Eirk's Second Addition to the term of North Removille in Line County, Oragon, as said block appears on the plat of said addition County, Oragon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	1	L.D.:			•		
Line County, Oregon as seem appears on the plat thereof of record in the office the County Recorder of Line County, Oregon. All of Block Four (A) of Kirk's Second Addition to the team of North mesoville in Line County, Oregon, as said block appears on the plat of said addi Line County, Oregon, and subject to the right of way for a water ditch or mill the as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cor- ions on or before. 19		All of Block Fi	ive (5) in Ki	rk's Second	Addition to	North Brownsvil	110
All of Block Four (4) of Eirk's Second Addition to the team of North American Line County, Oregon, as said block appears on the plat of said addition County, Oregon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany tape and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cortons on or before.						, , , , , , , , , , , , , , , , , , , 	****
All of Block Four (A) of Kirk's Second Addition to the team of North mesville in Line County, Oregon, as said block appears on the plat of said addition County, Oregon, and subject to the right of way for a water ditch or mill see as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cortions on or before 19	Lina County,	Oregon as semi	appears on	the plat the	stant of tac	Old III are our	
Imm County, Oregon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany appear and data, and return the same for	the County B	ecorder of Lin	n County, Ore	gon.			
Imm County, Oregon, and subject to the right of way for a water ditch or mill be as shown on said plat. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for		All of Block Po	omer (A) of Ed	rk's Second	Addition to	the term of Nor	rt
TATE OF OREGON, as: County of Marion, This is to certify that I have examined the foregoing application, together with the accompany apps and data, and return the same for	newille in l	Oregon, and s	*************		******		
TATE OF OREGON, as: County of Marion, This is to certify that I have examined the foregoing application, together with the accompany apps and data, and return the same for	newille in l	Oregon, and s	ubject to the		******		
TATE OF OREGON, SS. County of Marion,	newille in l	Oregon, and s	ubject to the		******		
TATE OF OREGON, SS. County of Marion,	newille in l	Oregon, and s	ubject to the		******		
TATE OF OREGON, SS. County of Marion,	newille in l	Oregon, and s	ubject to the		******		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany caps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cortions on or before	newille in l	Oregon, and s	abject to the	right of w	ay for a wat		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany caps and data, and return the same for	newille in l	Oregon, and s	abject to the	right of w	ay for a wat		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany caps and data, and return the same for	newille in l	Oregon, and s	ubject to the	right of w	ay for a wat		
This is to certify that I have examined the foregoing application, together with the accompany caps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corions on or before	Linn County,	Oregon, and so	ubject to the	right of w	ay for a wat		
In order to retain its priority, this application must be returned to the State Engineer, with corions on or before	Linn County, oe as shown o	Oregon, and so n said plat.	ubject to the	right of w	ay for a wat		
In order to retain its priority, this application must be returned to the State Engineer, with corions on or before	Linn County, ce as shown or TATE OF OREC County of Man	GON, and so	ubject to the	right of w	ay for a wat	er ditch or mil	1
In order to retain its priority, this application must be returned to the State Engineer, with corions on or before	Linn County, ce as shown or TATE OF OREC County of Mark	GON, ass. ion, Sertify that I have	examined the	right of w	ay for a mai	er ditch or mil	ını
ions on or before, 19, 19	Linn County, ce as shown or TATE OF OREC County of Mark	GON, ass. ion, Sertify that I have	examined the	right of w	ay for a mai	er ditch or mil	ing
ions on or before, 19, 19	TATE OF OREA County of Marr This is to c	GON, ass. ion, sertify that I have	e examined the	right of w	ay for a mai	er ditch or mil	ing
	TATE OF OREC	GON, and so said plat. GON, ass. ion, ass. certify that I have	examined the	right of w	ay for a mai	er ditch or mil	ing
WITNESS my hand this day of 19, 19	TATE OF OREC County of Mart This is to compe and data, an	GON, ass. ion, ss. certify that I have no retain its priority	e examined the	foregoing appli	ay for a mai	er ditch or mil	ing
WITNESS my hand this day of	TATE OF OREC County of Mart This is to compe and data, an	GON, ass. ion, ss. certify that I have no retain its priority	e examined the	foregoing appli	ay for a mai	er ditch or mil	ing
	TATE OF OREC County of Mart This is to compe and data, an	GON, ass. ion, ss. certify that I have no retain its priority	e examined the	foregoing appli	ay for a mai	er ditch or mil	ing
	TATE OF OREA County of Mark This is to county and data, and In order to ions on or before	GON, and some said plat. GON, ass. ion, ass. certify that I have nd return the same	e examined the	foregoing appli	ication, together	er ditch or mil	ing
	TATE OF OREA County of Mark This is to county and data, and In order to ions on or before	GON, and some said plat. GON, ass. ion, ass. certify that I have nd return the same	e examined the	foregoing appli	ication, together	er ditch or mil	ing
	TATE OF OREA County of Mark This is to county and data, and In order to ions on or before	GON, and some said plat. GON, ass. ion, ass. certify that I have nd return the same	e examined the	foregoing appli	ication, together	er with the accompa	ing
	TATE OF OREA County of Marr This is to county and data, and In order to ions on or before	GON, and some said plat. GON, ass. ion, ass. certify that I have nd return the same	e examined the	foregoing appli	ication, together	er with the accompa	lani

STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

hall not exceed	0.01	cubic feet po	er second me	soured at the	e point of d	iversion from the
m, or its equivale						ooya River
m, or us equivalen	er ar come of	russium with t	March March 20			
*******************************					**************************************	······································
The use to which	h this engter i	s to be applied		irrigati	.08	

***************************************		•		4 04000 0000000000000000000000000000000		************************
If for irrigation,	this appropri	istion shall be i	imited to	1/809	of	one cubic foot p
nd or its equivalen	st for each ac	re irrigated .	nd shall be	further	limited to	a diversion
not to exseed	42 acre les	T DEL SCIO	TOL SECT ST	I LILL	WE WELL	
son of each ye	er,					······
•••••						
	••••••	·····				·····
					••••••••	
			•	· <u>.</u>	***************************************	
***************************************					-	

				."		
shall be subject t	h	able rotation =	ustem as mau	be ordered	by the prope	r state officer.
andit de subject t	v 4800 156401		,	Jamer	. B. 1964	
The priority da	te of this per	mit is				
Actual constru	ction work sl	hall begin on o	r before	May 1,	1965	and sh
reafter be prosect						
	ication of the	water to the p	roposed use s	hall be made		e October 1, 19.6
Complete appl						
		lst do	y of	May	, 19.	*

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 2th day of clemant arry.
What at Rive o'clock I W.

Returned to applicant:

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Permit No. 29360

Application No. 39342

Party Principle State

Drainage Basin No. 2 page 3C

Recorded in book No.

Kay 1, 1964

Approved:

Permits on page 29360

CHEES L. MEETE