

RECEIVED

JAN 30

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Albert Burelbach and Althea F. Burelbach of 124 Miller Ave., Dallas, Polk Co., State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rickard Creek, a tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 0.005 cubic feet per second.

3. The use to which the water is to be applied is Domestic, including irrigation of shrubs.

4. The point of diversion is located 1567 ft. South and 700 ft. West from the corner of 25R36 T75R6WWM

being within the SE 1/4 NW 1/4 of Sec. 36, Tp. 7S, R. 6W, W. M., in the county of Polk

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Shallow wall, Fairbanks Morse Electric.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

57222

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E. or W. of Wisconsin Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 7S, 6W, 36, SE 1/4 NW 1/4, Domestic.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Round)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

11. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

- 12. Estimated cost of proposed works, \$ _____
- 13. Construction work will begin on or before _____ completed _____
- 14. Construction work will be completed on or before _____ completed _____
- 15. The water will be completely applied to the proposed use on or before _____ completed since _____ 19____.

Mrs. Gilbert Beurelbach
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER
By _____
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rickreall Creek

The use to which this water is to be applied is domestic use of one family including irrigation of not to exceed one-half acre lawn and garden.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 30, 1964

Actual construction work shall begin on or before May 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967.

WITNESS my hand this 1st day of May, 1964

Chris L. Miller

STATE ENGINEER

Application No. 39460
Permit No. 29388

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of January, 1964, at 2:30 o'clock P. M.

Returned to applicant:

Approved:

May 1, 1964

Recorded in book No. 82 of 29388 Permits on page

CHRIS L. MILLER
STATE ENGINEER

Drainage Basin No. 2 page 76A27

Fees 20.00