

*APPLICATION FOR PRINCE

To Appropriate the Public Waters of the State of Oregon

L R. A. Fletcher
Box 106, Ukish, Oregon
Chilling chilush
date of
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporationSpring. Branch
1. The source of the proposed eppropriation is Spring Branch of Pine Greek
, a tributery of
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second
**3. The use to which the water is to be applied is
4. The point of diversion is located50 ft
corner ofSection 23
Reing within the NkNW of Section 23, Twp. 5 South- Rag. 31 E.W.N.
(2f produceble, give dirinace and bearing to section corner)
Cit there is more than one point of diversion, each must be described. The separate sheet if necessary) seting withhin the
(Citre emellest legal embelvision) Off. or 2.) R
5. The Pipe line or Sprinkler line to be 300 feet and 500 feet
in length, terminating in the SESESSIAND NEMBONS of Sec. Ut & 23 , Tp. 5 Sout
R. 31 East W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bo
feet; material to be used and character of construction
resk and brush, timber offi, etc., wasterney ever or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description 3. HePa Cantrifical (the and type of pump)
Gasoline Engine - 1600 R. P. M. China and type of engine or motor to be used, total based water to be lifted, etc.)
"A different forms of application to provided where storage weeks are contemplated.

"A different form of application is provided where storage weeks are contemplated.

"Application for permits to appropriate water for the generation of electricity, with the emorphism of municipalities, must be made to the Mydrochestric Commission. Wither of the above forms may be seemed, without each, together with instructions by addressing the finite Engineer, finism

A STATE OF S				nged in size, stating miles f
		- T		feet; width on bot
uand feet.	feet; depth of w	ater	feet; grade	feet fall per
(b) As	······································	miles from head	igate: width on top (at w	zter line)
				f water f
le	feet fall	per one thousas	nd feet.	
and the second company	Sept in mary that is to	And the second second	•	in.; size at20
	4.			difference in elevation betw
		•		Estimated capac
ataring _{in th} ang	sec. ft.	je. 20 g	rade unijorm:	Estimatea capac
		rigated, or plac	e of use	
Township North or South	Range R. or V. or	Section .	Party-sere Treat	Number Acres To Be Irrigated
	Williamotto Moridian			
5 South	31 East	23	NWNW	5.2 acres
5 South	31 East	<u> 14 </u>	SWSW	3.4 acres
				<u> </u>
· ·			· .	
				,
· · · · · · · · · · · · · · · · · · ·			paired, attack asperate about)	
(a) Cho	tracter of soil	Silt to	Silty clay loam	
		Pastu	re and hay	
ver or Mining		man da ka dawal		theoretical horsepo
			wer	sec. ft.
			(Read) feet.	•
(d) Th	e nature of the w	orks by means	of which the power is to	be developed
······································			·	
(e) Su	ch works to be lo	cated in	(fami mbilinia)	of Sec.
	, R			
			CTus or Ho)	
				•

3. (a) To supply the city of	***************************************
County, having a present	population of
	in 19
(b) If for dominate un state number of	families to be supplied
11. Pitimated cost of proposed works, \$ 80	€ 4.†
12. Construction work will begin on or before	·
. 13. Construction work will be completed on or	
14. The water will be completely applied to the	proposed use on or before
Fig. 1 St.	PO-TAHL
	J. C. Summer
Company of the second of the s	
Remarks:	
	-
<u> </u>	***************************************

The second of th	
* ***	
	•

	······································
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the j	oregoing application, together with the accor
maps and data, and return the same for	
In order to retain its priority, this applicatio	n must be returned to the State Engineer, wit
tions on or before,	19
WITNESS may hand this day of	
	SPACE 1

The use to which this water is to be applied is		ot exceed	0.11	cubic feet	per second	measured at	the point	of dive	rsion from t
The use to which this water is to be applied is 1rrigation If for irrigation, this appropriation shall be limited to 1/4000 of one cubic foot passes of its equivalent for each acre irrigated and shall be further limited to a diversion and to exceed a acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the John Day River is more than 55 c.f.s. at USGS Gage No. 14-0460, more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0460 and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is Narch 6, 1364 Actual construction work shall begin on or before May 1, 1965 and si thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966. Complete application of the water to the proposed use shall be made on or before October 1, 1966. WITNESS my hand this 1st day of Nay 1, 1964.	tream, or				-				
The use to which this water is to be applied is If for irrigation, this appropriation shall be limited to If for irrigation, this appropriation shall be limited to second or its equivalent for each acre irrigated and shall be further limited to a diversion on the exceed 4 sere feet per sere for each acre irrigated during the irrigation season of each year; previded further that the right to use of water is limited to the period when the flow of the John Day River is more than 55 c.f.s. at USGS Gage No. 14-0465, more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more th									
The use to which this water is to be applied is If for irrigation, this appropriation shall be limited to If for irrigation, this appropriation shall be limited to second or its equivalent for each acre irrigated and shall be further limited to a diversion and to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year; previded further that the right to use of water is limited to the period when the flow of the John Day River is more than 55 c.f.s. at USGS Gage No. 14-0465, more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0480, The priority date of this permit is March 6, 1964 Actual construction work shall begin on or before Nay 1, 1965 and shall be resecuted with reasonable diligence and be completed on or before October 1, 1966 Complete application of the water to the proposed use shall be made on or before October 1, 1966 WITNESS my hand this 1st day of Nay , 1964	***************************************	•		•					
If for irrigation, this appropriation shall be limited to	The	use to which	this wate	er is to be applie	d is	irrige	tion		
If for irrigation, this appropriation shall be limited to									
second or its equivalent for each acre irrigated and shall be further limited to a diversion on to exceed 4 acre feet per acre for each acre irrigated during the irrigation. season of each year; previded further that the right to use of water is limited to the period when the flow of the John Day River is more than 55 c.f.s. at USGS Gag No. 14-0460, more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. The priority date of this permit is	-	***********		····					
not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year; previded further that the right to use of water is limited to the period when the flow of the John Day River is more than 55 c.f.s. at USGS Gag No. 14-0460, more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0480, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is Harch 6, 1964 Actual construction work shall begin on or before Nay 1, 1965 and st thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966 Complete application of the water to the proposed use shall be made on or before October 1, 1966 WITNESS my hand this 1st day of Nay 1, 164	If for	r irrigation,	this appro	priation shall be	limited to	1/40		of one	e cubic foot
season of each year; provided further that the right to use of water is limited to the period when the flow of the John Day River is more than 55 c.f.s. at USGS Gage No. 14-0460, more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more	second or i	ts equivalen	t for each	acre irrigated	nd shall	be further	· limited	l to a	diversion
the period when the flow of the John Day River is more than 55 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No.									
the period when the flow of the John Day River is more than 55 c.f.s. at USGS Gage No. 14-0465, more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14				•					
No. 14-0460, more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0460, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is	•••••								
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is			_						
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is	***************************************								
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is	at USGS	Gage No.	14-0480,	·			······································		
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is	·····								
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is					•		•		
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is									
The priority date of this permit is	 ,	4 / 4 * 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4					······································		
Actual construction work shall begin on or before		•		•	-				
Complete application of the water to the proposed use shall be made on or before October 1, 19.66. WITNESS my hand this let day of May 19.64. STATE ENGINEER	The	priority dat	e of this p	ermit is	······································	March	6, 1964		
Complete application of the water to the proposed use shall be made on or before October 1, 19.64 WITNESS my hand this lot day of May 19.64 STATE ENGINEER	Act	ual construc	tion work	shall begin on	or before	May 1	, 1965	·	and s
WITNESS my hand this 1st day of Ney 1964	thereafter	be prosecu	ted with r	easonable dilige	nce and be	completed or	n or before	: Octobei	1, 1966
TATE ENGINE	Con	nplete appli	cation of t	he water to the j	proposed us	se shall be m	ade on or	before O	ctober 1, 19
Application No. 376// Permit No. 29435 Permit No. 29435 APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON Sinat'sment was first received in the sinat'sment was first received in the of the State Engineer at Salem, Oregon, Let State Engineer at Salem,		INESS my i	hand this .	lst d	sy of	Ney		., 1964	
Permit No. 29435 Permit No. 29435 Permit No. 29435 WATERS OF THE STATE OF OREGON State Engineer at Salem, Oregon, Let State Engineer at Salem, Oregn, Let State Engineer at Salem, Oregn, Let State Engineer at Salem,	, wr				***********	chi	Lo	-20	? •
Permit No. 29435. Permit No. 29435. PERMIT O APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON of the State Engineer at Salem, Oregon, at Biggs of Mellek. (at Biggs o'clock At. M. at Biggs o'clock At. M. at Dock No. 82 of sorded in book No. 82 of state in book No. 6 page 30A gre Basin No. 6 page 30A	` , w r							-	STATE ENGINE
Application No. 376// Permit No. 29435 Permit No. 29435 APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON Sinativement use first received in the state Engineer at Salem, Oregon, and to applicant: Set Bidge o'clock A. M. Set Bidge o'clock	WI								
Permit No. 376// Permit No. 37435 PERMIT O APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON of the State Engineer at Salem, Ore of the State Is no page 170 and page 170 and page 170 are Engin No. 6 page 370	` WI	 '	_		_				
Application No. 29435 Permit No. 29435 Permit No. 29435 APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON OF OREGON State Engineer at Salem Let day of Mallel A. at Bay of Mallel A. at Bay 1, 1964		<u>.</u>	1	8 6 1	1		9		7
Permit No. 294. Permit No. 294. PERMIT O APPROPRIATE THE ST. OF OREGON OF OREGON of the State Engineer at St. f the State Enginer		inc		of the the			8		30 A
Permit No. 29 Permit No. 29 Permit No. 29 NATERS OF THE TO OF OREGO OF OREG		PUBLIC		cerves in the siem, Oregon,		è		35	A12 2000
Permit No. — PERI O APPROPRIAT WATERS OF ORI OF		F PUBLIC	z	is received in the it Salem, Oregon, C.C.A.		ě		435	STATE SPORTS
Application Permit No. Permit No. OAPPROPS OF		MIT E THE PUBLIC	EGON	reer at Salem, Orogon, Me C.C.A.				29435	C page 30A
Applica Permit Permit AAPPB WAATB Of the St ad to opp to Basis	1	INTE THE PUBLIC	OREGON	was jirst rectived in the ingineer at Salem, Oregon, of MELLS.		6		29435	IS L. WHEELER STATE TO STATE T
		PERMIT OPRIATE THE PUBLIC	OF OREGON	nent was first received in the its Engineer at Salem, Oregon, day of ML/Ch.	doent:			29435	CHRIS L. WHERER FANTS STORY
		PERMIT PPROPRIATE THE PUBLIC	OF OREGON	a State Engineer at Salem, Oregon, of day of MELLA.	p applicant:	6		29435	CHRIS L. WHERLER GTATE STORY

Pee 15 00