

RECEIVED  
MAR 16 1964  
STATE ENGINEER  
SALMON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, BEN E WOOD  
Box 18 Broadbent Rte, Myrtle Point,  
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is COQUILLE RIVER  
(Name of stream)  
a tributary of COQUILLE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0-66.3  
cubic feet per second. Approximately 0-33 From each of 2  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is IRRIGATION  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1030 ft. S and 1500 ft. E from the NW  
(N. or S.) (E. or W.)  
corner of Sec 21 - DIVERSION POINT II 2 is  
(Section or subdivision)  
LOCATED 1710 FT. S AND 2730 FT. E FROM  
THE NW CORNER OF SEC. 21

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the 1/4 NE 1/4 2 SW 1/4 NE 1/4 of Sec. 21, Tp. 29 S,  
(Give straight legal subdivision) (N. or S.)  
R. 12 W, W. M., in the county of COOS 11 - 1017 FT  
(N. or W.)

5. The PIPELINES to be 112 - 830 FT  
(Give diam, canal or pipe line) (Diameter or feet)  
in length, terminating in the 1/4 SW 1/4 NW 1/4 2 SE 1/4 NW 1/4 of Sec. 21, Tp. 29 S,  
(Straight legal subdivision) (N. or S.)  
R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.  
(N. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam NONE feet, length on top NONE feet, length at bottom  
feet; material to be used and character of construction NONE  
(Less rock, concrete, masonry)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate NONE  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 10 + 15 HORSE PUMPS  
(Size and type of pump)  
Applicable information in this section  
AMOUNT OF WATER 0-66.3  
APPROXIMATELY 0-33 FROM EACH OF 2 POINTS.

\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be altered, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

20153

PIPE LINE

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6 in PIPE feet; width on bottom 6 in feet; depth of water 8 FT. AT TAKE feet; grade 15 FT. LIFT feet fall per one thousand feet.

(b) At NONE miles from headgate: width on top (at water line) NONE feet; width on bottom NONE feet; depth of water NONE feet; grade NONE feet fall per one thousand feet.

(c) Length of pipe, 20 ft. ft.; size at intake, 6 in in.; size at 20 ft. ft. from intake 6 in in.; size at place of use 4 in in.; difference in elevation between intake and place of use, 15 ft. ft. Is grade uniform? yes Estimated capacity, MAY BE 921 PER MINUTE if desired sec. ft.

8. Location of area to be irrigated, or place of use pasture land

Township North or South	Range E. or W. of Wisconsin Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S	12 W	21	NW 1/4 NW 1/4	75
29 S	12 W	21	NE 1/4 NW 1/4	33
29 S	12 W	21	SW 1/4 NW 1/4	190
29 S	12 W	21	SE 1/4 NW 1/4	260
29 S	12 W	21	SW 1/4 NE 1/4	73
				3.1

(If more space required, attach separate sheet)

(a) Character of soil SANDY LOAM

(b) Kind of crops raised PASTURE + Hay

Power or Mining Purposes

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream?

(g) If so, name stream and locate point of return

Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

18. (a) To supply the city of \_\_\_\_\_

County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

29  
APPLICABLE

11 Estimated cost of proposed works, \$ 2,000

12 Construction work will begin on or before ALREADY COMPLETED

13 Construction work will be completed on or before ALREADY COMPLETED

14 The water will be completely applied to the proposed use on or before JUNE 15TH

*Bone Wood*  
(signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 3, 19 64.

WITNESS my hand this 1st day of April, 19 64.

RECEIVED  
APR 15 1964  
STATE ENGINEER  
CHRIS L. WHEELER  
STATE ENGINEER  
Assistant

PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.66 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Coquille River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 16, 1964

Actual construction work shall begin on or before May 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967.

WITNESS my hand this 1st day of May, 1964

*Charles L. Wheeler*  
STATE ENGINEER

pe  
Application No. 39639  
Permit No. 29453

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of March, 1964, at 8:22 o'clock A. M.

Returned to applicant:

Approved: May 1, 1964  
Recorded in book No. 82 of 29453  
Permits on page

CARLIS L. WHEELER  
STATE ENGINEER  
Drainage Basin No. 17 page 724  
Fees \$20.00