

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

Dr. Eugene F. Bowlin

I, Dr. Eugene F. Bowlin
P.O. Box 1147, Brookings, Ore.

of Oregon
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Winchuck River
(Name of stream)
Pacific Ocean, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.219
Half from Point 1 and half from Point 2
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1. 555 S 271 E NW
2. 227 S 60 W NE ft. and ft. from the
SW 1/4 Sec. 8, T41S, R12W, W.W.
corner of (Section or subdivision)

(If preferable, give distance and bearing to section corner)

being within the 1. SE 1/4 NE 1/4
2. SW 1/4 NE 1/4 of Sec. 8, Tp. 41S
(Give smallest legal subdivision) Curry (N. or S.)
R. 12 W, W. M., in the county of Curry

5. The pipeline (irrigation-movable) to be 1000 ft.
(Main ditch, canal or pipe line) 1. NW 1/4 NE 1/4
in length, terminating in the 2. NE 1/4 NE 1/4 of Sec. 8, Tp. 41S,
(Smallest legal subdivision) (N. or S.)
R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.
(N. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Leave rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Electric pump 125 gal./min.
(Size and type of pump)
15 #30 rainbird sprinklers
(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(State or)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 800

12. Construction work will begin on or before Now completed

13. Construction work will be completed on or before Now completed

14. The water will be completely applied to the proposed use on or before Now being used

Eugene J. Beahm
(Signature of applicant)

Remarks: The same pipeline and pump is used at both point 1 and point 2. The water is pumped from natural pools in the river.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

By
STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Winchuck River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 15, 1964

Actual construction work shall begin on or before May 20, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 20th day of May, 1964

Chris L. Weisler STATE ENGINEER

Application No. 39744

Permit No. 29489

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of April, 1964, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 20, 1964

Recorded in book No. 82

29489

Permits on page

CHRIS L. WEISLER STATE ENGINEER

Drainage Basin No. 15 page 24

Fees 15