

RECEIVED
APR 27 1934
STATE ENGINEER
SALEM

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Herbert E. and Uila O. Morrill
(Name of applicant)

of Sixes
(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Crystal Creek
(Name of stream)
Sixes, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.26
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is stock pasture (irrigation)
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 647 ft. S. and 428 ft. E. from the 4 Sec.
corner of Section 9
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NE 1/4 of Sec. 9, Tp. 32 S.
(Give smallest legal subdivision) (N. or S.)

R. 15W, W. M., in the county of Curry
(R. or W.)

5. The pipeline, irrigation, moveable to be 1820 ft.
(State ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 SE 1/4 of Sec. 4, Tp. 32 S.
(Smallest legal subdivision) (N. or S.)

R. 15W, W. M., the proposed location being shown throughout on the accompanying map.
(R. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., roadway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 H.P. electric pump
20 rain bird NO. 30. Water pumped from natural pool in creek
(Give and type of pump) (Give and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
_____ County, having a present population of _____
(State of)
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ _____ 1900
- 12. Construction work will begin on or before _____ Completed now in use
- 13. Construction work will be completed on or before _____ Completed as of now
- 14. The water will be completely applied to the proposed use on or before _____ Now being used

Herbert E. Merrill
(Signature of applicant)
W. O. Merrill

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.26 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Crystal Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 27, 1964

Actual construction work shall begin on or before May 20, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967.

WITNESS my hand this 20th day of May, 1964

Chris L. Weisler
STATE ENGINEER

Application No. 39782
Permit No. 291M

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of April 1964, at 8:00 o'clock A. M.

Returned to applicant:

Approved: May 20, 1964
Recorded in book No. 82 of 291M
Permits on page

CHRIS L. WEISLER
STATE ENGINEER

Drainage Basin No. 17 page 46
Fees