

RECEIVED  
JAN 27 1954  
STATE ENGINEER  
SALMON DIVISION

Permit No. 2711

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, ROBERT A. AND ANNA E. HOWARD  
(Name of applicant)  
of PO Box 35 BEAVER,  
(Mailing address)  
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is LACROIX CREEK  
(Name of stream)  
, a tributary of WILLAMETTE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.03  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is GARDEN IRRIGATION  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located APPROX. 100 ft. N and 100 ft. W from the  
(N. or S.) (E. or W.)  
corner of SAID PROPERTY, WHICH IS 1304.45' N + 178' W OF SE  
(Section or subdivision)  
COR. OF SEC. 25  
(North 1404.45' and West 198' from the SE corner of section  
25, T7S, R5W)

(If preferable, give distance and bearing to section corner)  
SECOND DIVERSION, APPROX. 1400 FT. North and 600 FT West from SE Cor Sec 25  
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 25, Tp. 7 SOUTH,  
(Give smallest legal subdivision) (N. or S.)  
R. 5 WEST, W. M., in the county of POLK  
(E. or W.)

5. The Portable Pump + Portable Hoses to be 2-100 ft or more  
(Name ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the 2.27 AC. of Sec. 25, Tp. 7 SOUTH,  
(Smallest legal subdivision) (N. or S.)

R. 5 WEST, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description House Power Centre Pump  
(Size and type of pump)  
and 1-2 hp Cent. Pump  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Applicator for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williamsite Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7S	5W	25	NE 1/4 SE 1/4	2.27

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised GARDEIN VEGETABLES

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

11. Estimated cost of proposed works, \$ \_\_\_\_\_

12. Construction work will begin on or before MAY 1<sup>st</sup> 1964

13. Construction work will be completed on or before OCT. 1<sup>st</sup> 1964

14. The water will be completely applied to the proposed use on or before OCT. 1<sup>st</sup> 1964

Roberta Howard  
(Signature of applicant)  
Anna E. Howard

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion  
completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 30, 1964.  
May 12, 1964.

WITNESS my hand this 30th day of January, 1964.  
12th day of March, 1964

RECEIVED  
MAR 20 1964  
STATE ENGINEER  
SALEM, OREGON

RECEIVED  
MAR 17 1964  
STATE ENGINEER  
SALEM, OREGON

By Chris L. Wheeler  
STATE ENGINEER  
Assistant

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rickreall Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 27, 1964

Actual construction work shall begin on or before June 19, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 19th day of June, 1964

Chris L. Wheeler STATE ENGINEER

Application No. 29421 Permit No. 29513

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of January, 1964, at 11:00 o'clock A. M.

Returned to applicant:

Approved: June 19, 1964 Recorded in book No. 82 of 29513 Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 76229 Fees