	Ī	•	I	•	Ĭ		À	į	ŧ	t		1		Ы	k	: 1	Wa	ıtı	78	Ç	f	the	e	Sta	ite	of	0	reg	on
	1	-	h	6	ير.	e.	74	1	L	Ø	Ē.	1	F	2	d	a	eı	2		·				*******				_	
44	್ಷ		_	_ :					. 2	_					·	T (iii	-	el a		10				_	2.5				

	Permit No. 2050
losts,	
E	"APPLICATION FOR PRENET
15	To Appropriate the Public Waters of the State of Oregon
1	, I Howard Lee Rodgers
	5itkum Rt. Box 2+C Myrtle Point, Oreg.
7	do hereby make application for a permit to appropriate the
	following described public vectors of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is North Fork
	, a tributary of Coaselle River
	2. The amount of water which the applicant intends to apply to beneficial use is
	cubic feet per second. O. O/
	**3. The use to which the water is to be applied is
	- 4
	auga N
•	4. The point of diversion is located 848.81. N and ft. from the S. E
	4. The point of diversion is located 848.81. N and ft. from the S. E. corner of N. E. 4 of S. W. 4 of Sec. 3, Tp. 295. R. 12 W.
	4. The point of diversion is located 848.84. N and ft. from the S. E. corner of N. E. 4 of S. W. 4 of Sec. 3, Tp. 295. R. 12 W. (dection or materials)
	4. The point of diversion is located 848.84. N and ft. from the S. E. corner of No. E. 4 of S. W. 4 of Sec. 3, Tp. 295. R. 12 W. (Bedien et admirate)
	4. The point of diversion is located 848.81. N and ft. from the S. E. corner of N. E. 4 of S. W. 4 of Sec. 3 Tp. 295. R. 12 W.
	4. The point of diversion is located 848.81. N and ft. from the S. E. corner of N. E. 4 of S. W. 4 of Sec. 3, Tp., 295., R. 12 W. Gestion or substitutes. Tp., 295., R. 12 W.
	4. The point of diversion is located 848.81. N and ft. from the S. E. corner of N. E. 4 of S. W. 4 of Sec. 3, Tp. 295. R. 12 W. Chestian or middle from (If predominia, give distance and bearing to continuous observer) (If there is many than one point of diversion, each must be described. The superate short if necessary) being within the N. E. 4 of S. W. 42 of Sec. 3, Tp. 295
	(If predominia, give distance and bearing to section corner) (If there is more than one point of discontine, such must be described. Use separate about if accounty) being within the No.E.A. of S. W.A. of Sec. 3, Tp. 295 (Otre prediction)
	(If prederable, give distance and bearing to meetin corner) (If there is more than one point of direction, each most be described. Use separate about if necessary) being within the No.E.A.O.F.S.W.D. of Sec. 3, Tp. 295 (Otre smallest legal subdivision) (N. or S.)
	(If predomble, give distance and bearing to certain corner) (If there is more than one point of diversion, each must be described. The apparate short if accountry) being within the No. E. A. of S. W. A. of Sec. 3 , Tp. 295 (Give simulated legal redshoulded) R. /2 W. M., in the country of COOS (R. or W.) 5. The PIPE 1198 to be 530 (Hillie et foot)
	(If there is more than one point of diversion, each must be described. Use separate short if necessary) being within the No. E. A. of S. M. D. of Sec. 3, Tp. 295 (Give smallest legal subdivision) R. A. M., W. M., in the county of COOS (B. or W.) 5. The PIPE INDE to be 530 (Bline stick, small or plays then) (Bline stick, small or plays then) in length, terminating in the So. E., Co. of N. E. M. of S. M. S. M. So. 3, Tp. 295 (Bushinst legal subdivision) (R. or B.)
	(If predomble, give distance and bearing to certain corner) (If there is more than one point of diversion, each must be described. The apparate short if accountry) being within the No. E. A. of S. W. A. of Sec. 3 , Tp. 295 (Give simulated legal redshoulded) R. /2 W. M., in the country of COOS (R. or W.) 5. The PIPE 1198 to be 530 (Hillie et foot)
	(If there is more than one point of diversion, each most be described. Use separate short if necessary) being within the No. E. A. of So. W. D. of Sec. 3, Tp. 295 (Obve smallest legal subdivision) R. /2 W., W. M., in the country of COOS (Blain etch, escal or pipe line) in length, terminating in the So. E. C. of N. E. L. S. W. Joj Sec. 3, Tp. 295 (Buillest legal subdivision) R. /2 W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS
	(If there is ment than one point of diversion, each must be described. Use separate short if necessary) being within the No. E. A. of So. W. D. of Sec. 3, Tp. 295 (Give smallest legal subdivision) R. /2 W., W. M., in the country of COOS (B. or W.) 5. The PPE / 1992 (Blain ethic, essel or place line) (R. or B.) R. /2 W., W. M., the proposed location being shown throughout on the accompanying map.
	(If there is more than one paths of distance and bearing to earlies corner) (If there is more than one paths of distance and bearing to earlies corner) being within the No. E. A. o. F. S. W. L. of Sec. 3 , Tp. 295 (Give smallest legal subdivision) R. /2 W., W. M., in the country of COOS (Base W.) 5. The (Base State) (Base of the section) in length, terminating in the S. E. C. of N. E. t. S. S. L. of Sec. 3 , Tp. 295 (Base of feet) R. /2 W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom
	(If there is more than one point of diversion, each most be described. Use separate sheet if secondary) being within the No. E. G. of So. W. D. of Sec. 3. Tp. 295 (Otto smallest legal subdivision) R. 12 W., W. M., in the country of COOS (It or W.) 5. The DIPE INSE to be 530 (Itialise section) in length, terminating in the So. E. C. of N. E. D. F. M.
	(If there is more than one point of direction, each most be described. The superate there if necessary) being within the No. E. C. S. M. D. of Sec. 3, Tp. 295. (Obversabled legal middrates) R. /2 W., W. M., in the country of COOS (State within the S. E. C. of P. M. D. G. S. M. D. O. S. (Illian cond. cond or pipe line) in length, terminating in the S. E. C. of P. M. D. G. S. M. D. Sec. 3, Tp. 295. (Basilion legal middrates) R. /2 W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
	(If there is more than one point of diversion, each must be described. Use separate short if necessary) being within the No. 1. 2. 4. 4. 5. 1. 4. 4. 0 of Sec. 3, Tp. 295 (Give smallest legal subdivision) R. 12 W., W. M., in the country of COOS (Bellion of feet) 5. The PPP INE 100 More than one point of the more than or place than one place than one place than the place than one place that the place that
	(If there is more than one point of direction, each most be described. The superate there if necessary) being within the No. E. C. S. M. D. of Sec. 3, Tp. 295. (Obversabled legal middrates) R. /2 W., W. M., in the country of COOS (State within the S. E. C. of P. M. D. G. S. M. D. O. S. (Illian cond. cond or pipe line) in length, terminating in the S. E. C. of P. M. D. G. S. M. D. Sec. 3, Tp. 295. (Basilion legal middrates) R. /2 W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

A STATE OF THE STA			unal where materially change	· .
			ine)	•
risand feet.	est; depth of w	ster	feet; grade	feet fall per o
(b) At	السندين	niles from he	edgate: width on top (at wate	r line)
	eri eritek en ke	er en	feet; depth of u	pater fe
bile	feet fall	per one thous	and feet.	101
A STATE OF THE STA			size at intake,	in.; size at 60
m intake 2	funding to:	size at place o	f usein.; di	fference in elevation betwe
			grade uniform? 170	Estimated capac
			grade unijorni.	
	sec. ft. of area to be in	rrigated, or pl	ace of use	
				Number Acres To Be Irrigated
Herth or South	S. or W. of Will-supetto Moridian	- Coction	Purity-acre Tract	
295	12W	3	N.E. & S.W. 4	Domestic
		a di		·
· · · · · · · · · · · · · · · · · · ·		-		
	·		-	
		•		
	<u> </u>			
·	<u> </u>			
•		,	o required, ettack reperate sheet)	·
(a) Ch	aracter of soil .	······································		• · · · · · · · · · · · · · · · · · · ·
(b) Ki	nd of crops raise	ed		
Power or Mining	-			
9. (a) To	tal amount of p	ower to be de	veloped	theoretical horsepo
(b) Q	uantity of water	to be used for	power	sec. ft.
(c) T o	tal fall to be ut	ilized	feet.	
			ms of which the power is to b	ne developed
(0) 1/			in of amount the peace is to to	
•••••••••••••••••••••••••••••••••••••••	••••••••••••••••••		*	
(e) St	uch works to be	located in	(Legal subdivision)	of Sec.
	, R	•		
			tream?	
· (f) Is			(Yes or No)	
			point of return	



all not exceed 0.005 cubic feet per secon	ed measured at the point of diversion from
, or the equivalent in case of rotation with other w	ster users, from North Fork Coquille
***************************************	***************************************
The use to which this water is to be applied is don	
If for irrigation, this appropriation shall be limited t	•
or its equivalent for each acre irrigated	***************************************

	•••••••••••••••••••••••••••••••••••••••
	•
-	
	•
	•

all be subject to such reasonable rotation system as	• • • • • • • • • • • • • • • • • • • •
The priority date of this permit is	23, 1964
Actual construction work shall begin on or before	June 19, 1965 and
fter be prosecuted with reasonable diligence and bo	e completed on or before October 1, 19.66.
Complete application of the water to the proposed u	use shall be made on or before October 1, 1
WITNESS my hand this	
···	, 17

State Printing State

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

office of the State Engineer at Salem, Oregon, This instrument was first received in the on the 28 day of Macch

Returned to applicant:

18 64, at 6:00 o'clock A. M.

Recorded in book No. 82 June 19, 1964

Approved:

Permits on page

CHRIS L. WHEELER

page 224

Drainage Basin No. 17