つった かんしゃ

•	Ħ) ²	A			M	the	P	Alle.	Water	rs of	the	State	of	Orego:
j		•	-	The A	74.4		HEU			ग काल	id Vi	UIC	DIALE	UI	UI CKUI

As.	egg et i saa Ak-	ederfer i i i i i	w _i ····································	· .		Permit No.	203
		AND PUBL	Se en el en el en el en	ر. بالمحقولية			
			· *AFFEE	ATRON POR P	THE		*
		and and a few					
. #	IV AP	reprise.	the Publ	t Waters	of the St	ate of Or	egon
		ereld 7	مراء			•	
					Sale	***************************************	
of	_1272						
81	es of	egan.	·,	do hereby mak	e application for	a permit to ap	p ropri ate
fo	llowing descri	ibed public wat	ers of the State	of Gregon, SU	BJECT TO EXI	STING RIGHT	S:
	If the app	Mount is a corp	oration, give de	ste and place of	incorporation		
-		141444			-		
	1 The so	week of the mon		4- t-	FE Pag	11:	<i>D</i> ·
		ercit of end brok	neer abbrobue	NOR W	(Hame	of stream)	18,14.4
****	***************************************	**************			B19 7		,
	*,		•		apply to benefici	•	
CI		cond. 0.9	City makes to	to be used from more	than one source, give q	untity from each)	•••••••••••••••••••••••••••••••••••••••
		e to which the t	water is to be a	pplied is	rigatio	7	
	-3. The us				mandi hance a mining a	minustruring, domesti	e supplies, etc.
•••	~3. The us	*******************************	***************************************		***************************************		
•••		***************************************	***************************************	S 55	°55' W		
	4. The po	oint of diversion	is located /3	5 35 10 ft.		trom	the NO
	4. The po	oint of diversion	is located /3	5 35 10 ft.		from	the N
	4. The po	oint of diversion	is located /3	5 35 10 ft.	°55' W	from	the NC
co	4. The po	oint of diversion	is located /3	5 35 10 ft.		from	the NC
co	4. The po	oint of diversion	is located /3	5 35 10 ft.		from	the NC
co	4. The po	oint of diversion	is located /3	S 35 90 ft	ossi w	(M	the M
	4. The po	oint of diversion Sec. 2.9	is located 13. T. 2. (12 probable, give	S 35 P 71. S. P. 2 / Checking or subdit	o section corner)	Y months	
 be	4. The portant of	oint of diversion Sec. 29	is located /3. 7. 7. (2 protests, given at a diverse of the control of the cont	S 35 PO ft. Official S. P. 2 / Checken or mobil distance and bearing to m. cock must be described.	o sortion corner) bod. Use separate short	Y months	
 be	4. The porter of	(M there is more than it. M. M., in the co	is located /3. 7. 7. (If preferable, given and of diversity of	S 35 P 1. Standard or maked Contained on maked	e section corner) but Use supervise short of Sec. 2	И весеняту) 4, Тр.	7 2 S (N. or 8.)
 be	4. The porter of	(M there is more than it. M. M., in the co	is located /3. 7. 7. (If preferable, given and of diversity of	S 35 P 1. Standard or maked Contained on maked	e section corner) but Use supervise short of Sec. 2	И весеняту) 4, Тр.	7 2 S (N. or 8.)
 be	4. The porter of	CE there is more than it. M. E	is located 13. T. Z. (If products, grant of the state o	S 55 PO 11. S. R. 2 S. R. 2 Observation or subsidiary to construct the construct the construct to construct the construct the construct the construction of the	o section corner) bod. The superste short of Sec. 2	If necessary) If necessary) If necessary)	7 2 S (N. or E.)
be R.	4. The porter of	The continue of the continue on the continue o	is located /3 7. 7. (2 probable graph of the probable legs) punty of	S 55 PO ft. Charles or sold Charles or sold Charles on the court Charles on the cou	o sertion corner) bod. Use superste short of Sec	If necessary) If necessary) Tp, Tp	7 7 5 (N. or 8.)
be R.	4. The porter of	The continue of the continue on the continue o	is located /3 7. 7. (2 probable graph of the probable legs) punty of	S 55 PO ft. Charles or sold Charles or sold Charles on the court Charles on the cou	o section corner) bod. The superste short of Sec. 2	If necessary) If necessary) Tp, Tp	7 7 (N. or 8.)
be R.	4. The port of	M there is more than it. M. M., in the connating in the	(If probable, green, and of diversity of	S 55 PO ft. Charles or sold Charles or sold Charles on the court Charles on the cou	of Sec	If necessary) If necessary) Tp, Tp	7 7 5 (N. or 8.)
be R.	4. The porter of	On the control of the	(Il probable, granted of diversity of	S 35 PO ft. S. R. 2 Geodese or middle Continue and bearing to m. each must be describe Continue Con	to be	If necessary) If necessary) If necessary) If necessary, Tp Tp the accompanyi	7
be R.	4. The porter of	M there is more than it. M. M., in the consting in the	car producted /3 T. 7. Car producted of diversity of	S 55 PO ft. S. R. 2 Checked or substitute of substitute or substitute	to be throughout on the top	(Miles et les , Tp Tp Tp Tp the accompanyi	7
be R.	4. The porter of	M there is more than it. M. M., in the consting in the	car producted /3 T. 7. Car producted of diversity of	S 55 PO ft. S. R. 2 Checked or substitute of substitute or substitute	to be	(Miles et les , Tp Tp Tp Tp the accompanyi	7
be R.	4. The porter of	W. M., in the containing in the	is located /3 7. 7. (2 protestite, give (A/E // proposed locat DESCI to be used and	S 55 PO ft. S. R. 2 S. R. R. 2 S. R.	to be throughout on the top	If necessary) If necessary) If necessary) If necessary) If necessary) If necessary) If necessary If necessa	7
be R.	4. The porter of	W. M., in the containing in the	(If probable, give a see point of diversity of	S 55 PO ft. S. R.	to be throughout on the top	# necessary) #, Tp the accompanyi feet, leng	(N. or 8.) (N. or 8.) ang map.
bi R.	4. The porter of	W. M., in the containing in the	(If preferable, give a see point of diversity of	S 55 PO ft. S. R.	to be throughout on the top	# necessary) #, Tp the accompanyi feet, leng	(N. or 8.) (N. or 8.) ang map.
be R.	4. The porter of	W. M., in the containing in the	(If preferable, give	S 55 PO ft. Charles or subdivision of the description	to be throughout on the top	# necessary) #, Tp (Millow or feet,, Tp feet, leng (Lease rock,	(N. or S.) (N. or S.) ang map.

و مجبه النظ	-	. And we do the de-		•
7. (c) Glo	dimensions at	each point of	canal where materially changed	in size, stating miles from
utodyste, At Need	pate: width on	top (at water	· line)	feet; width on botton
25/26/36/17	feet; depth of w	nater	feet; grade	feet fall per on
housend feet.			eadgate: width on top (at water	
	feet width on h	attom	feet; depth of wa	ter fee
grade			•	
-		•	.; size at intake,	in a simo me
			of use	
intake and place	of use,IC	2 ft.	Is grade uniform?	Estimated capacit
	sec. ft. n of area to be i	rrigated, or 1	place of use	
Township	- Bende			Number Acres To Be Irrigated
Herth or Bredh	B. or W. of Withemettic Moridina	Section	Perty-acre Tract	Number Acres 10 De li l'igned
775	RZW	24	SW/ of NE/A	31.0
	 		SE / of NE /	19.2
			NE 1/4 of NE 1/4	13.2
			NW 1/4 of NE 1/4	4.0

				The second secon
			Total	67.4 Ac
·				
			·	
		•		
			ace required, attach separate sheet)	
	haracter of soil		hoam	
(b) K Power or Minin		ed	o Crops & pa	sture - hay
		power to be d	leveloped	theoretical horsepou
(b) Q	uantity of water	r to be used fo	or powerse	c. ft.
,			feet.	
			eans of which the power is to be	developed
(6) 1	ne nature of the	. works og he	ease of which the power is to be	ueveropeu
ر ₋ ، ر				15-
			(Legal subdivision)	oj Sec
•	, R(No			.*
•	s water to be re		(Yes or No)	
	f so, name strea	m and locate	point of return	***************************************
(g) I	,,			

State of Oregon State of Marian State of M	1.5		
(a) If for families we case winds of position to be supplied 12. Decisional cost of position works, i. J. & CO. 12. Construction work will be completely on or before 13. The sector will be completely applied to the proposed use on or before I - I - G. Z. All The sector will be completely applied to the proposed use on or before I - I - G. Z. All The sector will be completely applied to the proposed use on or before I - I - G. Z. All The sector will be completely applied to the proposed use on or before I - I - G. Z. This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before	7		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corritors on or before 19. **State**:** **STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corritors on or before			•
STATE OF OREGON, Country of Marion, This is to certify that I have examined the foregoing application, together with the accompany meps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corretions on or before 12. Country of Marion, In order to retain its priority, this application must be returned to the State Engineer, with corretions on or before 13. Country of Marion, In order to retain its priority, this application must be returned to the State Engineer, with corretions on or before 14. The suctor will be completely application must be returned to the State Engineer, with corretions on or before 15. Country of Marion, In order to retain its priority, this application must be returned to the State Engineer, with corretions on or before 16. Country of Marion, 17. Country of Marion, 18. Country of Marion, 19. Country of	*	(b) If for destinate was state number of families to be supplied	·
12. Construction with begin on or before 7 / 65 12. Construction with be completely applied to the proposed use on or before 7 / 67 14. The sector will be completely applied to the proposed use on or before 7 / 67 ***Example** **Remarks** STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corretions on or before 99.			,
21. Construction work will be completely applied to the proposed use on or before Z-1-6.7 ***X**LULT** **Remarks** **Re		숲 지통이 하면 맛있다. 아이트를 하면 하는 사람이 있는 그 없다면 보이다. 아이트를 하는 것이다.	
It is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for		선 시간에 맞는 사람들이 되었다. 그는 그들은 사람들은 사람들이 가는 사람들이 가장 살아 있다면 살아 먹는 것이다.	***************************************
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before 19.	12	13. Construction work will be completed on or before	***************************************
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before 19		14. The water will be completely applied to the proposed use on or before $Z=I=$	67
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before 19			·
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before 19.		× Arreld] Odom	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before 19.		50 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before		Remarks	•••••••
STATE OF OREGON. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before 19			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before	-		
STATE OF OREGON, County of Marion, Sts. This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before, 19			•••••••••
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before			
STATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before	***		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	. ***		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before			***************************************
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before			
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for			
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	-		
This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	S	} <i>ss.</i>	
In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before			he accompania
In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before			
In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before	TI		
tions on or before, 19, 19			
			ieer, with corr
WITNESS my hand this day of	t	tions on or before	
WITNESS my hand this day of 19, 19			
		WITNESS my hand this day of	, 19

By

etate of oregon,

County of Merica,

This is to certify that I have exemined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

hall not exceed O. 64 cubic feet per second	Dedding B	
m, or its equivalent in case of rotation with other wat	er users, from	
The use to which this water is to be applied isIr	rigation	
		······································
If for irrigation, this appropriation shall be limited to	1/80th of or	ue cubic foot p
nd or its equivalent for each acre irrigated and shall		diversion
ot to exceed 2% acre feet per acre for each		
on of each year,		
		••••••••

		······································
		,
		•••••
shall be subject to such reasonable rotation system as r		tate officer.
The priority date of this permit is	Sun- 10, 1045	······································
Actual construction work shall begin on or before	Page 17, 1907	and she
reafter be prosecuted with reasonable diligence and be	completed on or before Octobe	7 1, 19
Complete application of the water to the proposed us	se shall be made on or before C	October_1, 196
WITNESS my hand thisday of	June , 19 64	
	of the	0.

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Application No. 39237

かいところ

Permit No.

on the 13 day of April

19 64, at 2.05 o'clock P M.

Returned to applicant:

office of the State Engineer at Salem, Oregon,

State Printing Milf

CHRIS L. MHEELER

Recorded in book No. 82.
Permits on page 221553

June 19, 1964

Approved:

Drainage Basin No. 2. page 3826

Fees 2