APPLACATION THE PROPERTY

To Appropriate the Public Waters of the State of Oregon

1. Keith G. Johnson	
eso Carado Hat to 15 cla	
910 Cascade Highway NE solon	<u></u> ,
Ness of Oral service to appropriate application for a permit to appropriate ap	iate the
officuling described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	•••••••••••
1. The source of the proposed appropriation is Beauter Common of street.	
, a tributary of Pudding Liver	
2. The amount of water which the applicant intends to apply to beneficial use is	
rable feet per second	······
**3. The use to which the water is to be applied is	ies, etc.)
4. The point of diversion is located 1/30 ft end from the	N E
orner of the Sw/4 of the NE/4 of section	3 4
T.75, RIW, of the Willamotte meridian	······
(If production, give distance and bearing to motion corner) (If there is more than one point of diversion, such must be described. The separate short if accounty) seing within theSb	<u>چ</u> ,
(Olive smallest legal subdivision) (II.	er 8.)
R. M. M., in the county of MALICO	•
5. The Perfable Equal Transfer to be (Miles or took)	·
n length, terminating in the	er 8.)
R, W. M., the proposed location being shown throughout on the accompanying m	
DESCRIPTION OF WORKS	
Diversion Works - Both point of dive swetion in Creek	
8. (a) Height of dam feet, length on top feet, length a	t bottom
feet; material to be used and character of construction(Looss reds. source	ite, massingy,
(b) Description of headgate	
(c) If water is to be pumped give general description 30 4 pc (the and type of pump). Head 75'	<u>al</u> (L 1
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	1.T.W.T.1.

^{*}A different form of application is provided where storage works are contemplated.

*Application for permits to appropriate water for the generalism of electricity, with the encoption of municipalities, must be made to the prevention of the above forms may be seemed, without east, together with instructions by addressing the State Engineer, Salam,

nnal System or	Pipe Line-	Portab	le Equipment	
	Marian Contract	Ž.	canal where materially changed	
		•	· line)	•
ousend feet.			feet; gradeeadgate: width on top (at water	
		-	feet; depth of wa	
	feet fal		· · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , , ,
	•	· .	; size at intake,	in : size atft.
		· ·	of use in.; diff	
,			Is grade uniform?	
•		•		
8. Location	on of area to be i	rrigated, or p	olace of use	
Township North or South	Range S. or W. of Willemotte Meridian	Section	Forty-scre Tract	Number Acres To Be Irrigated
75	1 ~	34	SE 4 of NW 14	36.2
75	1 m	34	NE MOS SW /4	0.8
75	1 11/	34	SW/4 of NE 1/9	38.9
75	12	34	SE 1/4 OF NE 1/4	18.6
75	11/	34	NW 14 of SE 1/4	19.5
75	1 / W	34	NE 14 . f SE 1/4	17.6
25	1 W	34	SW/4 of SE /A	1,4
75	1 12	34	SE /A of SE /4	1.5
			-11	134.5 Acr
			Total	194.2 Acr
			or required, attack separate short)	
		• •	al Soll & text	
(b) K Power or Minir		ed Kou	o crops, Pastu	re, Grass
	•	ower to be de	eveloped	theoretical horsepower.
(b) (Quantity of water	to be used fo	r power sec	:. ft.
· (c) T	otal fall to be ut	ilized	feet.	•
			ans of which the power is to be	developed
				<u></u>
(e) S	uch works to be	located in	(Legal subdivision)	of Sec,
	, R. (160		· = · · · · ·	
(f) I	s water to be ret	urned to any	stream?(Yes or No)	
		•	point of return	
***************************************	•	, Sec	, Tp(Ble. N. or S.)	, R, W. M.

	St. (e) To respon the step of the state of t
	(b) If the demands the pulse number of families to be supplied
1/4	The second designation being t & 000°
1.1	12 Construction work will begin on or before
	12. County-cities work will be completed on or before
	14. The water will be completely applied to the proposed use on or before
	× Seith Doban
``.	•
-	

_	
-	
-	
S	STATE OF OREGON,
	County of Marion,
	This is to certify that I have examined the foregoing application, together with the accompa-
	naps and data, and return the same for
	In order to retain its priority, this application must be returned to the State Engineer, with co
	tions on or before
	WITNESS my hand this day of, 19,

Bı

	right herein gran		Ť *4.		•	to beneficial use
and shall n	ot exceed1	.68 cubic	feet per second	measured at t	he point of di	version from the
stream, or	its equivalent in	case of rotation	with other wat	er users, from	Beaver Cr	oek
***************************************			***************************************			
The	use to which this	water is to be a	_	rigation		
*		·	***************************************			
If fo	r irrigation, this a		ill be limited to			one cubic foot per
	its equivalent for e					
•••••••••••••••••••••••••••••••••••••••	expeed 22 ac	re feet per a	ere for each	acre irriga	ted during	the irrigation
900.50N (X	f each year,					
		******************************	******************	······································		······································
,						
·					-	
		*				
	be subject to such	•		,		,
•	priority date of the			•		
						and shall
thereafter	be prosecuted wi	th reasonable d	iligence and be	completed on o	r before Octob	er 1, 1966
Con	nplete application	of the water to	the proposed us	e shall be made	on or before	October 1, 19 67
WI	TNESS my hand t	his 19th	day of	June	, 19 6	
•	·		***************************************	elís	L. H.	STATE ENGINEER
				i	: '8 :	1 1 1
	ည	in th				FATE BODDER
50	PUBL	eived i.	×			CHRIS L. WHEELER STATE BROWN 2 page 38
20.2	THE 1	at So	Z		88	7
مي م	PERMIT DPRIATE TH RS OF THE S OF OREGON	ras fir pineer f	lock .	٥	8 N	8 0
ion No	PEI PRIVES OF O	ent u te Eng day o	o'c o'c	•	book	No.
Application No. 39742 Permit No. 29566	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	strum Stat	dds o		ed in	Banin
Ap	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Gregon, on the LLL day of Me.	B.C.L. at M. 45 o'clock M. M. Returned to applicant:	Approved:	Recorded in book No. 82 Permits on page 20.560	GIRIS Drainage Basin No. 2
-		Ti office on th	B C	Appr	Perm	Drain