

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, William E. Harper of Sitkum RT. Box 24 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Fork, a tributary of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is Domestic

4. The point of diversion is located 2168.8 ft. N. and 2168.8 ft. N. of the SE. corner of The S.W. 1/4 of Sec. 3 T29SR12W.W.M

being within the NE 1/4 SW 1/4 of Sec. 3 Tp. 29 S R. 12 W, W. M., in the county of Coos

5. The pipe line to be 720' in length, terminating in the NW 1/4 of SE 1/4 of Sec. 3 Tp. 29 S R. 12 W W.M

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1/2 HP Centrifical 400 G.P.H. 20' suction lift 90' discharge Booster 1/2 H.P. Centrifical 40' suction lift 6' discharge

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe. 780 ft.; size at intake, 1" in.; size at 60' ft. from intake in.; size at place of use 3/4" in.; difference in elevation between intake and place of use. 136' ft. Is grade uniform? No Estimated capacity, 0.01 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T29S-R12W-WM		●		Approx 1/2 Acres
T29S-R12W-WM		3	Term. N.W. 1/4 of S.E. 1/4 of sec. 3	Lawn & garden
29S	12W	3	N.W. 1/4 of S.E. 1/4 of sec. 3	Domestic use

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

_____ County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 560

12. Construction work will begin on or before work is completed

13. Construction work will be completed on or before " " "

14. The water will be completely applied to the proposed use on or before _____

William E. Harper
(Signature of applicant)

Remarks: Have been using water from this system since July 1960

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 22, 1964.

WITNESS my hand this 21st day of April, 1964.

RECEIVED
JUN 22 1964
STATE ENGINEER
SALEM, OREGON
By *Walter Long*
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Coquille River

The use to which this water is to be applied is domestic use of one family, including irrigation of not to exceed one-half acre lawn and garden

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 3, 1964

Actual construction work shall begin on or before July 31, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 31st day of July, 1964

Chris L. Wheeler
STATE ENGINEER

Application No. 29698
Permit No. 29624

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of April, 1964, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

July 31, 1964

Recorded in book No. 29624 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 17 page 22M

Fees