*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, John M. k.	Marguerite V. Blac	applicant)	
Rt.1 Bx 14,	Jacksonville, Ore	gon	·····
	, do hereb	u make application for a pe	rmit to appropriate th
•			
niowing aescribed public i	vaters of the State of Orego	m, SUBJECT TO EXISTI	IG RIGHTS:
If the applicant is a co	orporation, give date and pl	ace of incorporation	·····
rest The surge of the Porest Creek	rongeni empropriation is .Or	regon Belle Frk (Mana of str y of Applegate Riv	f the Left Frk.
2. The amount of wat	er which the applicant inten	ds to apply to beneficial u	se is 0.52
bic feet per second D 91	Rogue River deore	e on 1/40 duty	•••••
**3. The use to which the	re water is to be applied in	in more than one source, give quantity [TT BR t AN	from each)
	ne water is to be applied is	(Brigation, power, mining, manufa	cturing, domestic supplies, etc.)
4. The point of divers	ion is locatedft.	andft.	from the
rner of Ditch Mo.1, I from the west 1/	788 ft. East & 54 1	t, Sou. No.2,225	2 ft. East & 68
#6:1:4s	(Il preferable, give distance and b	earing to section corner)	Sec. 5 2 38 8
EG.7, 157 ting within the 2,3,8%, s	(If preferable, give distance and b	zering to section corner) Ze III 5.3. of N.W.	Sec. 5 2 38 8
ing within the 3. West, W. M., in the	(If preferable, give distance and be a second of Second	cering to section corner) 2, 111 S.B. of N.W. 78 of Sec.	Sec.5 1.38 S, Tp. (N. or S.)
ing within the o.3, SW. 3. West., W. M., in the C. w.) 5. The	(H preferable, give distance and but the MSGT SW. had not see 32. The 3 county of Jackson. dikehes. (Main ditch, senal or pipe line)	to be	Th. (Miner or fact)
ing within the o.3, SW. 3. West., W. M., in the C. w.) 5. The	(H preferable, give distance and but the MSGT SW. had not see 32. The 3 county of Jackson. dikehes. (Main ditch, senal or pipe line)	to be	Th. (Miner or fact)
ing within the 3, SW. 3. West., W. M., in the C. w.) 5. The	(H preferable, give distance and be the made of SW. Thro. 36. Sec. 32. Thro. 3 (Olive smallest legal subdivision) a country of Jackson.	to be 6300	Tt. (Miner or fact) (77. or 5.)
EG. 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	(Il preferable, give distance and but the MSOI SV. BO. of SB. Sec. 32. Thep. 2 (Olive smallest legal subdivision) county of	to be 6300 shown throughout on the a	Tt. (Miner or fact) (77. or 5.)
ing within the 3. S. M. in the a. w.) 5. The initial length, terminating in the a. w.) (a. w.) (b. w.) (c. w.)	(If preferable, give distance and heart for the first Switch and heart Switch and heart Switch and heart Switch and heart legal subdivision). If the heart legal subdivision are country of Jackson. If the heart legal subdivision are heart legal subdivision are heart legal subdivision being the proposed location being DESCRIPTION	to be 6300 shown throughout on the a	The c.5 T.38 S. (N. or S.) (M. or S.) (N. or S.) (N. or S.) (N. or S.)
iversion Works—	(B preferable, give distance and be a second to the second	to be 6300 shown throughout on the a	The c.5 T.38 S. (N. or S.) (M. or S.) (N. or S.) (N. or S.) (N. or S.)
iversion Works— 6. (a) Height of dam	(If preferable, give distance and heart for the first Switch and heart Switch and heart Switch and heart Switch and heart legal subdivision). If the heart legal subdivision are country of Jackson. If the heart legal subdivision are heart legal subdivision are heart legal subdivision being the proposed location being DESCRIPTION	to be 6300 shown throughout on the a	(M. or S.) ccompanying map.
ing within the 3, SW. S. West., W. M., in the a. w.) 5. The sain. length, terminating in the a. w.) iversion Works— 6. (a) Height of dam feet; mater	(E preferable, give distance and be the second of the seco	to be 6300 : of Sec. 5 shown throughout on the a OF WORKS of construction 10. 12.	(M. or S.) companying map. feet, length at botton leaves rock, concrete, macour
ing within the 3, SW. S. West., W. M., in the (a. e. w.) 5. The	(Il preferable, give distance and but the MSOI SW. BO. of SB. Sec. 32. Thep. 2 (Otre smallest legal subdivision) county of Jackson. ditches. (Main ditch, small or pipe line) Wo of WB. (Smallest legal subdivision) the proposed location being DESCRIPTION feet, length in the proposed distance of the proposed distance of the proposed location being the proposed location being the proposed distance of the proposed di	to be 6300 : of Sec. 5 shown throughout on the a OF WORKS of construction 10. 12.	(M. or s.) (D. or s.) (H. or s.)
ing within the 3, SW. S. West., W. M., in the (a. e. w.) 5. The	(Il preferable, give distance and but the MSOI SW. BO. of SB. Sec. 32. Thep. 2 (Otre smallest legal subdivision) county of Jackson. ditches. (Main ditch, small or pipe line) Wo of WB. (Smallest legal subdivision) the proposed location being DESCRIPTION feet, length in the proposed distance of the proposed distance of the proposed location being the proposed location being the proposed distance of the proposed di	to be 6300 : of Sec. 5 shown throughout on the a OF WORKS of construction 10. 12.	(M. or s.) (D. or s.) (H. or s.)
iversion Works— 6. (a) Height of dam feet; mater (b) Description of her	(II preferable, give distance and has the most synth most seed and character was a seed and character a should to be used and character a should the most seed and character a should the most seed and character a should the most seed and character a should seed a shoul	to be 6300 shown throughout on the a of construction was like, concrete, etc. number and size of shown construction was liked.	(M. or S.) ccompanying map. ccompanying map. feet, length at bottom closes rock, concrete, masonry ato ditch
iversion Works— 6. (a) Height of dam feet; mater (b) Description of her	(Il preferable, give distance and but the MSOI SW. BO. of SB. Sec. 32. Thep. 2 (Otre smallest legal subdivision) county of Jackson. ditches. (Main ditch, small or pipe line) Wo of WB. (Smallest legal subdivision) the proposed location being DESCRIPTION feet, length in the proposed distance of the proposed distance of the proposed location being the proposed location being the proposed distance of the proposed di	to be 6300 shown throughout on the a of construction 10 of constructio	(M. or S.) ccompanying map. ccompanying map. feet, length at bottom closes rock, concrete, masonry ato ditch

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Rydreelectric Commission. Either of the above forms may be secured, without cost, tegether with instructions by addressing the State Engineer, Salem,

ź

			er line) No.1-2 ft. No.	
AMARINE LECT"			feet; grade	
(b) At		. miles from	headgate: width on top (at w	ater line)
***************************************	feet; width on	bottom	feet; depth o	f water
rade 1,2!	feet fa	ll per one the	ousand feet.	
(c) Lengt	th of pipe,	ft	:.; size at intake,	in.; size at
			of use in.;	
take and place	of use,	ft.	Is grade uniform?	Estimated
	sec. ft.			
o. Locano	on of area to be	irrigated, or	place of use	
Township * Worth or Bouth	S. or W. of Williamotto Meridian	- Oortica	Forty-sere Tract	Number Acres To Be 1
385	3 W.	5	NE of NW	2,4
385	3w	5-	SE of NW.	1.8
385	3w	5	NWONE	161
38S	3w	3.	SWANE	5.5
•	,		1	
,				
			required, attack separate sheet)	
			male .	
b) Ki) ower or Mining	nd of crops raise	d .hay and	pasture	
		rwer to he de	veloped	41
			power	the state of the s
				æс. ј т.
			(Mend) feet.	
			ns of which the power is to b	
(<i>e)</i> 3 u	en works to be l	ocated in	(Legal subdivision)	of Sec
(No. N. or S	, R	, W.	K.	
			tream?(Yes or No)	
(g) If :	so, name stream	and locate p	oint of return	

ż

icipal or Domestic Supply—		
10. (a) To supply the city	of	
Coun	ty, having a present population of .	
in estimated population of	in 19	•
(b) If for domestic us	e state number of families to be s	upplied
-		
	ARROW QUARTED II, EI, II, SHE II IN SH SH CHU)
11. Estimated cost of propo	•	
	begin on or before ANGYARE	•
13. Construction work will	be completed on or before 1991	1 + 66
14. The water will be comp	oletely applied to the proposed use	on or before 19-1-67
	CDA	n D / I
•	× Xhm 1	M Black
	Margi	unte Tr. Diase
of southwest que		rge.3 west a west hal greathalf & (south 28 a ast quarter sec.32 twp.
Ditch Wo.1,	5.7 Ac, .1425, 27.4%; No Belle Fork.	······································
Ditch Wo.1,	5.7 Ac.,1425, 27.4%; Wo Belle Fork. 8.9 Ac.,2225, 42.8% fr	······································
Ditch Wo.1, from the Oregon Ditch Wo.3,	7a71a-7a-6	······································
Ditch Wo.1, from the Oregon Ditch Wo.3,	7a71a-7a-6	······································
Ditch Wo.1, from the Oregon Ditch Wo.3,	7a71a-7a-6	······································
Ditch Wo.1, from the Oregon Ditch Wo.3,	7a71a-7a-6	······································
Ditch Wo.1, from the Oregon Ditch Wo.3,	7a71a-7a-6	······································
Ditch Wo.1, from the Oregon Ditch Wo.3,	7a71a-7a-6	······································
Ditch Wo.1, from the Oregon Ditch Wo.3,	7a71a-7a-6	······································
Ditch Wo.1, from the Oregon Ditch Wo.3,	8.9 Ac., 2225, 42.8% fr	······································
Ditch No.1, From the Oregon Ditch No.3, Forest Creek.	8.9 Ac., 2225, 42.8% fr	om the Left fork of
Ditch No.1, From the Oregon Ditch No.3, Forest Creek.	8.9 Ac., 2225, 42.8% fr	om the Left fork of
Ditch No.1, From the Oregon Ditch No.3, Forest Creek.	8.9 Ac., 2225, 42.8% fr	om the Left fork of
Ditch No.1, From the Oregon Ditch No.3, Forest Creek.	8.9 Ac., 2225, 42.8% fr	om the Left fork of
Ditch No.1, From the Oregon Ditch No.3, Forest Creek.	8.9 Ac., 2225, 42.8% fr	om the Left fork of
Ditch Wo.1, Trow the Oregon Ditch Wo.3, Forest Creek. ATE OF OREGON, County of Marion, St.	8.9 Ac., 2225, 42.8% fr	on the Left fork of
Ditch No.1, From the Oregon Ditch No.3, Forest Creek. ATE OF OREGON, County of Marion, This is to certify that I	8.9 Ac., 2225, 42.8% fr	ication, together with the accompa
Ditch No.1, From the Oregon Ditch No.3, Forest Creek. ATE OF OREGON, County of Marion, This is to certify that I	have examined the foregoing appli	ication, together with the accompa
Ditch No.1, Trow the Oregon Ditch No.3, Forest Creek. ATE OF OREGON, County of Marion, This is to certify that I app and data, and return the	have examined the foregoing applesame forcompletion	cation, together with the accompa
Ditch Wo.1, Trow the Oregon Ditch We.3, Torost Creek. ATE OF OREGON, County of Marion, This is to certify that I aps and data, and return the In order to retain its pr	have examined the foregoing application must be retuined to the same for the completion.	cation, together with the accompa
Ditch Wo.1, Trow the Oregon Ditch We.3, Torost Creek. ATE OF OREGON, County of Marion, This is to certify that I aps and data, and return the In order to retain its pr	have examined the foregoing applicame for completion	cation, together with the accompa
Ditch No.1, Trow the Oregon Ditch No.3, Forest Creek. ATE OF OREGON, County of Marion, This is to certify that I aps and data, and return the In order to retain its proms on or before	have examined the foregoing application must be retuined to the same for the completion.	ication, together with the accompa



.

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein gran	sted is lim	sited to the a	nount of w	ater which can	be applied	to beneficial use
and shall n	ot exceed	.52	cubic feet p	er second n	neasured at the	point of di	version from the
stream, or	its equivalent in	case of n	: Station with a	ther water	users, from	regon Bel	le Fork of
the Left	Fork of Pore	st Cree	k and Left	Fork of	Forest Creek,	being O.	45 c.f.s, from
Oregon Be	ile Fork of	he Left	Fork of Fo	rest Cre	ek and 0.07 c	.f.s. fro	m Left Fork of
Forest C: The	rook use to which this	water is	to be applied	is	irrigation		
If for	r irrigation, this	appropria	tion shall be l		1/40th		one cubic foot per
second or i	ts equivalent for	each acre	irrigated an	d shall t	e further li	mited to	diversion
							the irrigation
season o	f each year,		• 4				-
***************************************							•
***************************************				•			
					••••••••••		

·	.,			•••••		•	
***************************************			***************************************			••••	
						••••	
The	priority date of all construction	this permi	it is		May 5, 19	64	state officerand shall
thereafter	be prosecuted u	rith reason	nable diligeno	e and be co			
							October 1, 1967
					uly -		
W F1	INESS my hand	inis	aay	ој	»D. ~		C_0
				***************************************			STATE ENGINEER
	•			4			
Application No. 34833 Permit No. 29657	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the S.B. day of MDY. 1964, at A. 200 o'clock. A. M.	Returned to applicant:	July 31, 1964	Recorded in book No. 29657 Permits on page	CHRIS L. WHEELER GTATE BROWGER Drainage Basin No. 15 page 16 M
Ap Pe	OL P	This in	a the S	Leturned	Approved:	Record ermits o	rainage

State Printing 98137