

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John V. Giesbrecht of Rt. 1, Box 153, DALLAS, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring fed stream, a tributary of Salt Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is Domestic use including irrigation of not over 1/2 Acre of lawn and garden.

4. The point of diversion is located 700 ft S. and 730 ft W. from the N.E. corner of Section 12 and being within the NE 1/4 NE 1/4 of Section 12 T7S R6W and also 100 ft South and 150 ft East from the NW Corner of Section 7 and being with the NW 1/4 NW 1/4 of Section 7 T7S R5W.

being within the R. 5 and 6, W. M., in the county of Polk

5. The Pipe line to house to be 1/5 in length, terminating in the NW 1/4 NW 1/4 of Sec. 7, Tp. 7S R. 5W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam 18 in. feet, length on top 54 feet, length at bottom 48 feet; material to be used and character of construction Timber Waste way over dam

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1139 ft.; size at intake, 1 1/2 in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 7S, 5W, 7, Lot 1 NW 1/4 NN 1/4, Domestic.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R., W. M.

(f) Is water to be returned to any stream?

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before Now in use

John V. Giesbrecht
(Signature of applicant)
Mary Giesbrecht

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19.....

WITNESS my hand this _____ day of _____, 19.....

By _____
STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Spring fed stream

The use to which this water is to be applied is domestic use of one family including irrigation of not to exceed 1/2 acre lawn and garden

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 19, 1964

Actual construction work shall begin on or before July 31, 1965 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 31st day of July, 1964

Chris L. Wheeler STATE ENGINEER

Application No. 32869
Permit No. 29676

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of May, 1964, at 1.15 o'clock P. M.

Returned to applicant:

Approved:

July 31, 1964

Recorded in book No. 29676 of Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 90A7 Fees 20.00