Permit No. 29682

JUL 2 2 1964
STATE Entered TER

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

P. O. Box 671, Salem, Oregon  Chanter of Oregon , do hereby make application for a permit to appropriat collowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation February 7, 1957 at Salem, Oregon  1. The source of the proposed appropriation is North Umpqua River (Name of stream)  ———————————————————————————————————
If the applicant is a corporation, give date and place of incorporation February 7, 1957  at Salem, Oregon  1. The source of the proposed appropriation is North Umpqua River (Manne of stream)  a tributary of Umpqua River  2. The amount of water which the applicant intends to apply to beneficial use is which feet per second 3.33  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is to the production of, and (Brightian, power, mining, manufacturing, domestic supplies, of washing of aggregates.)  4. The point of diversion is located 250 ft. N. and 500 ft. W. from the (E. or W.)
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation February 7, 1957  at Salam, Oregon  1. The source of the proposed appropriation is North Umpqua River  (Manne of stream)  ———————————————————————————————————
If the applicant is a corporation, give date and place of incorporation February 7, 1957 at Salem, Oregon  1. The source of the proposed appropriation is North Umpqua River  Otenne of stream)  , a tributary of Umpqua River  2. The amount of water which the applicant intends to apply to beneficial use is  whice feet per second.  3.33  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is to the production of, and  (Extraction, power, mining, manufacturing, domestic supplies, or washing of aggregates  4. The point of diversion is located 250 ft. N and 500 ft. W from the COM. or N.
1. The source of the proposed appropriation is North Umpqua River  (Name of stream)  ———————————————————————————————————
1. The source of the proposed appropriation is North Umpqua River  (Mame of stream)  (Mame of stream)  2. The amount of water which the applicant intends to apply to beneficial use is subic feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is to the production of, and (Arrigantion, power, mining, manufacturing, domestic supplies, of washing of aggregates  4. The point of diversion is located 250 ft. N and 500 ft. W from the COI (R. or W.)
(Name of stream)  7. The amount of water which the applicant intends to apply to beneficial use is subic feet per second.  8. 3.33  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is to the production of, and (Arrigation, power, mining, manufacturing, domestic supplies, of washing of aggregates  4. The point of diversion is located 250 ft. N and 500 ft. W from the COI (R. or W.)
2. The amount of water which the applicant intends to apply to beneficial use is subic feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is to the production of, and (hrightien, power, mining, manufacturing, domestic supplies, of aggregates  4. The point of diversion is located 250 ft. N and 500 ft. W from the COI (R. or W.)
whice feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is to the production of, and (brigation, power, mining, manufacturing, domestic supplies, of aggregates  4. The point of diversion is located 250 ft. N and 500 ft. W from the COI (R. or W.)
whice feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is to the production of, and (brigation, power, mining, manufacturing, domestic supplies, of aggregates  4. The point of diversion is located 250 ft. N and 500 ft. W from the COI (R. or W.)
**3. The use to which the water is to be applied is to the production of, and (brightien, power, mining, manufacturing, domestic supplies, of aggregates  4. The point of diversion is located 250 ft. N and 500 ft. W from the COI (R. or W.)
4. The point of diversion is located 250 ft. N and 500 ft. W from the concrete the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of diversion is located 250 ft. N and 500 ft. W from the concrete that the point of the concrete that the concrete
4. The point of diversion is located 250 ft. N and 500 ft. W from the concast (E. or W.)
(Section or subdivision)
(H preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
peing within the SE 1/4 SE of Sec. 23 , Tp. 26S (Give smallest legal subdivision)
R, W. M., in the county of Douglas
R. 6W , W. M., in the county of Douglas  (B. or W.)  5. The 6 pipe to be 700 ft  (Miles or feet)
in length, terminating in the SE 1/4 of the SE 1/4 of Sec. 23 , Tp. 268 (Montliert legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.  (3. a. v.)
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bo
feet; material to be used and character of construction
(Loose rock, concrete, n
ock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description inch Cornell suction pump w
HP electric motor See Ltv. 7-31-64
(Size and type of entire or meter to be used, total head water is to be lifted, etc.)

7. (a) Giv		each point of ca	mal where materially chang	ged in size, stating miles from
dgate. At hea	dgate: width on	top (at water li	ne)	feet; width on botton
usand feet.	-			er line)
······································	feet; width on b	ottom	feet; depth of	water feet
ıde	feet fall	l per one thousa	and feet.	
(c) Lengti	h of pipe,	ft.; s	ize at intake,	in.; size üt f
				ifference in elevation betwee
				Estimated capacity
			grade unijorm:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	sec. ft. on of area to be i	rrigated, or pla	ce of use	
Township	Range	Gertien	Party-sore Tract	Number Acres To Be Irrigated
North or South	Willemette Meridian		· ·	
T 26S	R-6W	23	SE 1/L SE 1/L	Washing aggregates
T 26S	R-6W	24	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	•
T 26S	R-6W	25	W 1/4 W 1/4	
T 26S	R-6W	26	NE 1/L NE 1/L	•
				***
(a) C	haracter of soil		equired, attach separate sheet)	
	•	•		
ower or Minin		ra		
		ower to be deve	eloped	theoretical horsepowe
(b) Q	uantity of water	to be used for p	ower	sec. ft.
(c) T	otal fall to be ut	ilized	feet.	
		,	<del></del>	e developed
(4) 1		•	•	· •
(e) S	uch works to be	located in	(Legal subdivision)	of Sec.
Tp(No. N. or	, R. (No.	, W. M	<b>i.</b>	•
(f) I	s water to be ret	urned to any str	ream?(Yes or No)	•
(g) I	f so, name streat	m and locate po	int of return	
		, Sec	, Тр	, R, W.
				) (No. E. er W.)
•		•	med .	

STATE ENGINEE

ASSISTANT

## STATE OF OREGON, County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

shall not e:	rceed2.	22	cubic feet pe	r second n	neasured at the	point of div	version from th
ım, or its e	•	*			users, from		
The use	to which this	water is to	be applied i	produc	tion of and w	ashing of	aggregate.
	••••••••••••		• • • • • • • • • • • • • • • • • • • •		ng the water	•••••••••••••••••••••••••••••••••••••••	••••••
If for irr	igation, this a	ppropriatio	on shall be li	mited to		of o	ne cubic foot p
nd or its eq	quivalent for e	ach acre in	rrigated		·····	······································	······································
			••••••				
						•	
			•				
					<u></u>	••••••	
* *							
			·····	·····	·····		
l shall be sı	ubject to such	reasonable	e rotation sys	stem as ma	y be ordered by	the proper s	state officer.
shall be su The pric	ubject to such ority date of tl	reasonable	e rotation sys	stem as ma y 22, 19	y be ordered by	the proper s	state officer.
l shall be so The pric Actual c	ubject to such ority date of th construction u	reasonable his permit vork shall	e rotation sys is Jul begin on or	stem as ma y 22, 19 before	y be ordered by	the proper s	state officerand sho
l shall be su  The pric  Actual c  reafter be j	ubject to such ority date of th construction u prosecuted wi	reasonable his permit work shall ith reasona	e rotation sys  is Jul  begin on or  ible diligence	y 22, 19 before	y be ordered by 64 August	the proper s 5, 1965 efore Octobe	state officer
The price Actual of reafter be formula	ubject to such ority date of th construction u prosecuted wi te application	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  ible diligence ter to the pro	y 22, 19 before e and be co	y be ordered by 64 August	the proper s 5, 1965 efore Octobe n or before (	state officer.  and sho er 1, 1966 October 1, 1967
The price Actual of reafter be formula	ubject to such ority date of th construction u prosecuted wi te application	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  ible diligence ter to the pro	y 22, 19 before e and be co	y be ordered by 64 August empleted on or be shall be made or	the proper s 5, 1965 efore Octobe n or before (	state officer.  and sho er 1, 1966 October 1, 1967
The price Actual of reafter be formula	ubject to such ority date of th construction u prosecuted wi te application	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  ible diligence ter to the pro	y 22, 19 before e and be co	y be ordered by 64 August empleted on or be shall be made or	the proper s 5, 1965 efore Octobe n or before (	state officer.  and sho er 1, 1966  October 1, 1967
The price Actual of reafter be formula	ubject to such ority date of th construction u prosecuted wi te application SS my hand th	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  able diligence  ter to the pro  day	y 22, 19 before e and be co	y be ordered by 64 August empleted on or be shall be made or	the proper s 5, 1965 efore Octobe n or before (	and sho
The price Actual of reafter be greater WITNE	ubject to such ority date of th construction u prosecuted wi te application SS my hand th	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  able diligence  ter to the pro  day	y 22, 19 before e and be co	y be ordered by 64 August empleted on or be shall be made or	the proper s 5, 1965 efore Octobe a or before (	and sho
The price Actual of reafter be greater WITNE	ubject to such ority date of th construction u prosecuted wi te application SS my hand th	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  able diligence  ter to the pro  day	y 22, 19 before e and be co	August ompleted on or b shall be made or August	the proper s 5, 1965 efore Octobe a or before (	and shows and shows a state officer.  and shows a state officer.
The price Actual of reafter be greater WITNE	ubject to such ority date of th construction u prosecuted wi te application SS my hand th	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  able diligence  ter to the pro  day	y 22, 19 before e and be co	August  Made on or be shall be made on August	the proper s 5, 1965 efore Octobe a or before 0 , 19 64	and shows and shows a state officer.  and shows a state officer.
The price Actual of reafter be greater WITNE	ubject to such ority date of th construction u prosecuted wi te application SS my hand th	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  able diligence  ter to the pro  day	y 22, 19 before e and be co	August  Made on or be shall be made on August	the proper s 5, 1965 efore Octobe n or before 0 , 19 64	and shoer 1, 1967.  STATE ENGINEER  STATE ENGINEER  STATE ENGINEER
The price Actual of reafter be greater WITNE	ubject to such ority date of th construction u prosecuted wi te application SS my hand th	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  able diligence  ter to the pro  day	y 22, 19 before e and be co	August ompleted on or b shall be made or August	the proper s 5, 1965 efore Octobe n or before 0 , 19 64	and shoer 1, 1967.  STATE ENGINEER  STATE ENGINEER  STATE ENGINEER
The price Actual of reafter be WITNE	ubject to such ority date of the construction uprosecuted wite application SS my hand the CONTRACT CON	reasonable his permit work shall ith reasona of the wat	e rotation sys  is Jul  begin on or  able diligence  ter to the pro  day	y 22, 19 before e and be co	August  Made on or be shall be made on August	the proper s 5, 1965 efore Octobe a or before (	and shows and shows a state officer.  and shows a state officer.